

REFERENCE

- Abedel-Fattah, H.M.; Moubasher, A.H. and Swelim, M.A.(1981):
Studies on air-borne fungi at Qena II-Diurnal
fluctuations. Zeit. Fur. Allg. Mikro 21:177-179.
- Abdel-Hafez, S.I.I. and Shoreit, A.A.M.(1985a): Mycotoxins
producing fungi and mycoflora of air-dust from Taif,
Saudi Arabia. Mycopathologia 92:65-71.
- Abdel-Hafez, S.I.I.; Shoreit, A.A.M.; Abdel-Hafez, A.I.I.
and El-Maghraby, O.M.O.(1986): Mycoflora and Mycotoxin-
producing fungi of air-dust particales from Egypt.
Mycopathologia 93:25-32.
- Abuel-Souod, S.M. (1974): Studies on fungus air-spora in
Egypt. Ph.D. thesis, Bot. Dept. Faculty of Science,
Assiut University.
- Adams, K.F. (1964): Year to year variation in the fungus
spore content of the atmosphere. Acta Allergol.,
19:11-50
- Adamson, R.H.; Correa, P. and Dalgard, D.W.(1973): Brief
communication occurrence of primary liver carcinoma in
rehesus monkey fed aflatoxin. B.J. Nail Cancer Inst.,
50:549-553.

- Ainsworth, G.C. (1952): The incidence of air-borne *Cladosporium* spores in the London region. J.Gen. Microbiol. 7:358-361.
- Ainsworth, G.C. (1957): The dispersal of fungi pathogenic for man and animals Ch.1 in "Biological Aspects of the Transmission of Disease". (C.Horton-Smith, ed), pp. 1-5, Oliver and Boyd, London.
- Ainsworth, G.C. and Rewell R.E.(1949): The incidence of aspergillosis in captive wild birds. J. Comp. Pathol. Ther. 59:213-214.
- Ajello, L. (1958): Occurrence of *cryptococcus neoformans* in soils. Amer.J.Hyg.67, 1:72-77.
- Ajello, L.; Maddy, K., et al (1965): Recovery of *coccidioides immitis* from the air. Sabouraudia, 4:92-95.
- Alemany-Vall, R.L. (1949): Sensibilidad respiratoria a hongos. Med. Clin. 13:102-108
- Ali, M.I.; Salama, A.M. and Abdel-Rahman, T.M.A. (1973): Studies on the air fungal flora of Egypt. I-Effect of some environmental factors on the frequency of occurrence. Egypt. J. Microbiol. 8:113-124.

- Ali, M.I.; Abu-Zinada, A.H. and El-Mashharawi, Z. (1977):
Survey of air-borne mold flora at Riyadh, Saudi Arabia.
Bull. Fac. Sci. Riyadh University: 215-228.
- Alvarez, J.G and Castro, J.F.(1952): Quantitative studies of
air-borne fungi of Havana in each of the twenty four
hours of the day. J.Allergy. 23:247-264.
- Andrellos, P.J.; Beckwith, A.C. and Eppley, R.M. (1967):
Photochemical changes of aflatoxin B₁. J. Ass. Offic.
Agr. Chemists, 50:346-350.
- Anita (1977): Fungi associated with human corneal ulcers.
M.Sc. Thesis submitted to Curn Nanak Dev. University
Amritsar.
- Anthony, P.P. (1977): Cancer of the liver: pathogenesis and
recent aetiological factors. Transactions of the Royal
Society of Tropical Medicine and Hygiene. 71:466-470.
- AOAC, Sec. 26, 018 and 019 (1975): Association of Official
Analytical Chemists (1975). Official methods of
Analysis. Chapter 26, Natural Poisons, Separate revised
Marth 1975. Association of Official Analytical
Chemists, Washington, D.C.
- Appleby, E.C.(1962): Mycosis of the respiratory tract in
penguins. Proc. Zool. Soc. Lond. 139(3):495-501.

- Areseculeratne, S.N.; De Silva, L.M.; Wijesundera, S. and Bandunatha, C.H. S.R. (1969): Coconut as a medium for the experimental production of aflatoxin. Appl. Microbiol., 18:88-94.
- Asplin, F.D. and Carnaghan, R.B.A. (1961): The toxicity of certain groundnut meal for poultry with special reference to their effect on ducklings and chickens. The Veterinary Record. 73:1215-1218.
- Babras, M.A. and Radhakrishnan, C.V. (1967): Aspergillosis in chicks and trial of hamycin in an outbreak. Hindustan Antibiot, Bull. 9(4):244-245.
- Bacharewicz, A. and Olszewski (1966): Studies into the aetiology of necrotic foci in the livers of slaughtered geese. Medycyna wet. 22(1):37-38.
- Barnett, H.L. and Hunter, B.B. (1972): Illustrated genera of imperfect fungi. Burgess Publishing Company. Minneapolis, P.241.
- Baruch, H.K. (1961): The air spora of a cowshed. J.Gen. Microbiol. 25:483-491.
- Battelli, C. (1944): Avian aspergillosis in Eritrea. Boll. Soc. Ital. Med. Ig. Trop., Asmara, 4; 5-6: 14. [C. F. M.Sc. thesis by N.H.Aziz, Ain Shams Univ., 1982].

- Beckwith, A.C.; Vesonder, R.F. and Ciegler, A.(1975):
Chemical methods investigated for detoxifying
aflatoxins in foods and feeds. T. Agric. Food Chem.,
23:582.
- Beer, J.V. (1963): The incidence of *Aspergillus fumigatus* in
the throats of wild geese and gulls. Sabouraudia,
2(4):238-247.
- Beer, J.V. (1969): Isolation of pathogenic fungi from
waterfowl. In "Isolation Methods for Microbiologists"
(D.A. Shapton and G.W. Gould, eds), pp. 103-111.
Academic press, London & New Yowrk.
- Benjamin, J.; Wilson, J.; Campbell, T.C.; Hayes, A.W. and
Hanlin, R.T.(1968): Investigation of reported aflatoxin
production by fungi outside the *Aspergillus flavus*
group. Appl. Microbiol., 16(6):819-821.
- Bennett, J.W.; Lee, L.S.; Shoss, S.M. and Boudreaux, G.H.
(1980): Identification of averantin as an aflatoxin B₁
precursor placement in the biosynthetic pathway. Appl.
and Environ. Microbiol. Apr., pp. 835-839.
- Bernstein, T.B. and Feinberg, S.M. (1942): Air-borne fungus
spores. A five-year survey of daily mould spore-
content of Chicago air J.Allergy, 13:231-241.

- Bhatia, K.C.; Kalra, D.S.; Paulgupta, R.K. and Ram, G.C.(1983): Toxigenicity of fungal isolates of rice straw associated with Degnala disease. Proc. Int. Symp. Mycotoxins, pp. 243-248.
- Blakely, R.M.; Mac Gregor, H.I.; Connell, R.; Timonin, M.I. and Chandra, P.(1963): The effects of moldy wheat on growth, livability and the incidence of mycotic infection in turkey poultry. Cand. J. Animal Sci. 43(1):98-105.
- Blount, W.P.(1961): Turkey "X" disease. Turkeys. 9:52.
- Blumstein, G.I. and Mc Reynolds, S.W.(1945): Mold allergy. I. Field survey of the Philadelphia area. J.Allergy 16:285.
- Booth, C. (1971): The genus *Fusarium*. Commonwealth Mycological Institute, Kew, Surrey, England.
- Botard, R.W. and Kelley, D.C. (1969): A survey to determine the occurrence of *Histoplasma capsulatum* and *Cryptococcus neoformans* in air conditioneres. Mycopath. Mycol. Appl., 37(4):372-376.
- Brown, H.M. and Jakon, F.A. (1978): Aerobiological studies based in Derby. II. Simultaneous pollen and spore sampling at eight sites within a 60 km radius.Clin Allergy. 8(6):599-609.

- Buchanan, R.L. and Lewis, D.F. (1984): Caffeine inhibition of aflatoxin synthesis: Probable site of action. J. Appl. and Environ. Microbiol. June, 47(6):1216-1220.
- Buchanan, J.R.; Sommer, N.F.; Fortlage, R.J.; Maxie, E.C. and Mitchell, F.G. (1974): Patulin from *Penicillium expansum* in stone fruits and pears. J. of Amer. Soc. Hort. Sci., 99(3):262-265.
- Bullerman, L.B. (1974): A screening medium and method to detect several mycotoxins in mold cultures. Milk, Food Technol., 37(1):1-3.
- Bullerman, L.B. (1979): Significance of mycotoxins to food safety and human health. J. Food Protec., 42:65-86.
- Butler, W.H. (1964): Acute liver injury in ducklings as a result of aflatoxin poisoning. Journal of Pathology and Bacteriology. 88:189-196.
- Butler, W.H. (1966a): Early hepatic parenchymal changes induced in the rat by aflatoxin B₁. American Journal of Pathology. 49:113-127.
- Butler, W.H. (1966b): Acute toxicity of aflatoxin B₁ in guinea-pigs. Journal of Pathology and Bacteriology. 91:277-280.

- Butler, W.H. and Barnes, J.M. (1963): Toxic effects of groundnut meal containing aflatoxin to rats and guinea pigs. *The British Journal of Cancer*. 17:699-710.
- Butler, W.H. and Clifford, J.I. (1965): Extraction of aflatoxin from rat liver. *Nature* 206:1045-1046.
- Butler, W.H. and Barnes, J.M. (1968): Carcinogenic action of groundnut meal containing aflatoxin in rats. *Food and Cosmetics Toxicology*. 6:135-141.
- Butler, W.H. and Hemsall, V (1981): Histochemical studies of hepatocellular carcinomas in the rat induced by aflatoxin. *Journal of Pathology*. 134:157-170.
- Cahill, K.M. and El-Mofty, A.M., et al. (1967): Primary cutaneous aspergillosis. *Arch. Dermatol.*, 96:545-546. [C.F.M.Sc. thesis by N.H.Aziz, Ain Shams Univ., 1982].
- Calvo, M.A.; Guarro, J.; Suarez, G. and Ramirez, C. (1979): Airborne fungi in the air of Barcelona (Spain). II. The genus *Alternaria*. *Mycopathologia*, 69(3):137-142.
- Cammack, R.H. (1955): Seasonal changes in three common constituents of the air-spores of Southern-Nigeria. *Nature. Lond.* 176:1270-1272.
- Cantini, G. and Scurti, J.C. (1965): Preliminary researches on the toxicity of fungi isolated from feeds. *Allionia*, 11:29-40.

- Canto Borreguero, G. and Jiminez-Diaz, C. (1940): Estudio de los hongos en el aire de Madrid durante un ano. Rev. Clin. Esp. 17:226-239.
- Carnaghan, R.B.A. (1965): Hepatic Tumours in ducks fed a low level of toxic groundnut meal. Nature, 208,308.
- Carnaghan, R.B.A.; Lewis, G.; Patterson, D.S.P. and Allcroft, R. (1966): Biochemical and pathological aspects of groundnut poisoning in chickens. Pathologia veterinaria. 3:601-615.
- Carvajal Zamora, Jr. (1977): Isolation of *Histoplasma capsulatum* from the air in the Aguas Buenas Caves, Aguas Buenas, Puerto Rico. Mycopathologia, 60(3):163-165.
- Chitale, S.D. and Bajaj, A. (1974): Air spores of Nagpur at high altitudes . II Botanique (NAGPUR), 5(1):43-52.
- Christensen, C.M. and Gordon, D.R. (1948): The mould flora of stored wheat and corn and its relation to heating of moisture grain. Cereal Chem. 25:40-51.
- Chute, H.L.; O'Meara, D.C. and Barden, E.S. (1962): Tissue reaction to fungal isolates from various geographic locations in the United States. Avian Dis. 6(4): 511-515.

Giegler, A. (1977): Fungi that produce mycotoxins.
Conditions and occurrence. Paper Presented at the 2nd
International Mycological Congress. Tampa; Florida,
August, 27-September 3.

Ciegler, A.; Peterson, R.E.; Logoda, A.A. and Hall, H.H.
(1966): Aflatoxin production and degradation by
Aspergillus flavus in 20 litre fermentors. Appl.
Microbiol., 14:826-833.

Clements, F.E. and Shear, C.L (1931): The genera of fungi.
H.W. Wilson, New York.

Coallier-Ascah, J. and Idziak, E.S. (1985): Interaction
between *Streptococcus lactis* and *Aspergillus flavus* on
production of aflatoxin. J. Appl. and Environ.
Microbiol., Jan, pp. 163-167.

Corrado, A.P.; Dinis, C.R.; Russell, F.E. and Uraguchi, K.
(1971): Pharmacology and toxicology of naturally
occurring to ins. 11:217-246, Pergamon Press. Oxford,
New York, U.S.A.

Cysewski, S.J.; Pier, A.C.; Baetz, A.L. and Cheville, N.F.
(1982): Experimental equine aflatoxicosis. Toxicology
and applied pharmacology. 65:354-365.

- Dalcero, A.M.; Chulze, S. and Varsavsky, E. (1983):
Aflatoxins and fungal flora in sunflower seeds. Proc.
Int. Symp. Mycotoxins PP. 437-441.
- Davis, R.R. (1957): A study of air-borne *Cladosporium*.
Trans. Br. mycol. Soc. 40:409-414.
- Davis, N.D.; Diener, U.L. and Eldridge, D.W. (1966):
Production of aflatoxins B₁ and G₁ by *Aspergillus*
flavus in a semisynthetic medium. Appl. Microbiol.,
14:378-380.
- Dathe, H. (1962): Pathogenesis of mycoses in zoo birds. Mh.
Vet. Med. 17:544-548.
- Denizel T., and Kosker O. (1971): Mycological survey of
various kinds of edible nuts commercially available in
the United Kingdom with reference to mycotoxicoses.
Yearb. Fac. Agr. Univ. Ankara, 11:168-199.
- Derrick, E. and McLennan. E.L. (1963): Fungus spores found
in the air in Melbourne (Victoria) Australia. Acta.
Allergol., 18(1):26-43.
- Detroy, R.W.; Lillehoj, E.B. and Ciegler, A. (1971):
Aflatoxin and related compounds. Microbial toxins. A
comprehensive Treatise. Vol. VI, Fungal Toxins, (A.
Ciegler, S. Kadis, and S.J. Ajl, eds), Academic
Press, New York, N.Y. pp 3-178.

De vries, G.A. (1952): Contribution to the knowledge of the genus *Cladosporium* Link ex Fr. Baarn Uitgeverij & Drukkerij Hollandia.

Diaz-Rubio, M.; Muzoz, J. and Orta, M.J. (1950): Estudio de los generos y hongos existentes en el aire de Cadiz e influencias que determinan su presencia. Rev. Clin. Esp. 38:280-289.

Dickens, F. and Jones, H.E.H. (1963): The carcinogenic action of aflatoxin after its subcutaneous injection in the rat. The British Journal of Cancer. 17:691-698.

Diener, U.L. and Davis, N.D. (1966): Aflatoxin production by isolates of *Aspergillus flavus*. Phytopathology, 56:1390-1393.

Diener, U.L. and Davis, N.D. (1969): Production of aflatoxin on peanuts under controlled environments. J. Stored Prod. Res., 5:251-258.

Di Menna, M.E. (1955): A quantitative study of air-borne fungus spores in Denedin, New Zealand. Trans. Brit. Mycol. Soc. 38(2):119-129.

Dollear, F.G.; Mann, G.E.; Codifer, L.P.Jr.; Gardner H.K., Jr., Koltun, S.P. and Viv, H.L.E. (1968): J. Am. Oil Chem. Soc., 45: 862. [C.F. Beckwith et al., 1975].

- Dransfield, M. (1966): The fungal air spora at Samaru, Northern Nigeria. Trans. Br. Mycol. Soc. 49:121-132.
- Dua, K.L. and Shivpuri, D.N. (1962): Atmospheric studies in Delhi area in 1958-1959. J. Allergy 33:507-513.
- Dworin, M. (1966): A study of atmospheric mold spores in tucson, Arizona, U.S.A. Ann. Allergy, 24(1):31-36.
- Dye, M.H. and Vernon, T.R. (1952): Air-borne mould spores. New Zealand J. Sci. Tech. Sect. B. 34:118-127.
- Edds, G.T. (1973): Acute aflatoxicosis: A review. Journal of American Veterinary Medical Association. 162:304-308.
- El-Bazza, Z.E. (1979): Screening and studies on certain toxin-producing fungi in local foods and feeds. M. of Pharma. Sc. Degree. Faculty of Pharmacy, Cairo University, 1-180.
- El-Bazza, Z.E. (1983): Studies on the effect of gamma irradiation on the growth and toxin production by aflatoxin producing fungi. Ph. D. Thesis. Faculty of Pharmacy, Cairo University, 1-165.
- El-Bazza, Z.E.; Zedan, H.H.; Toama, M.A. and El-Tayeb O.M. (1982): Isolation of aflatoxin producing fungi from Egyptian food and feed commodities. Proc. Int symp. Mycotoxins, pp. 443-454.

- El-Khadem, M.; Naguib, Kh., and Naguib, M.M. (1983):
Aflatoxins in foodstuff in Egypt. II. Broad beans
mycoflora and toxicity. Proc. Int. Symp. Mycotoxins,
pp. 213-220.
- Ellis, M.B.; (1971): Dematiaceous Hyphomycetes. Commonwealth
Mycol. Inst., Kew., Surrey, England.
- Ellis, M.B. (1976): More Dematiaceous Hyphomycetes.
Commonwealth Mycol. Inst., Kew., Surrey, England.
- El-Sayed, T.I. (1986): Studies on some fungi associated with
dates and their toxins. M.Sc. Thesis, Faculty of
Science, Zagazig University.
- Eppley, R.M. (1968): Screening method for zearalenone,
aflatoxins and ochratoxin A; J. AOAC., 51:74-78.
- Espoy, H.M.(1972): J.,U.S. Patent 3, 689, 275. [C.F.
Beckwith et al., 1975].
- Ezzat, S.M. (1987): Studies on mycotoxin production by some
fungi isolated from Sharkia-Governorate. Ph. D. Thesis,
Faculty of Science, Zagazig University.
- FAO/WHO/UNEP Conference (1977): Global prespective on
mycotoxins, Nairobi, 19-27 September.
- Finegold, I. (1975): A two year pollen and spore study of
southeast Florida. Ann. Allergy, 35:37-41.

- Forgacs, J.(1962): Mycotoxicoses-The neglected diseases.
Four moldy feed toxicosis in poultry. Feedstuffs,
34(18):124-134.
- Foster, E.M.; Nelson, F.E.; Speck, M.L.; Doetech, R. N. and
oben, J.C. (1957): Dairy Microbiology. Prentice-Hall.
Inc., Englewood Cliffs. N.J.
- Frank, H.K.; Orth, R. and Hermann, R. (1976): Patulin in
foods of vegetable origin. I. Pomaceous fruit and
products made out of it. Z. Lebensm. Unters. Forsch.,
162:149-157.
- Frey, D. and Durie, E.B. (1962): Estimation of air-borne
fungus spores; a comparison of slide and culture
method. Mycopath Mycol. Appl. 16:295-303.
- Gambale, W.; Purchio, A. and Croce, J. (1976): Systematic
isolation of the genus *Alternaria* in the atmosphere of
the "Grande San Paulo" area. (Brazil). Allergol. et
Immunopathol., 4:139-144.
- Garg, D.N. and Sethi, M.S. (1969): Fungal flora of the avian
respiratory tract. Poultry Sci. 48(1): 399-341.
- Gauger, H.C. (1941): *Aspergillus fumigatus* infection in
adult chickens. Poultry Sci. 20(5):445-446.

Gaur, P.K.; El-Nakib, O. and Chu, F.S. (1980): Comparison of antibody production against aflatoxin B₁ in Goats and Rabbits, J. Appl. and Environmental Microbiol., Sept., pp. 678-680.

German, V.V.(1965): Histological differential diagnosis of mycoplasmosis and aspergillosis in turkeys. Veterinariya, 42(7):41-44.

Gilman, J.C. (1957): A manual of soil fungi. Iowa State University Press, Ames., Iowa, U.S.A., P. 250.

Gimeno, A. (1979): Thin layer chromatographic determination of aflatoxins, ochratoxins, sterigmatocystin, zearalenone, citrinin, T-2 toxin, diacetoxyscirphenol, penicillic acid, patulin, and penitrem. A.J. AOAC., 62:579-585.

Goldblatt, L.A (ed)(1969): Aflatoxins: Scientific background control and implications. Academic press, New York. pp. 472.

Gopalan, C.; Tulpule, P.G. and Krishna -Murthy, D.(1972): Induction of hepatic carcinoma with aflatoxin in the rhesus monkey. Food Cosmet. Toxicol., 10:519-521.

Greco, J.B. and Lima, A.O. (1944): The pollen content of the air in Rio De Janeiro, Brazil. J. Allergy 15:138-141.

- Greco, J.B. and Jario de Almeida (1949): A year round study of the atmospheric pollen and fungus spores of Brazilia, the new Fedral district of Brazil under construction. *Acta Allergol.* 19:377.
- Gregory, P.H. (1952): Fungus spores. *Trans. Br. Mycol. Soc.* 35:1-18.
- Gregory, P.H. (1954): The construction and use of a portable volumetric spore-trap. *Trans. Br. Mycol. soc.* 37:390-404.
- Gregory, P.H. (1961): Outdoor Aerobiology. Annual Report. Smithsonian Institution, 445-453.
- Gregory, P.H. (1961): The microbiology of the atmosphere, London: Leonard Hill (Books) Ltd.
- Gregory, P.H. (1973): The microbiology of the atmesphere, 2nd ed. Leonard Hill, London. (pp. 377).
- Gregory, P.H. and Hirst, J.M. (1952): Possible role of basidiospores as air-borne allergens. *Nature, Lond.,* 170:414.
- Gregory, P.H. and Hirst, J.M. (1957): The summer air-spores at Rothamsted in 1952. *J. Gen. Microbiol.* 17:135-152.
- Gregory, P.H. and Sreeramulu, T. (1958): Air-spores of an Estuary. *Trans. Br. Mycol. Soc.* 41:145-156.

- Gross, N. (1974): Bronchial Asthma. Current Immuologii.
Pathophysiologic and Management concepts. New York,
Harper and Row.
- Grose, E.S.; Szekessy, M. and Munoz, N. (1964): Air-borne
fungus spores in Bogota, Colombia: A five year study.
- Hajsing, M., Milacovic-Novak, L. (1972): Isolation of
Cryptococcus neoformans from chicken lungs.
Veterinarski Arhin 42 No. 11/12:307-309.
- Hamilton, E.D. (1957): Studies on the air spora. Acta
Allergologica, 13:134.
- Hapke, E.J. and Seal, M.E., et al., (1968): Farmer's lung.
Thorax 23:451-468.
- Harding, J.D.J.; Done, J.T.; Lewis, G. and Allcroft,
R. (1963): Experimental groundnut poisoning in pigs.
Research in Veterinary Science. 4:217-229.
- Hart, L. (1937): A short note on the occurrence in New South
Wales of mycosis in turkeys, geese and fowls due to
Aspergillus fumigatus. N.S. Wales Dept. Agric. Vet.
Res. Rept. 76-77.
- Harvey, R. (1967): Air-spores studied at Cardiff.
1- *Cladosporium*. Trans. Br. Mycol. Soc. 50:479-495.

- Harwig, J.; Scott, P.M.; Stoltz, D.R. and Blanchfield, B.J.
(1979): Toxins of molds from decaying tomato fruits.
Appl. and Environmental Microbial. August, 241-274.
- Heathcote, J.G. and Hibbert J.R. (1978): Aflatoxins:
Chemical and biological aspects.
- Herrero, A. and Marin, T. (1956): A preliminary study of
bird aspergillosis. Publ. Inst. Biol. A. plicada.
24:139-150.
- Hesseltine, C.W. (1974): Natural occurrence of mycotoxins in
cereals. Mycopathol. Mycol. Appl., 53:141-153.
- Hesseltine, C.W.; Shotwell, O.L.; Ellis, J.J. and
Stubbelfield, R.D. (1966): Aflatoxin formation by
Aspergillus flavus. Bact. Rev., 30:795-805.
- Hill, R.A.; Blankenship, P.D.; Cole, R.J. and Sanders, T.H.
(1983): Effects of soil moisture and temperature on
preharvest invasion of peanuts by the *Aspergillus*
flavus group and subsequent aflatoxin development. J.
Appl. and Environ. Microbiol. Feb., pp. 628-633.
- Hiroshi, K. and Yamamoto, M. (1972): Studies on the aerial
fungal flora in San-in district of Japan. Trans. Mycol.
Soc. Jap. 13(2):125-139.

- Hirst, J.M. (1953): Changes in atmospheric spore content, diurnal periodicity and the effects of the weather, Trans. Br. Mycol. Soc. 36:373-393.
- Hitokoto, H.; Morozumi, S.; Wauke, T.; Sakai, S. and Kurata, H. (1978): Fungal contamination and mycotoxin detection of powdered herbal drugs. Appl. Environ. Microbiol., 36:252-256.
- Hoggan, M.D. et al., (1956): Isolation of *coccidioides immitis* from the air. Stanford M. Bul. 14:90.
- Holtmeyer, M.G. and Wallin, J.R. (1981): Incidence and distribution of air-borne spores of *Aspergillus flavus* in Missouri. Plant Dis. 65(1):58-60.
- Hudson, H.J. (1969): Aspergilli in the air spora at Cambridge, Trans. Br. Mycol. Soc. 52:153-159.
- Huston, L.R. (1966): Bagasse litter as contributory factor in avian aspergillosis Can. Vet. J. 7:117-120.
- Hyde, H.A. and Williams, D.A. (1946): A daily census of *Alternaria* spores caught from the atmosphere at Cardiff in 1942-1943. Trans. Br. Mycol. Soc. 29:78.
- Hyde, H.A. and Williams, D.A. (1949): A census of mould spores in the atmosphere. Nature. Lond. 164:668.

- Hyde, H.A. and Williams, D.A.(1953): The incidence of *Cladosporium herbarum* in the outdoor air of Cardiff, 1949-1950. Trans. Br. Mycol. Soc. 36:260-266.
- Iva-Volaric-Mrsic (1960): Study of pollen in the air of Zegreb. Acta Allergol., 15:43-52.
- Jarrar, B.M.; Salhab, A.; Natour, R. and Mahasneh, A. (1982): Incidence of aflatoxins in some foodstuffs in Jordan. Dirasat. J. Jordan University, Vol. IX No. 2:233-243.
- Jarvis, B. (1971): Factors affecting the production of mycotoxins. J. Appl. Bacteriol., 34:199-213.
- Joffe, A.Z. (1970): Feeding tests with ducklings, turkey chicks and rabbits and the effects of aflatoxin on these animals. Mycopathologia Mycologia Applicata. 40:49-61.
- Johnson, L.F.; Curl, E.A.; Bond, J.H. and Fribourg, H.A. (1959): Methods for studying Soil microflora-plant diseases relationships. Burgess, Minneapolis.
- Jones, F.T.; Hagler, W.M. and Hamilton, P.B. (1984): Correlation of aflatoxin contamination with Zinc content of chicken feed. J. Appield and Environmental Microbiology, Mar., 47(3):478-480.

- Jordan, F.T.W. (1956): Some observations on respiratory disease in poultry. Vet. Rec. 68:554-558.
- Jurgen, R.L. (1975): Aeromycological investigations in west Germany. Zbl. Bakt. Abt. II, Bd., 130:161-164.
- Kelley, V.C. and Mora, E.C. (1976): Ultrastructural changes induced by chronic aflatoxicosis in chickens. Poultry Science. 55:317-324.
- Kemal, O. (1969): A study of air-borne fungi in the Ankara area of Turkey. Acta. Allerg. 24(2):147-156.
- Kiermeier, F. and Ruffer, L. (1974): Z. Lebersm. Unters. Forsch., 155, 129.[C.F. Beckwith et al., 1975].
- Koehler, B. (1938): Fungus growth in the shelled corn as well as affected by moisture. J.Agric. Res. 56:291-307.
- Kramer, C.L. and Pady, S.M. (1960): Kansas aeromycology. IX: Ascomycetes. trans. Kan. Acad. Sci. 63:53-60.
- Kramer, C.L.; Pady, S.M. and Rogerson, C.T.(1959): Kansas aeromycology. III - *Cladosporium*, Trans, Kans. Acad. Sci. 62:200-207.
- Kramer, C.L.; Pady, S.M. and Rogerson, C.T.(1960): Kansas aeromycology. V-*Penicillium* and *Aspergillus*. Mycologia, 52:545-551.

- Kramer, C.L.; Pady, S.M. and Wiley, B.J. (1963): Kansas aeromycology. XIII. Diurnal studies 1959-1960. *Mycologia*, 55:380-401.
- Kumar, R. and Gupta, J.S. (1976): Seasonal and diurnal variations in the air-spora over a potato field II. *Ind. Phytopathol.* 29:181-185.
- Lacey, J. (1971): The microbiology of moist barley storage in unsealed silos. *Ann. Appl. Biol.* 69:187-212.
- Lacey, J. (1975): Air borne spores in pastures. *Trans. Brit. Mycol. Soc.* 64(2):1-17.
- Lacey, J. and Lacey, M.E. (1964): Spore concentration in the air of farm buildings. *Trans. Brit. Mycol. Soc.* 47:547-552.
- Last, F.T. (1955): Spore content of air within and above mildew-infected cereal crops. *Trans. Br. Mycol. Soc.* 38:453-464.
- Lie, J.L. and Marth, E.H. (1967): Formation of aflatoxins in cheedèr cheese by *Aspergillus flavus* and *Aspergillus parasiticus*. *J.Dairy Sci.*, 50:1708-1710.
- Lieu, F.Y. and Bullerman, L.B. (1977): Production and stability of aflatoxins, penicillic acid and patulin in several substrates. *J. of Food Science*, 42(5):1222-1224.

- Lillard, H.S.; Hanlin, R.T.; and Lillard, D.A. (1970):
Aflatoxigenic isolates of *Aspergillus flavus* from
pecans. Appl. Microbiol., 19:128-130.
- Lillehoj, E.B.; Garcia, W.J. and Lambrow, M. (1974):
Aspergillus flavus infection and aflatoxin production
in corn. Influence of trace elements. Appl. Microbiol
28:763-767.
- Lindroth, S.; Niskanen, A.; and Pensala, O. (1978): Patulin
production during storage of black current, blueberry
and strawberry jams inoculated with *penicillium*
expansum mold. J. Food Sci. 43(5):1427-1429.
- Ling, K.H.; Yang, C.K. and Huang, H.C. (1979): Differentiation
of aflatoxins from termitrems. J. Appl. and Environ.
Microbiol. Mar., pp. 358-361.
- Liu, M.R.S. and Wang, S.S. (1978): Pathologic study of
aflatoxin B₁ poisoning in ducklings. Journal of Chinese
Society Veterinary Science. 4:113-118.
- Lovett, J. (1972): Toxigenic fungi from poultry feed and
litter. J. Poultry Sci., 51:309-313.
- Lovett, J.; Thompson, R.G. and Boutin, B.K. (1975a): Patulin
production in apples stored in a controlled atmosphere.
J.A.O.A.C., 58(5):912-914.

- Lovett, J.; Thompson, R.G. and Boutin, B.K. (1975b):
Trimming as a means of removing patulin from fungus
rotted apples. J.A.O.A.C., 58(5):909-911.
- Lucisano, A.; Campanini, M. and Casolar, A. (1972): Study of
environmental factors that affect aflatoxin production
in foods. Industria conserve: 47(1):27-31. C.F. F.S.T-A.
5(3):5 H 767 (1973).
- Lund, J.E.(1963): Aspergillosis M.S.U. Veterinarian: 94-102.
- Lurie, H.I. and May, M. (1957): The isolation of
Dermatophytes from the atmosphere of caves. Mycologia,
49;178-180.
- Madhavan, T.V. and Rao, K.S. (1966): Hepatic infraction in
ducklings in aflatoxin poisoning. Archives of
Pathology. 81:520-524.
- Marasas, W.F. and Samally, E.B.(1972): Mycoflora, toxicity
and nutritive value of mouldy maize. Ondersteport. J.
Vet. Res. 39 No. 1:1-10.
- Mashaly, R.I., and El-Deeb, S.A. (1983): Some nutrients as
sole energy sources for *Aspergillus* in aflatoxins
production. Proc. Int. Symp. Mycot., pp. 485-498.
- Masimango, N.T. and Kalengayi, M.M.R.(1983): Aflatoxins in
foods and foodstuffs in Zaire. Proc. Int. Symp.
Mycotoxins, pp. 431-435.

- Masri, M.S.; Vix, H.L.E. and Goldblatt, L.A. (1969): J.,
U.S. Patent 3,429,709. [C.F. Beckwith et al., 1975].
- Maurice, D.V.; Bodine, A.B. and Behrer, N.J. (1983):
Metabolic effects of low aflatoxin B₁ levels on Broiler
Chicks⁺. J. Appl. and Environ. Microbiol. Mar., pp.
980-984.
- Mayne, R.Y.; Pons, W.A., Jr.; Franz, A.O., Jr., and
Goldblatt, L.A. (1966): Elaboration of aflatoxin on
cottonseed products by *Aspergillus flavus*. J. Am. Oil.
Chem. Soc., 43:251-253.
- McCormick, S.P.; Bhatnagar, D.; Goynes, W.R. and Lee, L.S.
(1988): An inhibitor of aflatoxin biosynthesis in
developing cottonseed. Can. J. Bot. 66:998-1002.
- Meredith, D.S. (1962): Some components of the air spora in
Jamaican banana plantations, Ann. Appl. Biol.,
50:577-594.
- Miller, D.M.; Crowell, W.A. and Stuart, B.P. (1982): Acute
aflatoxicosis in swine: Clinical pathology, histopath-
ology, and electron microscopy. American Journal of
Veterinary Research. 43:273-277.
- Milosev, Mahgoub, S., et al., (1969): Primary aspergilloma
of paranasal sinuses in the Sudan. Br. J. Surg.
56:132-137.

- Neelakantan, S.; Balasubramanian, T.; Jasmine, I. and Balasaraswathi, R. (1983): Presence of aflatoxins in foods and feeds available in the Tamil Nadu Region. Ind. Proc. Int. Symp. Mycotoxins, pp., 417-422.
- Neergaard, P. (1945): Danish species of *Alternaria* and *Stemphylium*: Taxonomy, parasitism and economical significance. Einar Munksgaard, Copenhagen.
- Newberne, P.M. and Butler, W.H. (1969): Acute and chronic effect of aflatoxin on the liver of domestic and laboratory animals: A review. Cancer Research. 29:236-250.
- Newberne, P.M. and Rogers, A.E. (1973): animal model of human disease: Primary of hepatocellular carcinoma. Am. J. Pathol., 72:137-146.
- Newberne, P.M.; Wogan, G.N.; Carlton, W.W. and Abdel-Kader, M.M. (1964): Histopathologic lesions in ducklings caused by *Aspergillus flavus* cultures, culture extracts, and crystalline aflatoxins. Toxicology and Applied Pharmacology, 6:542-556.
- Newberne, P.M.; Russo, R. and Wogan, G.N. (1966): Acute toxicity of aflatoxin B₁ in the dog. Pathologia Veterinaria, 3:331-340.

- Nikolaev, K. (1965): The species distribution of *Aspergillus* on poultry farms. Vet. Med. Nauki, Sof. 2:209-215.
- Nilsby, J. (1949): Allergy to moulds in Sweden. A botanical and clinical study. Acta allerg. Kbh. 2:57-90.
- Northolt, M.D.; Van Egmond, H.P. and Paulsch, W.E. (1979): Ochratoxin A production by some fungal species in relation to water activity and temperature. J. of Food Protection, 42(6):485-490.
- Nour, M.A.; Zienal, B. and El-Sohaili, E. (1982): Effect of storage conditions of fungal flora and aflatoxin accumulation in mixed poultry feed. Proc. Int. Symp. Mycotoxins, pp. 561-566.
- Novi, A.M. (1981): Regression of aflatoxin B₁-induced hepatocellular carcinomas by reduced glutathione. Science. 212:541-542.
- Nyiredy, I. and Stripkovitz, L. (1969): *Aspergillus fumigatus* infection in ducks I. Penetration into the eggs. II. Growth of fungus within the egg. III. Infection of the ovaries. Magy. Allatorv. Lap. 24:297-299; 299-303; 304-306.
- Oxoid Limited (1982): The oxoid manual of culture media, ingredients and other laboratory services. Turnergraphic Ltd. England 4th Ed.

- Pady, S.M. (1954): An improved slit sampler for aerobiological investigation. Trans. Kan. Acad. Sci. 57:157-163.
- Pady, S.M. (1957): Quantitative studies of fungus spores in the air. Mycologia. 49:339-353.
- Pady, S.M. (1974): *Sporobolomycetaceae* in Kansas. Mycologia. 66:333-338.
- Pady, S.M. and Kapica, L. (1953): Air-borne fungi in the Arctic and other parts of Canada. Can. J. Bot. 31:309-323.
- Pady, S.M. and Kapica, L. (1955): Fungi in the air over the Atlantic Ocean. Mycologia, 47:47-50.
- Pady, S.M. and Kapica, L. (1956): Fungi in air masses over Montreal in 1950-1951. Can. J. Bot. 34:1-15.
- Pady, S.M. and Gregory, P. H. (1963): Numbers and viability of air-borne hyphal fragments in England. Trans. Br. Mycol. Soc. 46:609-613.
- Pady, S.M.; Kramer, C.L. and Wiley, B.J. (1962): Kansas aeromycology. XII. Materials, Methods, and General results of diurnal studies 1959-1960. Mycologia, 54:168-180.
- Pady, S.M.; Kramer, C.L. and Clary, R. (1969): Periodicity in spore release in *Cladosporium*. Mycologia 61:87-98.

- Palyusik, M. and Kardevan, A. (1967): Pneumomycosis caused by *Aspergillus fumigatus* in ducklings. Acta. Vet. hung., 17(4):337-345.
- Papavassiliou, J.T. and Bartzokas, C.A. (1975): The atmospheric fungal flora of the Athens metropolitan area. Mycopath. 57(1):31-34.
- Parish, F.W.; Wiley B.J.; Simmons, E.G. and Long, L. Jr. (1966): Production of aflatoxins and Kojic acid by species of *Aspergillus* and *Penicillium*. Appl. Microbiol., 14:139.
- Parker, J.C.; G. Klentworth, et al. (1971): Miscellaneous uncommon diseases. In Hand buch der Speziellen Pathologischen Anatomie. Vol. 3 Baker, R.D. (ed.). Berlin, Springer-Verlag, pp. 986-987. [C.F.M.Sc. Thesis by N.H.Aziz, Ain Shams Univ., 1982].
- Pattee, H.E. (1969): Production of aflatoxins by *Aspergillus flavus* cultured on fluecured tobacco. Appl. Microbiol., 18:952-953.
- Pawsey, R.G. (1964): An investigation of the spore population of the air at Nottingham. II. The results obtained with a Hirst spore-trap June-July 1956. Trans. Br. Mycol. Soc. 47:357-363.
- Pawsey, R.G. and Heath, L.A. (1964): An investigation of the spore population of the air at Nottingham. I. The

- results of a Petri-dish trapping over one year. Trans. Br. Mycol. Soc. 47:351-355.
- Pelhäte, J. (1966): Dangerous moulds in animal foodstuffs. C.r. hebdomadaire de l'Académie des Sciences, Paris, 52:805-855.
- Pestka, J.J., and Chu, F.S. (1984): Aflatoxin B₁ dihydrodiol antibody: Production and specificity. J. Appl. and Environ. Microbiol. Mar., pp. 472-477.
- Pohland, A.E.; Cushmac, M.E. and Andrellos, P.J. (1968): J. Assoc. Off. Anal. Chem., 51, 907. [C.F. Beckwith et al., 1975].
- Pope, E.; Boscaiu, N. and Ariana, T. (1964): Effect of atmospheric precipitations of the pollen and spore concentration from the aeroplankton. Rev. Roumaine Biol. Ser. Bot. 9:239-334.
- Popescu, I.G.; Elena Capetti; Galalaie, C. and Spiegler, I. (1975): Study of atmospheric fungi in a big cereal silo over a period of one year. Rev. Roum. Med. Interne 13(3):221-226.
- Prohaszka, L. and Juhasz, S. (1967): Persistent anisotropy in the livers of ducklings with aflatoxin poisoning. Avian Diseases. 11:130-136.
- Purchase, I.F.H. (1971): Symposium on mycotoxins in human health. The Macmillan Press Ltd. London and Basingstoke.

Purchase, I.F.H.(1974): (ed), Mycotoxins. Elsevier science publishing Co. Inc., New York.

Rabie, C.J.; Terblanche, M.; Smit, J.D. and De Klerk, W.A. (1965): Toxicity of *Aspergillus wentii* Wehmer S.Afr. J. Agric. Sci, 8(3):875-879.

Raghu, A.; Eedie, T. and Llewellyn, G.C. (1978): Evaluation of potential for aflatoxin occurrence on celery, cauliflower, lettuce, and Taro inoculated with *Aspergillus flavus*, and *Aspergillus parasiticus*. J. AOAC, 61(4):998-1001.

Rajan, A.; Seshadri, S.J.; Chandrase Kharan Nair, K.P. and Rai, B.N. (1965): Avian aspergillosis studies on natural cases and experimental transmission. J. Indian Vet. 42:309-401.

Raper, K.B. and Fennell, D.I. (1965): The Genus *Aspergillus* Williams and Wilkins. Baltimore, U.S.A.

Raper, K.B. and Thom, C. (1949): A manual of the *Penicillia* Williams and Wilkins, Baltimers, U.S.A.

Reddy, T.V.; Viswanathan, L. and Venkitasubramanian, T.A. (1971): High aflatoxin production on a chemically defined medium. Appl. Microbiol., 22:393-396.

Reddy, J.K.; Svoboda, D.J. and Rao, M.S. (1976): Induction of liver tumors by aflatoxin B₁ in the tree shrew (*Tupaia glis*), a nonhuman primate. Cancer Research. 36:151-160.

- Refai, M. and Rieth, H.(1966): Epidemic occurrence of pulmonary aspergillosis in turkey-hen chicks in Egypt. *Mykosen*, 9, 4:163-165.
- Refai, M. and El-Bahay, G.M. (1968): Incidence of molds in poultry feeds in Egypt. *Mykosen*, 11, 6:459-462.
- Richards, M. (1956): A census of mould spores in the air over Britain in 1952. *Trans. Brit. Mycol. Soc.* 39:431-441.
- Richmond, J.W.; Sutcliffe, N.H.; Daniels, N.W.R.; Eggitt, P.W.R. and Coppock, J.B.M. (1962): Factors other than groundnut relating to "turkey 'X' disease". *Vet. Rec.* 74(18): 544-545.
- Ripe, E. (1962): Mould allergy: I- An investigation of the air-borne fungal spores in Stockholm, Sweden. *Acta. Allerg.* 17:130-159.
- Rogerson, C.T. (1958): Kansas aeromycology. I- Comparison of media. *Trans. Kans. Acad. Sci.* 61:155-162.
- Saad, S.I. (1958): Studies in atmospheric pollen grains and fungus spores at Alexandria. II-Pollen and spore deposition in relation to weather conditions and diurnal variation in the incidence of pollen. *Egypt. J. Bot.* 1:63-79.

- Säez, H. (1959): *Aspergillus* isoles dans les feces de quelques animaux du pari zoollogique de Vincennes- (*Aspergillus* species isolated from the faeces of some animals at zoological Park, Vincennes). Bull. Mus. Hist. nat., Paris, 31(3):277-284.
- Salmon, W.D. and Newberne, P.M. (1963): Occurrence of hepatomas in rats fed diets containing peanut meal as a major source of protein. Cancer Research. 33:571-575.
- Samsøe-Jensen, T. and Flensborg, E. (1960): Studies in mould allergy. 3-Mould spore counts in copenhagen. Acta. allerg. 3:49-65.
- Sargeant, K.; Sheridan, A.; O'Kelly, J. and Carnaghan, R.B.A. (1961): Toxicity associated with certain samples of ground nuts. Nature, 192:1096-1097.
- Schindler, A.F.; Abadie, A.N. and Simpson, R.E. (1980): Enhanced aflatoxin production by *Aspergillus flavus* and *Aspergillus parasiticus* after gamma irradiation of spores inoculum. J. of Food Protec., 43:7-9.
- Schroeder, H.W. (1966): Effect of Corn steep liquor on mycelial growth and aflatoxin production in *Aspergillus parasiticus*. Appl. Microbiol. 14:381-385.
- Schroeder, H.W.; and Boller, R.A. (1973): Aflatoxin production of species and strains of the *Aspergillus flavus* group isolated from field crops. Appl. Microbiol. 25:885-889.

- Sharkas, M.S. (1962): Damping off disease of tomato. M.Sc. Thesis, Botany Department, Faculty of Science, Cairo University, Cairo, Egypt.
- Sharma, A.; Behere, A.G.; Padwal-Desai, S.R. and Nadkarni, G.B. (1980): Influence of inoculum size of *Aspergillus parasiticus* spores on aflatoxin production. Appl. Environ. Microbiol., 40:989-993.
- Sharma, A.; Padwal-Desai, S.R. and Nadkarni, G.B. (1985): Possible implications of reciprocity between ethylene and aflatoxin biogenesis in *Aspergillus flavus* and *Aspergillus parasiticus*. J. Appl. and Environ. Microbiol. Jan., pp. 79-82.
- Sheridan, J.E. and Greta Stevenson (1976): The air spora of the Wairarapa District of New Zealand. Nz. J. Sci. 19(3):331-337.
- Shih, C.N. and Marth, E.H. (1973): Release of aflatoxin from the mycelium of *Aspergillus parasiticus* into liquid media. Z. Lebensm. Unters. Forsh., 152:336-339.
- Shih, C.N. and Marth, E.H. (1975): Aflatoxin can be degraded by the mycelium of *Aspergillus parasiticus*. Z. Lebensm. Unters. Forsch., 158:361-362.
- Shotwell, O.R.; Hesseltine, C.W.; Stubblefield, R.D. and Sorenson, W.G. (1966): Production of aflatoxin on rice. Appl. Microbiol., 14:425-428.

- Shotwell, O.R.; Hesseltine, C.W.; Burmeister, H.R.; Kwolek, W.H.; Shannon, G.M. and Hall, H.H. (1969): Survey of cereal grains and soybeans for the presence of aflatoxin. I. Wheat grains, sorghum and oats. Cereal Chem., 46:446-454.
- Shotwell, O.L.; Hesseltine, C.W. and Goulden, M.L. (1973): J.Cereal Sci. Today, 18,192. [C.F. Beckwith et al., 1975].
- Sisk, D.B.; Carlton, W.W. and Curtin, D.V.M. (1968): Experimental aflatoxicosis in young swine. American Journal of Veterinary Research. 29:1591-1602.
- Sladen, W.J.L. and Austwick, P.K.C. (1955): The mycoflora of wild pink footed Geese sampled in Iceland and Scotland Wildfowl Trust Seventh Annual Report (1953), 54:133-137.
- Smith, W.J.; Hill, C.H. and Hamilton, P.B. (1971): The effect of dietary modification on aflatoxicoses in the broiler chicken. Poultry Sci. 50:768-774.
- Snedecor, G.W. and Cochran, W.G. (1976): Statistical methods 6th edition Oxford and IBH Publishing Co. New Delhi.
- Sommer, N.F.; Buchanan, J.R.; Fortlage, R.J. and Hsieh, D.P.H. (1974): Patulin, a mycotoxin, in fruit products. Proc. IV. Int. Congress Food Sci. and Technol. III:266-271.

- Sreeramulu, T. (1958): Spore content of air over the Mediterranean Sea, J. Ind, Bot, Soc. 27:220-228.
- Sreeramulu, T. (1970): Air spora of the crop field and its application. J. palynol 6:31-38.
- Sreeramulu, T. and Seshavataram, V. (1962): Spore content of air paddy-fields. I. Changes in a field near Pentapadu from 12 September, 1957. Ind, Phytopath., 15:61-74.
- Stalker, W.W. and Moore, P.M. (1972): Air-borne pollen and fungus spores patterns in the Birmingham, Alabama area. Ann. Allerg., 30:326-334.
- Stott, W.T. and Bullerman, C.B. (1975): Microbiological assay of patulin, using *Bacillus megaterium*. J. AOAC, 58(3): 497-499.
- Strzelecki, E. and Badura, L. (1972): Occurrence of aflatoxigenic moulds on dry cracower sausage. Acta Microbiol. Pol. Ser. B., 233-239.
- Stubblefield, R.D.; Shotwell, O.L.; Hesseltine, C.W.; Smith, M.L. and Hall, H.H. (1967): Production of aflatoxin on wheat and oats: Measurement with a recording densimeter. Appl. Microbiol., 15:186-190.
- Surinyach, R. (1960): Observation on some pollen aerobiological standards in North-East Spain. Acta Allergol. Suppl., 7:151-157.

- Svoboda, D.; Grady, H.J. and Higginson, J. (1966): Aflatoxin B₁ injury in rat and monkey liver. American Journal of Pathology 49:1023-1052.
- Taber, R.A. and Schroeder, H.W. (1967): Aflatoxin producing potential of isolates of *Aspergillus flavus-oryzae* group from peanuts (*Arachis hypogaea*). Appl. Microbiol., 15:140-144.
- Tan, K.K. and Sugai, K., et al., (1966): Disseminated aspergillosis. Case report and review of world literature. Am. J. Clin. Pathol. 45:697-703. [C.F.M.Sc. thesis by N.H.Aziz, Ain Shams Univ., 1982].
- Tawes, J.W.; Joke, G.D. and Llewellyn, G.C. (1972): Contraception, fertilization and teratology in rats incubated with the mycotoxin aflatoxin B₁. Dev. Ind. Microbiol., 18:711-715.
- Taylor, R. L. and McFadden, A.W. (1962): Survey of air-borne mold flora in Panama. Mycopath. Mycol. Appl. 17:159-164.
- Thom, C. and Raper, K.B. (1945): A manual of the *Aspergilli*. Williams and Wilkins Co., Baltimore, Md.
- Tong, C.H. and Draughon, F.A. (1985): Inhibition by antimicrobial food additives of ochratoxin A production of *Aspergillus sulphureus* and *Penicillium viridicatum*. J. Applied and Environmental Microbiology, June, 49(6): 1407-1411.

- Trenk, H. and Hartman, P.A. (1970): Effects of moisture content and temperature on aflatoxin production in corn. *Appl. Microbiol.*, 19:781-784.
- Turner, P.D. (1966): The fungal air-spora of Hong Kong as determined by the agar-plates method. *Trans. Br. Mycol. Soc.* 49:255-267.
- Upsher, F. J. and Griffiths, D.A. (1973): Air-spora of site in tropical Queensland, Australia, *Trans. Br. Mycol. Soc.*, 61:537-545.
- Vallerg-Radot, P.; Halpern, B. N.; Secretian, A. and Domari, A. (1950): Etude de la nature et de la densite de la flora mycologique de la L'atmosphere de Paris durant L'annee 1948. *Acta Allerg. Kbh.*, 3:179-197.
- Vandegraft, E.E.; Hesseltine, C.W. and Shotwell, O.L. (1975): Grain preservatives effect on aflatoxin and ochratoxin production. *Cereal Chem.* 52:79-84.
- Van Dijck, P. and Van der Voorde, H. (1980): Comparative in vitro toxicity of aflatoxins and ochratoxin A, pp. 43. In D. Grossklaus (ed.) world Congress on Food Borne Infections and Intoxications. Institute of Veterinary Medicine, West Berlin.
- Vesonder, R.F.; Beckwith, A.C.; Ciegler, A. and Dimler, R.J. (1975): *J. Agric. Food chem.*, 23:242. [C.F. Beckwith et al., 1975].

- Vinje, J.M. and Vinje, M.M. (1955): Preliminary aerial survey of microbiota in the vicinity of Davenport, Iowa. Amer. Midland Naturlist, 54:418-432.
- Vies, R.O. (1967): Experimental bile duct hyperplasia in ducklings. Poultry Science. 46:1368-1373.
- Wan, N.C., and Hsieh, D.P.H. (1980): Enzymatic formation of the Bisfuran structure in aflatoxin biosynthesis. J. Appl. and Environ. Microbiol. Jan. pp. 109-112.
- Welsh, R.A. and Buchness, J.A. (1955): *Aspergillus* endocarditis, myocarditis and lung abscesses. Am. J. Clin. Pathol. 25:782-786.
- Wildman, J.D.; Stolloff, L. and Jacobs, R. (1967): Aflatoxins production by a potent *Aspergillus flavus* link isolate. Biotechnol. Bioeng., 9:429-437.
- Williams, C.C. and Best, C.A. (1956): Atmospheric mold counts in Toronto, Canada. J. Allerg. 26:461-467.
- Wilson, B.J.; Compbell, T.C.; Hayes, A.W. and Hanlin, R.T. (1958): Investigation of reported aflatoxin production by fungi outside of the *Aspergillus flavus* group. Appl. Microbiol., 16:819-821.
- Winn, R.T. and Lane, G.T. (1978): Aflatoxin production on high moisture corn and sorghum with a limited incubation. Texas Agric. Exp. Stn., College station; Tex. J.

- Wogan, G.N. (1965): Mycotoxins in foodstuffs. Cambridge, Mass., Massachusetts Institute of Technology Press.
- Wogan, G.N. and Newbrene, P.M. (1967): Dose response characteristic of aflatoxin B₁ carcinogenesis in the rat. Cancer Res., 27: 2370-2376.
- World Health Organization (1979): Environmental Health Criteria 11, Mycotoxins, pp., 28-36 World Health Organization, Geneva.
- Young, R.C.; Jennings, et al.(1972): Species identification of invasion aspergillosis in man. Am. J. Clin. Pathol. 58:554-557. [C.F.M.Sc. thesis by N.H.Aziz, Ain Shams Univ., 1982].
- Youssef, A.Y. and El-Tarabishy, N.M. (1966): Studies on the atmospheric fungal flora in Cairo. Ann. Allerg. 24:349-354.
- Youssef, Y.A. and Abdou, M.H. (1967): Studies on fungus infection of the external ear. I. Mycological and clinical observations. J. Laryng. Otolog. LXXX1, 401-412.
- Youssef, H. H.; Youssef, Y.A.; Abogamra, E. M.; Hammad, H.A. and Refai, M. (1980): Mycological and Serological studies on grain workers in mill factories in Cairo. Egypt. J. Ches. Dis. Tub. 23:33-48.

Youssef, H.H.; Youssef, Y.A.; El-Saraugawy, A.; Hassan, M.N.; Taha, M.; Hammad, H.A. and Refai, M. (1980): Preliminary study of mycoflora in sputum of poultry workers and screening of their sera for antifungal precipitins. Egypt. J. Ches. Dis. Tub. 23:61-70.

Zaky, M.K (1960): Studies on the dissemination of pollen grains and spores in the Cairo area. M. Sc. Thesis, Cairo University.

Zamir, L.O. and Hufford, K.D. (1981): Precursor recognition by Kinetic pulse-labeling in a toxigenic aflatoxin B₁-producing strain of *Aspergillus*. J. Applied and Environmental Microbiology, 42(1):168-173.