




REFERENCES

- Abdel-Fattah, R.I. (1990):
Ecological studies on the adjustment of the plants to their environments.
Ph.D. Thesis, Fac. Sci., Zagazig University.
- Abdel-Rahman, A.A. and Batanouny, K.H. (1959):
Root development and establishment of plants under desert conditions.
Bull. Inst. Desert D'Egypt; 9: 141-150.
- (1964):
Osmotic pressure of desert plants under different environmental conditions.
U.A.R.J., Bot., 7: 95: 107.
- , Shalaby, A.F. and El-Monayeri, M.O. (1971):
Effect of moisture stress on metabolic products and ion accumulation.
Plant & Soil; 34: 65-90.
- , Ezzat, N.H. and Hassan, A.H. (1976):
Variations in the mineral composition of plant material in the different ecological groups.
Flora, Boll.; 164: 73-84.
- Ahmed, A.M. and Girgis, W.A. (1979):
Adaptive responses of plants of different ecological groups from Wadi Gharandal. Sinai, Egypt.
Desert Inst., Bull., A.R.E., 29: 487-512.
- Al-Hubaishi, A. and Muller Hohenstein, K. (1984):
An introduction to the vegetation of Yemen. Ecological basis, floristic composition, human influence.
Dutche gesellschaft fur Technische Zusammenarbeit (GTZ.) GmbH.

Allen, M.B. (1953).

Experiments in soil Bacteriology.
1st. Ed. Burgess Publishing Co.

Aso, K, Shrbasaki, M., Matsuda, K., Yamauchi, F., Mori, T., and Sekiguch, S. (1951):
IV- Detection of the components of apple juice by paper chromatography.
J. Ferment. Technol (Japan) 29: 74-77 (Chem. Abst., 1953, 47: 18641).

Association of Official Agriculture Chemists (1960):
Official methods of analysis.
9th ed., Washington, D.C., U.S.A.

Baraka, Dina (1990):

Ecological and phytochemical studies on *Jasonia montana*.
Ph.D. Thesis, Fac. Sci., Zagazig Univ. (Benha).

Bartlink, L. (1975):

Rainfall in the Yemen Arab Republic.
C.F. UNDP. Water supply for Snaaa and Hodiedah.
Vol. 11. ITAL CONSULT, ROME, Dec. 1975.

Batanouny, K.H. and Batanouny, M.H. (1968):

Formation of phytogenic hillocks. I- Plant forming Phytogenic hillocks.
Acta. Bot., Acad. Sci. Hung., 14: 243-252.

----- (1969):

Formation of phytogenic hillocks. II Rooting habit of plants forming phytogenic hillocks.
Acta. Bot. Acad. Sci. Hung., 15.

----- and Ezzat, N.H. (1971):

Ecophysiological studies on desert plants.
1- Autecology of Egyptian *Zygophyllum* species.
Oecologia (Berl.) 7: 170-183.

- Bernett, M.A. and Naylar, A.W. (1966):
Metabolism in Bermuda grass during water stress.
Plant Physiol., 41; 1220-1236.
- Bieble, R. (1958):
La morphogenese de feuilles; Photo period et
developement hetuoblastique chez. *Ulex europaens*
L., Rev. Gen. Bot.; 65-365.
- Boudet, A. and Gadai, P. (1965):
Inhibition of enzymes by the tannins of *Quercus*
semilis.
Compt. Rend. 260, 14(11): 5057-4060.
- Brady, N. (1974):
The nature and properties of soils.
8th ed., Macmillan Publishing Co., Inc. New
York.
- Brieskorn, C.H., Khuger, H., and Polinus, W. (1961):
Triterpens and sterols in leaves of *Salvia*
triloba and *Pyrus malus*.
Arch. Pharm., 294; 389-391 (Chem. Abs., 1962, 56
7th).
- Brown, J.C., Tiffin, L.O. and Holems, R.S. (1960):
Competition between chelating agents and roots
as a factor affecting absorption of iron and
other ions by plant species.
Plant Physiol, 35: 878.
- Burton, J.O. and Riley, J.P. (1954):
Cf. Peach, K. and Tracey, M.V. (1956).
Modern Methods of plant analysis Vol. I,
Springer Verlag, Berlin.
- Chen, D., Kessler, B. and Monselise, S.P. (1964):
Studies on water regime and nitrogen metabolism
of citrus seedlings grown under water stress.
Plant Physiol., 39: 379-386.

- Dehan, K. and Thall, M. (1978):
Salt tolerance of the wild relatives of the
cultivated tomato: Responses of *Solanum*
Pennellii to high salinity.
Irrigation Science, 1: 71.
- Delbes, P. (1953):
UNESCO report (C.F. Draz, 1956).
- Devlin, R.M. (1975):
"Plant Physiology" 3rd Ed.
Litton Educational Publishing Inc.
- Draz, O. (1956):
Improvement of animal production.
Bull. Inst. Desert d'Egypt, 6: 79-109.
- El-Ghonemy, A.A. (1976):
Ecological relation of vegetation on Silicens
sand deposits. North of Wadi El-Natrun.
Egypt. J. Bot., 19, No. 1.
- El-Monayari, M.O. (1970):
Effect of moisture stress on growth, water
relations and metabolic components of some range
plants under different moisture conditions.
The Desrt Inst. Bull., A.R.E, 20(1): 163-178.
- El-Monayeri, M.O., Youssef M.M. and El-Ghamry, A.A.
(1981):
Contribution to the autecology of two
Zygophyllum species growing in the Egyptian
desert.
Egypt. J. Bot., 24(1): 49-68.
- El-Sissi, H.I., and Saleh, N.A.M. (1964):
Phenolic compounds of *Magnifera indica* Planta
Med. 12(4): 421-427.
(Chem. Abst., 1965, 62(9): 10825e).

- Fahmy, I.R. (1933):
 Constituents of plants and crude drugs.
 Paul barbey's Printing Work, Cairo.
- Fieser, L.F. and Fieser, M. (1959):
 Sterols.
 Reinhold Publishing Co., New York.
- Geuckens, F. (1966):
 Geology of the Arabian Peninsula.
 U.S. Government Printing Offices, Washington, 1:
 21.
- Girgis, W.A., Ahmed, A.M., Shalaby, A.A. and Kishk, H.T.
 (1979):
 Studies on halophytes. 1- A Preliminary study on
 the adjustment of halophytes to their
 environment.
 Res. Bull. No. 1003, Ain Shams Univ., Fac.
 Agric., 1-12.
- Goss, J.A. (1973):
 Physiology of plants and their cells.
 Pergamon Press Inc.
- Gupta, P.S. (1933):
 Reaction of plants to the density of soil.
 J. Ecol. XXI, 452-474.
- Gusev, N.A. (1959):
 Nekotorie Zokonomernostic Vandnogo Rezhima
 Rastenii.
 I. Zaddat. Akad. Naukm SSSR. Moskva.
- Hammouda, M.A. (1954):
 Studies on the water relation of Egyptian desert
 plants.
 Ph.D. Thesis, Fac. Sci., Cairo Univ.
- Harborne, J.B. (1988):
 "Introduction to ecological biochemistry"
 Academic Press Ltd. London and New York.

- Hassan, H.E. (1979).
Ecological studies on some xerophytic plants.
M.Sc. Thesis, Fac. Sci., Al-Azhar Univ.
- Haurwitz, B. and Auston, J.M. (1944):
Climatology.
McGraw-Hill Book Company. Inc. New York and London.
- Jackson, W.L. (1962):
Soil chemical analysis.
Constable and Co. Ltd. London.
- Johnson, C.M. and Ulrich, A. (1959).
Analytical methods for use in plant analysis.
U.S. Dept. Agr., Calif. Univ. Agric. Inform.
Bull. 766.
- Kingsbury, J.M. (1964):
Poisonous plants of United States and Canada.
Printice-Hall, Englewood Cliffs, New Jersey.
- Koppe, C.E. and Long, C.D.S. (1958):
Water and climate.
McGraw-Hill Book Company, New York, Toronto and London.
- Kozlowski, T.T. (1964):
Water metabolism in plants.
Harper and Row, New York.
- Kudrev, T.J. (1967):
The effect of drought on the amount of free and bound glutamic acid and proline in pumpkins.
C.R. Acad. Bulg. Sci., 20-61.
- Levitt, P.J. (1956):
Responses of plants to environmental stresses.
2nd Academic Press, New York.

- Loveys, B.R. and Kriedmann, P.E. (1974):
Aust. J. Plant Physiol. 1, 407-415 (C.F. Harborone, 1988).
- Lundegardh, H. (1914):
Absorption transport and exudation of inorganic ions by the roots.
Ark. Bot. 32, 1-139.
- Malik, C.P. and Srivastava, A.K. (1982):
Text book of plant physiology.
Kaylani Publ., New Delhi.
- Marks, W.H., Fong, H.H.S., Tin-Wa, M. and Farnsworth, N.R. (1975).
Cytotoxic principles of *Parquetina nigrescens* (Afzel.) bullock (Asclepiadaceae).
J. Pharm. Sci., 64, 10: 1674-16.
- McNair, J.B. (1929):
The taxonomic and climatic distribution of oils, fats and waxes in plants.
(C.F. Baraka, 1990).
- Migahid, A.M. (1954):
Water economy of desert plants.
Bull. de L'Inst. d'Desert d'Egypt, 9: 3-35.
- (1962):
The drought resistance of Egyptian desert plants.
Madrid Symp. UNESCO/12/213-233.
- and Shafei, M.I. (1953):
Osmotic pressure of plants of different ecological types.
Bull. Inst. d'Desert d'Egypt. 3: 9-17.
- (1956):
Internal factors affecting osmotic pressure of plant sap.
Bull. Inst. d'Desert d'Egypt. 6:68.

- Mothes, K. (1955):
Physiology of alkaloids.
A. Rev. Plant Physiol., 6, 393-398.
- Munns, R., Brady, C.J. and Barlow, E.W.R. (1979):
Solute accumulation in the apex and leaves of
wheat during water stress.
Ind. J. Expl. Biol. 2, 149-156.
- Naguib, M.I. (1964):
Effects of sevin on the carbohydrate and
nitrogen metabolism during the germination of
cotton seeds.
Ind. J. Expl. Biol., 2, 149-156.
- Nakagawa, T., Hayashi, K., Wada, K. and Mitsuhashi, H.
(1983):
Studies on the constituents of Asclepiadaceae
plants.
III- The structure of five glycosides A, B, C, D
and E from chinese drug "Pai'Chien" *Cynanchum*
glaucescens Hand-Mazz.
Sapporo 060, Japan. Tetrahedron. 39, 4: 607-612.
- Nelson, W.O. (1962):
A photometric adaptation of Somgi method for
determination of glucose.
J. Biol., Chem., 153: 275-286.
- Olama, H.Y., Girgis, W.A. and Baraka, Dina (1991):
Ecological studies on *Jasonia montana*.
Delta, J. Sci. (in press).
- Olsen, C.R. (1958):
Ion absorption in different plant species as a
function of the pH value of the solution
competes. Rend. Lab., Carlesburg, 31: 1.
- Parsons, J.A. (1965):
C.E. Seiber, J.N., Roeske, C.N. and Benson, J.M. (1978).
Three new cardinolides from the milk weeds
Asclpias eriocarpa and *A. lubrifolius*.
Phytochemistry J. 17, 5: 967-970

- Partridge, S.M. (1948):
Filter paper chromatography of sugars.
Biochem. Jour. 42: 238.
- Piper, C.S. (1947):
Soil and plant analysis.
Adelaide Univ.
- Pitman, M.G. (1981):
Ion uptake In: Paleg, L.G. and D. Aspinall
(eds.): Physiology and biochemistry of drought
resistance in plants.
Academic Press. Sidney, pp. 71-76.
- Porter, C.L. (1969):
Taxonomy of flowering plants.
Eurasia publishing house (PVT) Ltd., Ram Nagar
New Delhi.
- Richards, L.A. (1954):
Diagnosis and improvement of saline and alkali
soils.
U.S. Dept. Agric. Handbook No. 60.
- Rietemier, R.F. (1951):
Soil Potassium.
Adv. Agron., 3: 113-128.
- Roberts, E.A.H. and Wood, D.J. (1951):
Separation of polypenols on paper chromatograms.
Biochem. J., 49: 414-422.
- Said, F. Amer, M.M., Sayed Ahmed, A.K. and Said, A.A.
(1964):
New methods for the determination of iodine
values.
J. Pharm. Sci. U.A.R., 31: 73-81.
- Salama, Hediat (1989):
Ecological and phytochemical studies on *Tamarix
nilotica*.
M.Sc. Thesis Fac. Sci., Zagazig Univ.

Seiber, J.N., Roeske, C.N. and Benson, J.M. (1978):
Three new cardinolides from the milk weeds
Asclepias eriocarpa and *A. lubrifolius*.
Phytochemistry J. 17, 5: 967-970.

Seiber, J.N., Nelson, C.J. and Lee, S.M. (1982):
Cardinolides in the latex and leaves of seven
Asclepias and *Calotropis procera*.
Phytochemistry J. 21, 9: 2343-2348.

Shalaby, A.F., Etman, M.A. and El-Habibi, A.M. (1971):
Ecology of *Cleome arabica*.
Bull. Inst. Des. d'Egypt., 21, 1: 153-169.

-----, Girgis, W.A. and Shams, H.M. (1978):
Ecological studies on *Varthemia candidans* (Del.)
Bioss.
Desert Inst. Bull. A.R.E., 28, 1: 237-250.

-----, El Monayeri, M.O., Youssef, M.M. and El-
Gohary, A.A. (1982):
Phytochemical studies on two *Zygophyllum* species
in Egyptian desert.
J. Coll. Sci. King Saud Univ. 13: 175-181.

Shams, H.M. (1978):
Ecological and phytochemical studies on some
desert plants.
Ph.D. Thesis, Fac. Sci., Ain Shams Univ.

----- (1982):
Ecological notes on Sanaa area.
Bull. Fac. Sci., Zagazig Univ. (in press).

----- (1988):
Ecophysiological studies on some desert
ephemerals.
Bull. Fac. Sci., Zagazig Univ. (in press).

----- (1989):
Fatty acids of plants of different ecological
groups.
Egypt. J. Appl. Sci., 42: 48: 58.

- Shams, H.M., Olama, H.Y. and Khyyal, S.H. (1983):
Effect of two habitats on oil constituents of
Artemisia abyssinica.
Bull. Fac. Sci., Zagazig Univ.
- Shams, H.M. and El-Zawahri, Y.I. (1984):
Studies on *Avicennia marina*.
1- Protein and fat contents.
Bull. Fac. Sci., Zagazig Univ. (in press).
- , R.M. El Ghareeb and A.M.A. Ahmed (1986):
On *Euphorbia ammak*. Seasonal changes in
metabolic contents of *Euphorbia ammak* as affected
by habitat conditions.
Desert Inst. Bull. A.R.E., 36(2) 445-466.
- and Ahmed, A.A. (1986):
Amino, fatty and organic acids of *Euphorbia
ammak*.
Desert. Inst. Bull., A.R.E. 36 2; 468-479.
- Shinoda, J. (1928):
Colour reaction of flavon and flavonal
derivative and the like.
J. Pharm. Soc. Japan, 48: 214-220.
- Smith, I. (1962):
"Chromatographic and electrophoretic techniques"
Inter. Science Pub., Inc. New York.
- Stocker, O. (1960):
Physiological and morphological changes in
plants due to water deficiency. In: Plant Water
Relationship.
UNESCO, 15: 63-104.
- Toper, C.D. and Leach, W. (1957):
Studies in mineral nutrition. III- The effect of
calcium concentration in culture solution, upon
the absorption of iron and manganese by dwarf
kidney bean.
Canad. J. Bot., 35: 373.

- Tivy, J. (1971):
A study of plants in the ecosphere.
Dliver and boyd Corthorn House, Edinburgh.
- Tsukamoto, S., Hayashi, K., Kaneko, K. and Mitsuhahi, H.
(1985):
Studies on the constituents of Asclepiadaceae.
IX. Further studies on glycosides with a noval
sugar chain containing a pair of optically
isomeric sugars D-and L-cymarose from *Cynanchum*
wildfordi.
Chemical and Pharmaceutical Bull. Sapporo 60,
Japan 33, 6: 2294-2300.
-
- (1986).
Studies on the constituents of Asclepiadaceae
plants. The optimal resolution of D-and L-
cymaroses.
Chemical and Pharmaceutical Bull. Sapparo 60,
Japan. 34, 8: 3130-313.
- Turner, N.C. and Karmer, P.T. (1980):
Adaptation of plants to water and high
temperature stress.
John Willey and Sons, New York.
- Wadleigh, C.H. and Ayers, A.D. (1945):
Composition of bean plants as conditioned by
soil moisture tension and salt concentration.
Plant Physiol., 30: 106-132.
- Wall, M.E., Krider, M.E., Kremson, C.F., Eddy, C.R.,
Williaman, J.J., Corell, D.S. and Gentry, H.S.
(1964).
VIII- Survey of plants for steroidal sapogenins
and other constituents.
J. Pharm. Soc. 43: 1.
- Ward, G.M. and Johnson, F.B. (1962):
Chemical methods of plant analysis.
Canada Dept., Agric., 10: 1-59.

- Wellburn, A.R., Ogunkmi, A.B. and Mansfield, T.A. (1974):
C.F. Harborne, J.B. (1988).
"Introduction to ecological biochemistry"
Academic Press Ltd. London and New York.
- Wilde, S.A., Voiget, G.K. and Layer, J.G. (1972):
Soil and plant analysis for tree culture.
Oxford and IBH Pub. Co. New Delhi.
- Zhung-xin Zhang, Junzhau, Hayashi, K. and Mitsubishi, H.
(1985):
Studies on the constituents of Asclepiadaceae
plants. VIII- The structure of five glycosides
a, - B, - C, - D and E from the chinese drug "Dai-
Wei" *Cynanchum atratum* Bunge Yunnan China.
Chemical and Pharmaceutical Bull., 33 4: 1507-
151.
- Zohary, M. and Orchan, G. (1951):
Ecological studies lithophytes.
Pal. J. Bot. Set., 2: 119-128.
- Yoshimmura, S., Narita, H., Hayohi, K. and Mitsuhashi, H.
(1985):
Studies on the constituents of Asclepiadaceae
plants. IIX- The structure of five new
glycosides from *Dregea volubilis* (L) Benth.
Sapparo 60, Japan. Chem. and Pharm. Bull. 33, 6:
2287-229.
- Younis, M.E. (1963).
Studies on the respiratory metabolism in
strawberry leaves.
Ph.D. Thesis, Univ. of Cambridge.