

R E F E R E N C E S

- Abd - El-Messih, F.V., 1977: Effect of 2- (Diethoxy phosphinyl imino) - 1-3- Dithiolane "Cyolane" on some biochemical constituents in Rat (*Rattus rattus*). M.Sc. Thesis, Faculty of science, Cairo University.
- Abd - El-Razak, A.A., 1979: Studies on growth and metabolism of certain fungi. M.Sc. Thesis, Faculty of science, Zagazig University.
- Adam, M.Y., 1973: Effects of the insecticide Dipterex on some tomato Rhizospheric fungi and its bearing on tomato susceptibility to Rhizoctonia. M.Sc. Thesis, Faculty of science, Cairo University.
- Adrian, E.D.; Felberg, W. and Kilbg, B.A., 1947. The Cholinesterase inhibiting of flourophosphonates. Brit. J. Pharmacol., 2: 56.
- Afifi, F.A. and Abdulla, M.E., 1977: Effect of the insecticide "Thiolane" on the spore-germinating potentialities of Artemisia vulgaris phyllospheric fungi. Egypt. J. Bot. 20, 2: 121-126.
- Alexander, L.J.; Ibing, H.C. and Winger, C.M., 1931: The causes and control of damping off of tomato seedlings. Ohio. Agric. Exp. sta. Bull. Ho. 496. I.

Appleman, M.D. and Sears, O.H., 1946: Effect of DDT upon nodulation of legums. J. Amer. Soc. Agron. 38: 545.

Bahig, M.R.E., El-Zawahry, Y.A. and Wafa, D., 1982: Pesticide Metabolism III fate of ^{14}C -Cyolane by soil fungi. Zentralblatt für Bakteriologie (in press).

Baranowski, R.M., 1962: Effectiveness of various methods of applying systemic insecticides to tomatoes. Proc. Fla. State Hort. Soc. 75: 176.

Barnett, H.L., 1960: Illustrated Genera of imperfect fungi. Burgess publishing company, Minneapolis, Minn. pp. 203.

Barnett, H.L. and Lilly V.G., 1948: The interrelated effect of vitamins, temperature and pH upon vegetative growth of Sclerotinia camelliae. Am. J. Bot. 35: 297-302.

Bartha, R.; Lanzilotta, R.P. and Bramer, D., 1967: Stability and effects of some pesticides in soil. Appl. Microbiol. 15: 67.

Berisford, Y.C. and Ayres, J.C., 1976: Effects of insecticides on growth and zearalenone production by the fungus Fusarium graminearum. J. Econ Entomol. 69: 645-650.

Blair, X.D., 1943: Behaviour of the fungus Rhizoctonia solani. Kuhn in soil . Ann. App. Biol. 30: 118.

Bollen, W.B., Morrison, H.E. and Crowell, H.H., 1954:
Effect of field treatments of insecticides on
numbers of bacteria, Streptomyces and molds in
the soil. J. Econ. Ent. 47: 302.

Chandra, P., 1967: Effects of 2- chlorinated insecticides
on soil microflora and nitrification process as
influenced by different soil temperatures and
textures. Progress soil biology: Fried. Vieweg
und sohn Gmbh, Braunschweig, W. Germany and
North Holland publishing Co., Amesterdam Neth.
320.

Chang, Liang-chuan, 1972: Soil treatment with granular
insecticides to control Phytobia capae (Stone
leak leaf miner). Nang yah Yen Chiu, 21: 3,203,
chem. Abst. 78.

Cunningham, I.C., 1971: Tobacco insecticide screening
traits. Queensl. J. Agr. Anim. Sci, 28 (1), 13.

Damiano, A., 1967a : Phosphorus insecticides for onion
thrips. Int. pest control. 9 (1) : 6.

-----, 1967b : Control trials of cotton melan
Aphid on citrus trees in Libya. Int. Pest. contr.
9 (2): 15.

- Depow, L.J., 1975: Field evaluation of insecticides to control pale western cutworm in winter wheat. J. Econ. Entomol. 68 (1): 85.
- Draughon, F.A. and Ayres, J.C., 1978 : Effect of selected pesticides on growth and citrinin production by *Penicillium citrinum*. J. food Sci. 43: 576-578.
- , 1979: Insecticides inhibition of growth and patulin production by *Penicillium urticae*. J. Food Sci. 44: 1232-1234.
- , 1981 : Inhibition of Aflatoxin production by selected insecticides. App. and Environ. Microbiol Apr. 972-976.
- El-Kifl, A.H.; Wahab, A.E.A.; Assem, M.A. and Metwally, A.A., 1973: Note on the insecticidal control of bean fly *Melanogromyza phaseoli* (Tyron) Diptera : Agromyzidae). Indian J. Agr. Sci. 43 (5): 518.
- El-Zawahry, Y.A., 1972: Effect of the insecticide Dipterex on the bacterial nodulation of some leguminous plants. M.sc. Thesis, Faculty of Science, Cairo University, Cairo.
- Emerson, R. and Cantino, E.C., 1948: The isolation, growth and metabolism of *Blastocladi* in pure culture. Am. J. Bot. 35: 157.

- Endo, R.M., 1963: Influence of temperature on rate of growth of five fungus pathogens of turfgrass and on rate of disease spread. *phytopathology*, 53: 857.
- Eno, C.F. and Everett, P.H., 1958: Effects of soil applications of ten chlorinated hydro-carbon insecticides on soil micro-organisms and the growth of stringless Black Valentine beans. *Soil Sci. Soc. Amer. proc.*, 22: 235.
- Gilman, J.C., 1957: A manual of soil fungi. Iowa State University press, Ames. Iowa, U.S.A. pp. 450.
- Grossman , F. and Steckhan D., 1960: Accessory effects of some insecticides on pathogen soil fungi. *Zeit. Pflanzen-Krankheiten*. 67: 7.
- Hassanein, S.M., 1980: Effect of certain Herbicides on *Vicia faba* and its Rhizospheric fungi with special reference to lipid metabolism. M.Sc. Thesis, Faculty of Science, Cairo University, Cairo.
- Heikal, N.Z.M., 1976: Effect of some chemicals on growth and metabolic activities of Fusarium oxysporum. M. Sc. Thesis, Faculty of science, Cairo University, Cairo.
- Jones, T.P., 1965: Effect of Aldrin on wire worm damage and black scurf Rhizoctonia solani in potatoes. *Plant pathol.* 14: 117.

- Johnson, L.F.; Curl, E.A.; Bond, J.H. and Fribourg, H.A.,
1960: Methods for studying soil microflora
plant disease relationships. Burgess publishing
Co. Minneapolis. pp 178.
- Joseph, A.K.; Anderson S.; and Pawle, J.M., 1972:
Clinical Chemistry, vol. 18, 3199.
- Kamel, A.A.M. and Moustafa, T.H., 1968: Control of
Spodoptera littoralis larvae on cotton in the
united Arab Republic. J; Econ. Entomol. 61 (4)
901.
- Khalil, F.M.; Rizk, G.A.; Rizk, M. and Gouher, K; 1972:
Laboratory and field evaluation of insecticides
for the control of the cotton leaf worm,
Spodoptera littoralis (Boisd) (Lepidoptera :
Noctuidae). Bull. Entomol. Soc. Egypt. Econ.
Ser. 6: 149.
- Lange, W. and Krueger, B., 1932: Über Ester der Mono
fluorophosphor säure. Chem. Ber., 65: 1598.
- Lilly, V.G. and Barnett, H.L., 1951: Physiology of the
fungi. Mc Graw-Hill Book Co. N.Y. pp 464.
- Lindley, C.D. and Seval, E., 1973: Control of Spodoptera
littoralis larvae on cotton in Torkey with
dithiolane iminophosphate insecticide. J. Econ.
Entomol. 66 (1): 235.

Mackworth, J.F. and Webb, E.C., 1948: The inhibition of serum cholinesterase by alkyl flourophosphonate. Biochem. J. 42: 91.

Mahmoud, I.H.M.; El-Mokahel, M.A and El-Mesallaty, A.S., 1982; Studies on pesticide sensitivity in some yeasts. 3rd, Egyptian congress of Botony, Mansoura, page 33.

Marei, A.S.M.; Saad, A.S.A. and Tantawy, G., 1974a: Evaluation of pesticides in laboratory and field for the control of Tetranychus cinnabarinus-Boisduval, infecting cotton in Egypt. Indian J. Agric. Sci, 44 (1): 8.

----- ; ----- , 1974b: Laboratory and field evaluation of certion pesticides against the adults and eggs of Tetranychus cinnabarinus on cotton. J. Agric. Sci. 82 (3): 391.

Metcalf, R.L. and March, R.B., 1949: Mode of action of parathion and its derivatives and their toxicity to insects. J. Eco. Entomol. 42: 721.

Michaelis, C.A.A., 1903: Über die organischen verbindungen des phosphorus mit stickst off. Liebigs Ann. Chem., 326: 124.

Monteith, J.J.R. and Dahl, A.S.. 1928: A comparison of some strains of Rhizoctonia solani in culture. J. Agric. Res. 36: 897.

- Moustafa, Y.I.; Fakhr, I.M.I. and El-Zawahry, Y.A; 1982:
Metabolism of organophosphorus insecticides IV
Degradation of cyolane by soil micro-organisms.
(in press).
- Mukundan, T.K., 1964: Plant protection principles and
practice. Asia publishing House, Bombay,
India, 27.
- Naguib, M.I., 1963. Colorimetric estimation of plant poly-
saccharides. Zucker, 16: 15-18.
- , 1964: Effect of chlorobenzoic acids on the
nitrogen metabolism of starved and sucrose fed
etiolated barley leaves. Can. J. Bot. 42, 197
- 204.
- , 1965: Effect of maleic hydrazide on the
nitrogen metabolism of starved and sucrose fed
etiolated barely leaves. Ind. Agric. Sci. 35,
179-185.
- , 1968: Effect of Sevin on the metabolism of
Rhizoctonia solani. J. Bot. U.A.R. 11 7-18.
- Nelson, N., 1944: A photometric adaptation of the Somogyi
method for the determination of glucose. J.
Biol. Chem. 153, 375-380.

- Nour ElDein, M.S., 1956: Studies on the interaction between Fusarium oxysporum and Rhizoctonia solani in parasitizing "Karank" and "Ashmouni" cotton Varieties and in culture. M.Sc. Thesis, Faculty of Science, Cairo University, Cairo.
- Osman, M.E., 1973: Effect of radiation on soil fungal population . M.Sc. Thesis, Faculty of Science, Cairo University.
- Pehrson, S.O., 1948: Studies of the growth physiology of Phacidium infestans karst. Physiologia Plantarum 1: 38-56.
- Piper, C.S., 1947: Soil and plant analysis. The University of Adelaide, Australia, Adelaide, pp. 368.
- , 1950: Soil and plant analysis. A monograph from the waite, Agric. Res. Inst. Adelaide, Australia.
- Raper, K.B. and Thom, C., 1949: A manual of the penicillia. Williams and Wilkins Co, Baltimore, U.S.A. pp. 875.
- Raper, K. B. and Fennel, D.I., 1965: The Genus Aspergillus. The Williams and Wilkins company, Baltimore, pp. 686.
- Rodolph, E.C. 1962: The effect of some physiological and environmental factors on sclerotial Aspergillus. Amer. J. Bot. 49: 71.

- Rosas, S.B.; Maria, C.S. and Ghittoni, N.E., 1980:
Effects of pesticiden on the fatty acid and
phospholipid composition of Escherichia coli.,
Applied and Environmental Microbiology, 231-234.
- Ruschel, A.P. and Da Costa, W.F., 1966: Effect of some
insecticides and fungicides on nitrogen fixation
and nodulation of seed treatments of beans
(Phaseolus vulgaris) Pesquis Agropecuar Brasil,
I: 147.
- Russel, J.C., 1956: General soil for Iraq students.
Baghdad, Iraq.
- Russell, J.A., 1944: Note on the colorimetric determination
of amino-nitrogen. J. Biol. Chem. 156: 467-468.
- Salame, A.M.; Moustafa, I.Y. and El-Zawahry, Y.A., 1973:
Effect of Dipterex on the growth of Rhizobium
leguminasorum and Rhizobium trifolii as in-
fluenced by temperature, pH and type of Nitrogen.
Acta, Biol. Acad. Sci. Hung. 24 (1-2): 25-30.
- ; -----, 1974:
Effect of Dipterex on Nodule formation in Broad
bean and clover plants under different Manurial
treatments. Acta. Biol. Acad. Sci Hang. 25 (4):
239-246.
- ; -----, 1975:
Fate of ¹⁴C-Labelled Dipterex as affected by
two nodule-forming Rhizobium sp. and roots of
their respective leguminous hosts plants.
Acta. Biol. Acad. Sci. Hung. 26 (1-2): 1-7.

- Salama, A.M.; Ali, M.I., El-Kirdassy, Z.H.M. and Abdel-Rahman, T.M., 1977: A study on fungal radio resistance and sensitivity Z. Zbl. Bakt. X. Abt. II 132,5, 1-13.
- Sancheze, O., 1954: Effects of three insecticides on soil ammonification and nitrification and upon nodule formation in 2-legumes. Acta. Agron. Colombia, 4: 219.
- Sanchez, F.F.; Esguerra, N.M., Calora, F.B. and Barroga, S.F., 1969: Field evaluation of the granular soil systemic insecticide Cyolane and foliar sprays of Ambithions Accothion and Phosdrin against Plutella xylostella and other insect pests of cabbage. Philipp. J. plant Indian, 34: (3-4), 131.
- Serghion, C.S., 1971: Laboratory and field evaluation of insecticides against Spodoptera littoralis larvae. J. Econ. Entomol. 64:(1), 115.
- Sharkas, M.S., 1962: Damping off disease of tomato. M.Sc. Thesis, Faculty of Science, Cairo University Cairo.
- Shoeib, A.M., Abd El-Azim, M.A. and Kamel, A.A.M., 1973: studies on the chemical control of the cotton leaf worm, Spodoptera littoralis (Boisd.) in middle Egypt. Bull. Entomol. Soc. Egypt Econ. Ser., 7: 235.

- Simkover, H.G., and Shenefell, R.D., 1951: Effect of Benzenehexachloride and chlordane on certain organisms. J. Econ. Entom. 44: 426.
- Smith, N.R. and Wenzel, M.E., 1947: Soil microorganisms as affected by some of the new insecticides. Soil. Sci. Soc. Amer. Proc. 12: 227.
- Starkey, R.L., and Waksman, S.M., 1943: Fungi tolerant to extreme acidity and high concentrations of copper sulphate. J. Bact. 45: 509.
- Thom, C. and Raper, K.B., 1945: A manual of the Aspergilli. The William and Wilkins company, Ballimore.
- Toy, A.D.F., 1948: The preparation of tetraethyl pyrophosphate and other teteraalkyl pyrophosphates. J. Am. Chem. Soc. 70: 3882.
- , 1950: Preparation and properties of some Unsymmetrical tetera alkyl Pyrophosphates. J. Am. Chem. Soc. 72: 2065.
- Tu, C.M., 1970: Effect of four Organophosphorus insecticides on microbial activities in soil. Appl. Microbiol. 19: 479.
- Vassilaina, A.; Mourikis, P.A.; Argyriou L.C.; Lioutsis, S. and Komessarios, G., 1970: Preliminary results on the control of Spodoptera littoralis (Boisd) (Lep. Noctuidae) in Greece. Ann. Inst. phyto-pathol. Benaki. 9 (4): 322.

- Vermes, P., 1967: New Promising insecticides against the Egyptian cotton leaf worm Spodoptera littoralis. Boisd. Abstracts 6th. Int. Congr. Plant Prot. Vienna, 254.
- Wafa, M.D., 1981: Metabolism of insecticide chemicals in the Egyptian animals. M.Sc. Thesis, Faculty of Science, Cairo University.
- Warcup, J.H., 1950: The soil plant method for isolation of fungi from soil nature. 166: 117.
- Widstrom, N.W.; Lillehoi, E.B., Sparks, A.N. and Kowlek, W.F., 1976: Corn earworm damage and aflatoxin B₁ on corn ears protected with insecticide. J. Econ. Entomol. 69: 677-679.
- Wilson, J.K. and Choudhri, R.S., 1948: The effect of Benzenehexachloride on soil organisms. J. Agric. Res. 77: 25.
- Wu, M.T. and Ayres, J.C., 1974: Effects of dichlorvos on ochratoxin production by Aspergillus ochraceus. Agric. Food chem. 22: 536-537.
- Yew, N., 1970: The control of house fly breeding in organic fertilizers at cameron highlands, pahang. Malaysian Agric. J. 47 (3): 323.

Zayed, S.M.; Fakhr, I.M.; Bahig, M.R. and Osman, A.Z.,
1981: Residues of ^{14}C - Cyolane in cotton seed
products. IAEA. Technical Documents Series
(In press).

Zeid, M.; Saad, A.A .; Tantawy, G. and El-Defrawy M.E.,
1968: Laboratory and field evaluation of in-
secticides against the Egyptian cotton Leaf
Worm. J. Econ. Entomol. 61: 1183.

