

REFERENCES

LITERATURE CITED

Abdu, R.M.; El-Sawaf, B.M. and Nessem, S.L. (1981a):
Effects of Gamma-Radiation on susceptible and
Resistant strains of the house fly, Musca
domestica L.

I- Radiosensitivity of the egg stage.

Isotope Rad. Res., 13(1): 89-91.

Abdu, R.M. El-Sawaf, B.M. and Nessem, S.L. (1981b):
Effects of Gamma-Radiation of susceptible and Resis-
tant strains of the house fly, Musca domestica L.

II- Radiosensitivity of the larval stage.

Isotop., Rad. Res., 13(2): 171-178.

Abdu, R.M. El-Sawaf, B.M. and Nessem, S.L. (1981c):
Effects of Gamma-Radiation of susceptible and
Resistant strains of the house fly, Musca
domestica L.

III- Radiosensitivity of pupal stage.

Journal of the Egyptian society of parasitology,
Vol. 12, No. 1: 125-133.

Abdel-Malek, A.A. and Ahmed, S.H. (1972): Biological
effects of gamma irradiation from Co⁶⁰ on the
developmental stages of Culex pipiens molestus
Forsk. (Diptera) Acta entomologica bohemoslovaca,
69(6): 365-372.

- Abdel-Malek, A.A.; Tantawy, A.O. and Wakid, A.H. (1966):
Studies on the eradication of Anopheles pharoensis
by the sterile-male technique using Co⁶⁰.
1- Biological effects of gamma radiation on the
different developmental stages.
J. Econ. Ent., 59(3): 672-679.
- Adham, F.K.; El-Gazzar, L.M.; Aboul Nasr, A.E. and Hilmy,
N.M. (1983a): Absence of radioresistance of Culex
pipiens molestus Forsk. (Diptera culicidae) Exposed
to substerilizing doses of gamma radiation for
five and eleven generations.
J. Egypt. Soc. Paras., 13(1): 81-89.
- Adham, F.K.; El-Gazzar, L.M.; Aboul Nasr, A.E. and Hilmy,
N.M. (1983b): The effect of chronic irradiation
on the biology of Culex pipiens molestus Forsk
(Diptera culicidae) through successive generations.
J. Egypt. Soc. Paras., 13(1): 91-99.
- Adham, F.K.; El-Gazzar, L.M.; Aboul Nasr, A.E. and Hilmy,
N.M. (1984): Mating competitiveness of Culex
pipiens molestus forsk (Dipter culicidae) males
successively irradiated in ancestor, generations.
J. Isot. Rad. Res., 16(1): 55-61.
- Allen, R.G. (1985): Relationship between gamma-irradia-
tion on life span, metabolic rate and accumulation
of fluorescent age pigment in the adult male house
fly.
Arch. Entomol. Geriatr, 4(2): 169-178.

- Allen, R.A. and Sohal, R.S. (1982): Life lengthening effects of gamma radiation on the adult house fly, Musca domestica.
Mech. Ageing. Dev., 20(4): 369-376.
- Begg, D.A. and Ellis, G.W. (1979): Micro manipulation studies of chromosome movement 2. Birefringent chromosomal fibers and the mechanical attachment of chromosomes to the spindle. .
J. Cell. Biol. 82(2): 542-554.
- Bhatnagar, P.L.; Rockstein, M. and Dauer, M. (1964): X-irradiation of pupae of house fly, M. domestica L. and adult survival.
Exp. Geront 1: 149-159.
- Brower, J.H. (1973): Radiation sensitivity of successively irradiated generations of Tribolium castaneum (Herbst) (Coleoptera, tenebrionidae) and Sitophilus oryzae L. (Coleoptera, curculionidae).
J. Stored Prod. Res., 9(1): 43-49.
- Brower, J.H. (1974a): Lack of radioresistance in Plodia interpunctella (Lepidoptera, Phycitidae) exposed to sublethal gamma irradiation for 30 generations.
Radiat, Res. 57: 73-79.
- Brower, J.H. (1974b): Inability of populations of Callosobruchus maculatus to develop tolerance to exposures of acute gamma irradiation.
Ann. Entomol. Soc., Amer. 67: 287-219.

- Brower, J.H. (1974c):** Fitness and radioresistance of the rice weevil, Sitophilus oryzae (Coleoptera, curculionidae) after 25 generations of substerilizing irradiation.
J. Kans. Entomol. Soc., 47(4): 437-444.
- Brower, J.H. (1974d):** Radioresistance of the red flour beetle, Tribolium castaneum (Coleoptera, tenebrionidae) exposed to sublethal doses of gamma irradiation for 25 generations. Can. Entomol. 106(3): 241-264.
- Brower, J.H. (1978):** Mating competitiveness of irradiated males and females of the Indian meal moth (Lepidoptera: Noctuidae.) Can. Entomol., 110: 37-42.
- Busvine, J.R. (1962):** Laboratory Technique for measuring the susceptibility of house flies and Blow flies to insecticide.
Lab. Pract., 11: 464-68.
- Chander, L.; Royer, K. and Srivastava, P.N. (1979):** Radiation induced Biochemical changes in the larvae of house fly M. domestica L.
J. Radiat. Res., 20(2): 137-145.
- De-Andrade, H.H.R. and Marques, E.K. (1980):** Combined effect of ethyl methane sulfonate and cobalt-60 gamma radiation on the induction of lethal mutations in Drosophila melanogaster.
Rev. Bras. Genet., 3(3): 251-264.

Dambre-Raes, H. (1982): Radiation induced semi-sterility for genetic control puposes in the house fly, Musca domestica L. .

Meded-Fac. Landbowwet-Rijksunte. Sent 46(2): 1287.

Echaubard, M. and Le-Bras, S. (1979): Quantitative variations of proteins in the tissues of the house fly Musca domestica L. during imaginal life. 2. after irradiation in the nymphal stage.

Bull. Soc. Zool. Fr 104(i): 79-88.

El-Gazzar, L.M. (1979): Effects of acute gamma radiation exposure on sexual competitiveness of Mediterranean fruit fly males successively irradiated in incestor generations.

Z. ang. Ent., 88: 551-555.

Erdman, H.E. (1962): X-ray tolerance of two related species of beetles.

U.S. Atomic Energy Comm. Res. and Develop. Rep. H.W., 72500: 156-158.

Erdman, H.E. (1966): Modifications of fitness in species and strains of flour beetles due to x-rays and DDT.

Ecology, 47: 1066-1072.

Feberge, A.C. (1983): Apparent resistance to mutagenesis by ionizing radiation and some other unusual response.

Mol. Gem. Genet., 142(3): 354-360.

Fried, M. (1971): Determination of sterile insect competitiveness

J. Econ. Entomol., 64: 869-872.

Hossain, M.M.; Brower, J.H. and Tilton, E.W. (1972a):
Radiation sensitivity of successively irradiated generations of the Indian meal moth.

J. Econ. Entomol, 65: 673-676.

Hossain, M.H.; Brower, J.H. and Tilton, E.W. (1972b):
Sensitivity to an acute gamma radiation exposure of successively irradiated generations of the cowpea weevil.

J. Econ. Entomol, 65: 1566-1568.

Jarfi, R.H. and Dar, J.A. (1974): Cytological study of gamma irradiation tests of the house fly, M. domestica L. IAEA. SM. 18(2): 58-62.

Kaiser, D.E.; Seawright, J.A. and Joslyn, D.J. (1979):
Cytology of a genetic sexing system in Anopheles albimanus.

J. Genet. Can. Cytol. 21(2): 201-212.

Koval, T.M. (1983a): Intrinsic resistance to the lethal effects of x-irradiation in insect and arachnid cells.

Proc. Natl. Acad. Sci. U.S.A., 80(15): 4752-4755.

Koval, T.M. (1983b): Radiosensitivities of cultured insect cells. I, Lepidoptera.

Radiat., Res., 96: 118-126.

- Koval, T.M. (1984): Multiphase survival response of a radioresistant Lepidopteran insect cell line. Radiat-Res, 9813: 642-648.
- LaChance, L.E. and Charles, G.K. (1984): Insect radio-sensitivity: Dose curves and dose fractionation studies of dominant lethal mutations in the mature sperm of 4 insect species. Mutat. Res., 127: 49-59.
- Lachance, L.E. and Richard, R.D. (1974): Effect of Nitrogen on the mating competitiveness of irradiated Musca domestica L. . J. Econ. Entomol., 67(4): 567-563.
- Le-Bras, S. and Echaubard, M. (1981): Action of Hempa and x-ray sterilizers on the sugars in Hemolymph of the house fly Musca domestica (Diptera-Muscidae). Ann. Soc. Entomol. FR, 17(1): 89-98.
- Matin, A.S.M. (1975): On the possible development of radio resistance in Sitophilus oryzae (L.) following exposures of successive generations to ionizing radiation. Int. J. Appl. Radiat. Isot., 26(10): 625-626.
- Matin, A.S.M.A. and Howlader, A.J. (1985): Possible development of radiation resistance in Latheticus oryzae (waterh) following exposures of successive generations to ionizing radiation. Int. J. Apple. Radiat-ISOT, 3616: 495-496.

Monro, J. and Baily, P.T. (1965): Influence of radiation on ovarian maturation and histolysis of pupal fat body in Diptera, *Nature*, 207: 437-438.

Nauman, C.H. and Whitten, J.H. (1976): Radiosensitivity of flesh fly, Sarcophaga bullata, throughout larval and pupal life.
Radiat. Res., 66(3): 587-596.

Noethel, H. (1981a): Investigations on radiosensitive and radioresistant populations of Drosophila melanogaster 10. The resistance factor RAR-3
Genetics Mutat. Res., 84(2): 291-304.

Noethel, H. (1981b): Investigations on radiosensitive and radioresistant populations of Drosophila melanogaster 8. The system of relative radioresistance in immature oocytes of the irradiated population ROI-4.
Mutat. Res., 80(1): 105-120.

Noethel, H. (1981c): Investigations on radiosensitive and radioresistant populations of D. melanogaster 11. The resistance factor rar-3 effects in immature oocytes.
Mutat. Res., 84(2): 305-314.

Noethel, H. (1981d): Investigations on radiosensitive and radioresistant populations of D. melanogaster 12. The resistance factor rar-3 stage specificity/
Mutat. Res., 84(2): 315-330.

- Noethel, H. and Weber, M. (1976): Investigations on Radiosensitive and Radioresistant populations of Drosophila melanogaster part 7 High relative Radio resistance to the induction stage 7 oocytes of Roe-1-41.
Mutat. Res., 36(2): 245-248.
- Ogaki, H. and Nakashima-Tanaka, E. (1966): Inheritance of radioresistance in Drosophila.
I. Mutat. Res., 3: 438-443.
- Parsons, P.A.; Machean, J.I. and Lee, B.T.O. (1969): Polymorphism in natural populations for genes controlling radioresistance in Drosophila.
Genetics, 61: 211.
- Rochstein, M.; Dauer, M. and Bhatnager (1964): Adult emergence of house fly, M. domestica, from o-irradiated pupae.
Ann. Ent. Soc. Amer., 58: 375.
- Sacchi, L.; Grigolo, A.; Caprotti, M.; Pinelli, T.; Gasperi, G. and Aetieri, S. (1977): Mortality and sterility induced in Piophila casei by X-ray and Neutron irradiation. Entomol. Exp. Appl., 22(1): 60-70.
- Sallam, H.A.; El-Nagar, S.; Megahed, M.M.; Souka, S. and Ibrahim, S.M. (1982): Mating competitiveness of irradiated males and females of the black cutworm Agrotis ipsilon (Hufn).
Proc. Egypt's National Conf. Ent., Dec. 1982, Vol. 1: 61-69.

- Shepard, M.; Noblet, R. and Hunter, P.E. (1972): Biology and flight ability and the house fly M. domestica, following irradiation of pupae.
J. Econ. Entomol. 65: 1721-1725.
- Shoukry, A. and Shehata, N.P. (1984): Effect of Dietary cholesterol on the development of Ceratitis capitata (wied) and its susceptibility to gamma radiation.
Isotope and Rad. Res., 16(1): 49-53.
- Smittle, B.J.; LaBrecque, G.C. and Carroll, E.E. (1978): Comparative effectiveness of fast neutrons to gamma rays in producing sterility in house fly, M. domestica L. .
J. Econ. Ent., 64: 1030-1032.
- Srinivasan, A. and Kesavan, P.C. (1979): Influence of caffeine on sparing effect of dose fractionation in House fly larvae.
Radrat-Environ-Biophys 16(2): 177-181.
- Stahler, N. (1971): Changes in survival and tolerance level in a Radiation-Resistant strains of Aedes aegypti (Dipter: Culicidae) during 90 generation.
Ann. Entomol. Soc. Amer., 64: 1247-1249.
- Stahler, N. and Levon, A. Terzian (1966): Reproductive and Immunological characteristics of a strain of Aedes aegypti selected of resistance to gamma radiation.
Ann. Entomol. Soc. Amer., 59(4): 763-765.