

References

VI- REFERENCES

Abbott, W.S. (1925).

A method of computing the effectiveness of an insecticide.

J, Econ. Entomol., 18 : 265-267.

Abdel-Samad, M.A.; El-Halawany, M.E. and El-Saied, K.M. (1996).

Utilizing *Euseius scutalis* Athias-Henriot to control *Eutetranychus orientalis* (klein) on citrus trees. Egypt.

J. Agric. Res., 74 (4).

Abou- Elela, G.M.A. (1998).

Studies on certain aspects of some predaceous phytoseiid mites.

Ph.D. Thesis, Fac, of Agric., Cairo Univ., 183 pp.

Abou-Awad, B.A. and El-Sawi, S.A. (1993).

Biology and life table of the predaceous mite, *Agistemus exsertus* Gonzalez (Acari : Stigmaeidae).

Anzeigier fur Schadlingskunde Pflanzenschutz. Umweltschutz, 66 (5) : 101-103.

Afify, A.M.; Gomaa, E.A. and Zaher, M.A. (1969).

Effectiveness of *Agistemus exsertus* Gonzalez (Acarina : Stigmaeidae), as an egg predator of the spider mite *Tetranychus cinnabarinus* Boisd. under varying room conditions.

Z. angew. Ent., 63 : 48-52.

Aly, F.S. (1994).

Biological and ecological studies on some predaceous mesostigmatic mites with special reference to family Phytoseiidae.

Ph.D. Thesis, Fac. of Agric., Cairo Univ., 258 pp.

Amano, H. and Chant, D.A. (1977).

Life history and reproduction of two species of predaceous mites, *Phytoseiulus persimilis* Athias-Henriot and *Amblyseius andersoni* (Chant) (Acarina : Phytoseiidae).

Can. J. Zool., 55 : 1978-1983.

Dong, H.F.; Guo, Y.J. and Zhao, J.H. (1982).

Influence of six commonly used pesticides at sublethal concentrations on the oviposition, egg hatching and settlement of *Phytoseiulus persimilis* (Acari : Phytoseiidae).

Chinese J. Bio. Control, 8 (3) : 106- 109.

Easterbrook, M.A. (1992).

The possibilities for control of two-spotted spider mite, *Tetranychus urticae* Koch on field-grown strawberries in the UK by predatory mites.

J. Bio-control Science and Technology, 2 (3) : 235-245.

El-Badry, E.A. (1967).

Five new phytoseiid mites from U.A.R. with collections notes on three other species (Acarina : Phytoseiidae).

Indian J. Entomol., 9 : 177- 184.

El-Halawany, M.E. and Abdel-Samad, M.A. (1990).

Population dynamics of the spider *Tetranychus urticae* Koch and its predatory mite *Phytoseius finitimus* Ribaga in fig orchard.

Agric. Res. Rev., Cairo, 67 : 25-29.

El-Khateeb, H.M. (1998).

Life tables of some predaceous mites and their importance in biological control.

Ph.D. Thesis, Fac. of Agric., Cairo Univ., 118 pp.

El-Laithy, A.Y.M. (1991).

Influence of fluctuating pattern of temperature on the biology of the predaceous mite *Phytoseiulus persimilis* Athias-Henriot.

Egypt. J. Biol. P. Cont., 1 (1) : 73-75.

El-Laithy, A.Y.M.; El-Halawany, M.E. and Abo-Donia, M.G. (1994).

Effectiveness of three phytoseiid (Phytoseiidae) predatory mites for biocontrol of the two-spotted spider mite, *Tetranychus urticae* Koch (Tetranychidae), on cucumber grown on arid soils in Egypt. Acarology IXth Proceedings, Columbus, Ohio, Vol. 1 : 191-194.

Gellespie, D.R. and Ramey, C.A. (1988).

Life history and cold storage of *Amblyseius cucumeris* (Oudemans) (Acarina : Phytoseiidae).

J. Ent. Soc. Br. Columbia.

Gellespie, D.R. and Quiring, D.J.M. (1994).

Reproduction and longevity of the predatory mite, *Phytoseiulus persimilis* (Acari : Phytoseiidae) and its prey, *Tetranychus urticae* (Acari : Tetranychidae) on different host plants.

J. Ent. Soc. Br. Columbia, 91 : 3-8.

Gerlach, S. and Segonca, C. (1985).

Comparative studies on the effectiveness of the predatory mite, *Phytoseiulus persimilis* Athias-Henriot, and the predatory thrips, *Scolothrips longicornis*.

Pries. Zeit. Pflanz. Pflanzenschutz, 92 : 128-164.

Gilstrap, F.E. and Friese, D.D. (1982).

The predatory potential of *Phytoseiulus persimilis* A.-H., *Amblyseius californicus* McGregor, and *Metaseiulus occidentalis* (Acarina : Phytoseiidae).

J. Int. Acarol., Vol. 11, No. 3.

Gomaa, E.A. (1975).

The incidence of the raphignathoid mites in Egypt.

Ph.D. Thesis, Fac. of Agric., Cairo, Univ., 187 pp.

Hafez, S.M.; Rasmy, A.H. and El-Sawy, S.A. (1983).

Effect of prey species and stages' on predatory efficiency and development of the stigmaeid mite, *Agistemus exsertus*.

Acarologia, 24 : 281-283.

Hanna, M.A.; Shereef, G.M. and Megali, M.K. (1980).

Effect of food type on longevity and fecundity of the predator mite, *Agistemus exsertus* Gonzalez (Acari : Prostigmata) with first description of its prelarva.

Bull. Soc. ent. Egypté, 63 : 57-62.

Hassan, M.F. (1976).

Studies on prostigmatid mites.

M.Sc. Thesis, Fac. of Agric., Cairo Univ., 70 pp.

Hegab, M.F.A. (1980).

Effect of prey species on the biology of the predaceous mite, *Amblyseius gossipi* El- Badry (Acarina : Phytoseiidae). Ph.D.

Thesis, Fac. of Agric., Al-Azhar Univ., 134 pp.

Herne, D.C. and Chant, D.A. (1965).

Relative toxicity of parathion and kelthane to the predaceous mite *Phytoseiulus persimilis* (Athias-Henriot) and its prey *Tetranychus urticae* Koch (Acarina : Phytoseiidae : Tetranychidae) in the laboratory.

Canad. Ent., 97 (2) : 172-176.

Hoda, F.M.; El-Naggar, M.E.; Taha, A.H. and Ibrahim, G.A. (1986).

Effect of different types of food on fecundity of predaceous mite,

Amblyseius swirskii Athias-Henriot (Acari : Phytoseiidae).

Bull. Soc. ent. Egypté, 66 (113).

Inglesfield, C.; Porter, A.J. and Harrison, E.G. (1987).

Laboratory assessment of the relative toxicity of Cascade, a novel acylurea, to *Phytoseiulus persimilis* Athias-Henriot and *Tetranychus urticae* Koch.

Conf. Int. Ravageurs Agric., Paris, 1 : 247-254.

James, D.G. and Taylor, A. (1992).

Effect of temperature on development and survival of *Amblyseius victoriensis* (Womersley) (Acarina : Phytoseiidae).

Internat. J. Acarol., 18 (2) : 93-96.

Jedlikova, J. (1988).

Determination of sensitivity of *Phytoseiulus persimilis* Athias-Henriot to Propargit 30.

J. Entomol. Bratisl., 3 (2) : 315-321.

Kandeel, M.M.H.; El-Zohairy, M.M.; Amir, M.M.I. and Ibrahim, N.A. (1994).

Biological study on the predatory mite, *Amblyseius swirskii* Athias-Henriot on two insect preys.

Egypt. J. Appl. Sci., 9 : 581-592.

Kilincer, N.; Cobanoglu, S. and Gurkan, Mo. (1990).

Side effects of some pesticides on beneficial arthropods, *Trichogramma turkeiensis* Kostadinov and *Phytoseiulus persimilis* (A.-H.) in the laboratory.

Izmir, Turkey; Ege Univ., 273-281.

Koenig, K. and Hassan, S.A. (1986).

Resistance and cross resistance of the predatory mite *Phytoseiulus persimilis* Athias-Henriot to organophosphorus insecticides.

J. Appl. Entomol., 101 (3) : 206-215.

Laing, J.E. (1968).

Life history and life table of *Phytoseiulus persimilis* Athias-Henriot.

Acarologia, 10 : 578-588.

Lee, Wen-Tai and Lo, Kang-Chen (1990).¹

Integrated control of two-spotted spider mite on strawberry in Taiwan.

J. Entomol., 3 : 125-137.

Mansour, F. (1989).

Effect of Alsystin, Insegar and Bayfidan on *Phytoseiulus persimilis* Athias-Henriot and *Tetranychus cinnabarinus* Boisduval.

Bibliographic Citation : Hassadeh, 70 (2) : 332.

Mansour, F.; Cohen, H. and Shain, Z. (1993).

Integrated mite management in apples in Israel : Augmentation of a beneficial mite and sensitivity of tetranychid and phytoseiid mites to pesticides.

Phytoparasitica, 21 (1) : 39-51.

Metwally, A.M. (1976).

Ecological and biological studies on the superfamily Parasitoidea in Mostorod region.

Ph.D. Thesis, Fac. of Agric., Al-Azhar Univ., 166 pp.

Meyerdirk, D.E. and Coudriet, D.L. (1985).

Predation and developmental studies of *Euseius hibisci* (Chant) (Acarina : Phytoseiidae) feeding on *Bemisia tabaci* (Gennadius) (Homoptera : Aleyrodidae).

J. Environ. Entomol., 14 (1) : 24-27.

Meyerdirk, D.E. and Coudriet, D.L. (1986).

Evaluation of to biotypes of *Euseius scutalis* Athias-Henriot (Acarina : Phytoseiidae) as predators of *Bemisia tabaci* (Gennadius) (Homoptera : Aleyrodidae).
J. Econ. Entomol., 79 (3) : 659-663.

Nakao, H.; Saito, Y. and Mori, H. (1987).

Biological control of the two-spotted spider mite by the resistant strain of *Phytoseiulus persimilis* Athias-Henriot. Estimation of effectiveness of the predator by experiments and simulation under chemical spraying conditions (Acari : Phytoseiidae, Tetranychidae).
J. Appl. Entomol. Zool., 31 (4) : 359-368.

Nihoul, P. (1993).

A synchronous populations of *Phytoseiulus persimilis* Athias-Henriot and effective control of *Tetranychus urticae* Koch on tomatoes under glass.
J. Hort. Sci., 68 (4) : 581-588.

Nucifora, A. (1991).

Mites and insects damaging to watermelon and possibilities for defense of the crop.
Informatore Agrario, 47 (3) : 64-69.

Pickett, C.H.; Morrison, R.K.; Gilstrap, F.E. and Bouse, L.F. (1987).

Storage of *Phytoseiulus persimilis* Athias-Henriot for aerial release (Acari : Phytoseiidae).
Internat. J. Acarol., 16 (1).

Rasmy, A.H.; Abdel-Rahman, H.A. and Hussein, H.E. (1991).

Allelochemicals in phytoseiid-prey interactions : Resulting effect on prey-preference of *Phytoseiulus persimilis* Athias-Henriot.
Modern Acarology, Academia, 2 : 679-681.

- Saito, Y.; Urano, S.; Nakao, H.; Amimoto, K. and Mori, H. (1996).**
A simulation model for predicting the efficiency of biological control of spider mites by phytoseiid predators. 1- The model.
J. Appl. Entomol. & Zoology, 40 (2) : 103-111.
- Saito, Y.; Urano, S.; Nakao, H.; Amimoto, K. and Mori, H. (1996).**
A simulation model for predicting the efficiency of biological control of spider mites by phytoseiid predators. 2- Validity tests and data necessary for practical usage.
J. Appl. Entomol. & Zoology, 40 (2) : 113-120.
- Sanderson, J.P. and Zhang, Z.Q. (1995).**
Dispersion, sampling, and potential for integrated control of two-spotted spider mite (Acari : Tetranychidae) in greenhouse roses.
J. Econ. Entomol., 88 (2) : 343-351.
- Shehata, K.K. (1967).**
Survey and biological studies of mites family Phytoseiidae and its economic importance.
Ph.D. Thesis, Fac. of Agric., Cairo Univ., 218 pp.
- Shoeib, A.A. (1996).**
Biological and ecological studies on some predaceous mites.
Ph.D. Thesis, Fac. of Agric., Cairo Univ., 156 pp.
- Soliman, Z.R.; Shehata, K.K. and Gomaa, E.A. (1976).**
On the food range and economic importance of the predatory mite *Agistemus exsertus* Gonzalez (Acari : Prostigmata : Stigmaeidae).
Anz. Schadking Shunde Pflanzenschutz Umweltschutz, 49 : 87-90.
- Stolz, M. (1990).**
Testing side effects of various pesticides on the predatory mite.
Pflanzenschutzberichte, 3 : 127-138.

Swirski, E.; Amitai, S. and Dorizia, N. (1967a).

Laboratory studies on the feeding, development and reproduction of the predaceous mites *Amblyseius rubini* Swirski and Amitai and *Amblyseius swirskii* Athias- Henriot (Acarina : Phytoseiidae) on various kinds of food substances.

Israel J. Agric. Res., 17 : 101-119.

Swirski, E.; Amitai, S. and Dorizia, N. (1970).

Laboratory studies on the predaceous mites *Amblyseius chilensis* Doss and *Amblyseius hibisci* Chant (Acarina : Phytoseiidae) on various kinds of food substances.

Entomophaga, 15 : 93-106.

Trumble, J.T. and Morse, J.P. (1993).

Economics of integrating the predaceous mite *Phytoseiulus persimilis* (Acari : Phytoseiidae) with pesticides in strawberries.

J. Econ. Entomol., 86 (3) : 879-885.

Waite, G.K. (1988).

Integrated control of *Tetranychus urticae* Koch in strawberries in south-east Queensland.

Exp. Appl. Acar., 5 (1-2) : 23-32.

Wysoki, M. (1974).

Studies on diapause and the resistance to low temperatures of a predaceous mite, *Phytoseius finitimus* Ribaga (Mesostigmata : Phytoseiidae).

Ent. Exp. Appl., 17 : 22-30.

Yang, Z.Q.; Cao, H.G. and Chen, F.Y. (1991).

A preliminary study on *Tetranychus kanzawai* Kishida.

Acta. Agric. Universiteits Jiangxiensis, 13 (2) : 129- 133.

Yousef, A.A. and El-Halawany, M.E. (1982).

Effect of prey species on the biology of *Amblyseius gossipi* El-Badry (Acari : Mesostigmata : Phytoseiidae).

Acarologia, I.XXIII, fasc. 2, 1982.

Yousef, A.A.; Metwally, A.M.; Abou-El-Naga, M.M. and Taha, H.A.

(1984). Effect of different prey species on the development and fecundity of the predaceous mite, *Amblyseius cydnodactylon* Shehata & Zaher (Acarina : Phytoseiidae).

Agric. Res. Rev., Cairo, 62 (1) : 323- 337.

Yousef, A.E.S. (1990).

Biological studies on the predaceous mite, *Agistemus exsertus* Gonzalez (Acarina : Stigmaeidae).

M.Sc. Thesis, Fac. of Agric., Menoufia Univ., 100 pp.

Zaher, M.A. and El-Badry, E.A. (1961).

Life history of the predatory mite *A. fleschneri* Summers and effect of nutrition on its biology.

Bull. Soc. ent. Egypté, 54 : 375-385.

Zaher, M.A.; Soliman, Z.R. and Rakha, M.A. (1984).

Biological studies on the predatory mite *Sanioseiulus nudus* Summers (Raphignathoidea : Eupalopsellidae).

In : Acarology VI (Eds. D.A. Griffith and C.E. Bowman); Ellis Horwood, Chichester, Vol. I : 597-600.

Zhi-Qian, Z. and Sanderson, J.P. (1990).

Relative toxicity of Abamectin to the predatory mite *Phytoseiulus persimilis* Athias-Henriot (Acari : Phytoseiidae) and two-spotted spider mite (Acari : Tetranychidae).

J. Econ. Entomol., 83 (5) : 178-179.