

REFERENCES

REFERENCES

- Allen, A.J., Quitter, B.M. and Radick, C.M. (1979).
Proceeding controlled-release of bioactive materials
symp.
R.W. Baker, ed., New Orleans (1979) p. 11 - 47.
- Anderson, L.M., Nelson, J.H., Thies, C. and Meisch, M.V.
(1983).
Evaluation of a controlled-release silicate formulation of
temephos against *Aedes aegypti* larvae in the laboratory
and *Psorophora columbiae* larvae in rice field plots.
J. Med. Entomol., 20 (3): 325 - 329.
- Anonymous, (1970).
Public Health Pesticides Pest control. 38 (3): 15 - 54.
- Axtell, R.C., Dukes, J.C. and Edwards, T.D. (1979).
Field tests of diflubenzuron, Flit MLO^R and chlorpyrifos
for the control of *Aedes taeniorhynchus* larvae in diked
dredget spoil areas.
Mosq. News 39: 520 - 527.

- Bailey, D.L., Labrecque, G.C. and Whitfield, T.L. (1970).
Slow-release and emulsifiable formulations of Dursban
and Abate for controlling larvae of Culex pipiens
quinquefasciatus Say.
Ibid., 30 (3): 465 - 467.
- Bang, Y.H. and Pant, C.P. (1972).
A field trial of Abate larvicide for the control of Aedes
aegypti in Bangkok, Thailand.
Bull. WHO, 46, 416 - 425.
- de Barjac, H. (1978).
Etude cytologique de L'action de Bacillus thuringiensis
var. israelensis sur larves de moustiques.
C.R. Hebd. Seances Acad. Sci. Ser. D sci.
Nat., 286 (22): 1629 - 1632.
- Barnes, W.W and Webb, A.B. (1968).
A field evaluation of Abate briquettes in wood-land
pools.
Mosq. News 28 (3): 458 - 461.
- Barnes, W.W., Webb, A.B. and Savage, L.B. (1967).
Laboratory evaluation of Abate and malathion insecticidal
briquettes.
Ibid., 27 (4): 488 - 490.

- Berlin, J.A. and Micks, D.W. (1973).

Cellular and sub cellular effects of petroleum hydrocarbons on mosquito larvae.

Ann. Entomol. Soc. Am., 66 (4), 775 - 780.

- Boike, A.H. and Rathburn, C.B. (1973).

An evaluation of several toxic rubber compounds as mosquito larvicides.

Mosq. News 33 (4): 501 - 505.

- Cardarelli, N.F. (1976).

Controlled release pesticides formulations.

Cleveland, Ohio, USA, CRC Press,

Inc (1976) 210 pp. ISBN0-87819-080-5.

- ----- (1977).

Controlled release molluscicides.

Monograph, Pub., Univ. Akron, Akron. Ohio (1977).

- ----- (1978).

Controlled release organotins as mosquito larvicides.

Mosq. News, 38 (3): 328 - 333.

- ----- (1979).

U.S. Patent 4116111. (1979).

- Cardarelli, N.F., Keller, R.F. and Jackson, D.L. (1966).
Biocidal rubber-theory, preparation and activity.
B.F. Goodrich Aerospace and Defense Products Summary
Report. 17 pp.

- Cardarelli, N.F. and Kanakkanatt, S.V. (1977).
Controlled release pesticides.
H.B. Scher, 60 - 73, ACS Symp. Ser. No. 53.
Washington (1977). pp. 60 - 73.

- Cardarelli, N.F., and Evans, W.H. (1979).
Proceeding controlled release of bioactive materials
symp.
R.W. Baker, ed., New Orleans (1979). p. 11 - 23.

- Cardarelli, N., Evans, W. and Smith, D. (1980).
Controlled-release organotin pesticides biochemistry:
Toxicology: Environmental symposium on controlled
release of bioactive materials.
(Danny H. Lewis, Ed.) Florida. 239 - 244.

- Chadbourne, D.S., and Rainwater, C.F. (1953).
Histological effects of calcium arsenates, DDT, and
Dieldrin on larval tissues of the bollworm.
J. Econ. Entomol., 46: 44 - 48.

- Charles, J.F., and de Barjac, H. (1983).
Ultrastructure changes in midgut of Aedes aegypti L.
larvae by the ingestion of Bacillus thuringiensis var.
israelensis crystals.
Ann. Microbiol., 134A, (2): 197 - 218.

- Cowsar, D.r. (1980).
Controlled release: Benefits VS. Risks.
Proceeding of the seventh international symposium on
controlled release of bioactive materials
(Danny H. Lewis, Ed.) Florida, p. 1 - 3.

- Davidson, E.W. (1982).
Histopathology and characterization of the Bacillus
spharicus toxin.
Society for invertebrate pathology pp: 483 - 489.

- Elliot, R. (1955).
Larvicidal control of peridomestic mosquitoes.
Roy. Soc. Trop. Med. and Hyg. Trans. 49 (6): 528 - 542.

- Engelhart, J.E. and Sheldon A.W. (1975).
Organotin Antifoulants: Their Toxicity and environmental
Impact.
Rep., 15th Annual Marine Coating Conference,
Point Clear, Ala., February 7, 1975.

- Evans, B.R., and Fink, E.J. (1960).
Dieldrin cement briquettes in controlling Aedes aegypti
in fire barrels.
Mosq. News 20 (4): 388 - 389.
- Evans, W.H., Cardarelli, N.F. and Smith, D.J. (1979).
J. Toxicol. Environ., HLth. 5: 871.
- Evans, E.S., Nelson, J.H., Pennington, N.E. and Young, W.W.
(1975).
Larvicidal effectiveness of controlled-release
formulation of chlorpyrifos in a woodland pool habitat.
Mosq. News 35 (3): 343 - 350.
- Freund, John E., Paule Livermor and Irwin, Miller (1962).
Manual of experimental statistics.
Prentic-Hall, Inc. USA Second Printing.
- Gardner, A. and Sward, B. (1962).
Physical and chemical examination of paints varnishes,
lacquers and colours.
12th Edition, Gardner Laboratory, Inc. Bethesda 14,
MD, USA.

- Gauthier, N.L. (1980).

Controlled release formulations and their use in insect crop protection.

Proceeding of the seventh international symposium on controlled release of bioactive materials., (Danny H. Lewis, Ed.) Florida, 259 - 274.

- Gilman, H. and Rosenberg, D. (1953).

J. Am. Chem. Soc., 75, 3592.

- Greenhalgh, E.A. (1987)

The effects of chlordane and rotenone on the alimentary tract of the field cricket.

Toxicology 42 (2-3). 1986 (Recd. 1987). 317 - 330

- Hamed, M.S.; Guneidy, A.M.; Riad, Z.M. and Soliman, A.A.

(1974).

Histopathological and histochemical studies on Anopheles pharoensis larvae treated with insecticides (Diptera: Culicidae).

Bulletin of the entomological Society of Egypt, Economic series 1974, publ. 1975. (No.8): 91 - 98.

- Himel, R. (1980).

Field evaluation of controlled release mosquito larvicide dispensers.

Rep. Amer. Mosq. Control Assoc. Mtng., Salt Lake City. Nevada.

- Ibrahim, A.A. (1986).

Ecological and biological studies on certain mosquito species in Qalyubiya governorate.

M.Sc. Thesis, Faculty of Science, Zagazig University, Benha branch.

- Jackson, J.C., Everetts, J.L. and Sherman, L.R. (1980).

Controlled release of bioactive materials symp.

D.H. Lewis, ed., Fort Lauderdale. (1980).

- Karch, S. and Coz, J. (1983).

Acceleration of larvicidal activity of Bacillus

sphaericus on Culex pipiens by an ingestion of dead larvae intoxicated by this Bacillus.

CAH. ORSTOM, SER. Entomol. Med. Parasitol., 22 (3):175-77

- Keenan, C.M. (1978).

Use of a controlled release larvicide in southern Maryland.

Mosq. News 38 (2): 203 - 207.

- Kellen, W.R., Clark, T.B., Lendegren, J.E. and Ho, B.C. (1965).
Bacillus sphaericus Neide as a pathogen of mosquito larvae.
J. Invertebr. Pathol., 7: 442 - 448.
- Laird, M. (1967).
A coral Island experiment.
Wld. Hlth. Org. Chronicle. 21 (1): 18 - 26.
- Lawson, M.A., Miller, T.A., Oakleaf, R.J. and Young, W.W.
(1973).
Polymer formulation of mosquito larvicides.
Laboratory evaluations of selected polyethylene formulations of chlorpyrifos.
Mosq. News 33 (4): 561 - 567.
- Mazaev, V.T., Golovanov, O.V., Igumnov, A.D., and Tsay, V.H.
(1976).
Gig. I. Sanit. 3: 17.
- Mc Donald, J.L. and Dickens, T.H. (1970).
Field evaluation of Dursban insecticide briquettes when used as mosquito larvicide materials.
Mosq. News 30 (4): 563 - 566.

- Menon, K.K.; Rao, A.S. and Amonkar, S.V. (1982).

Toxic activity and histopathological effects of Bacillus sphaericus (ISPC-5) on mosquito larvae.
Indian J. Exp. Biol., 20 (10): 768 - 772.

- Merriam, T.L. and Axtell, R.C. (1981).

Efficacy and longevity of controlled-release chlorpyrifos (Dursban®) 10CR) for mosquito control in coastal dredged material disposal sites.
Mosq. News 41 (3): 512 - 522.

- Miller, T.A., Lawson, M.A., Nelson, L.L. and Young, W.W. (1973 b).

Polymer formulations of mosquito larvicides.
VII. Laboratory and field evaluation of Encapsulated formulations of Malathion and Abate®.
Ibid., 33 (3): 413 - 417.

- Miller, T.A., Nelson, L.L. and Young, W.W. (1973 c).

Polymer formulations of mosquito larvicides.
Iv. Larvicidal effectiveness of polyethelene and polyvinyl chloride formulation of chlorpyrifos during an 18-month field test.

Ibid., 33 (2): 172 - 175.

- Miller, T.A., Nelson, L.L., Young, W.W., Roberts, L.W.,
Roberts, D.R. and Wilkinson, R.N. (1973 a).
Polymer formulations of mosquito larvicides.
I. Effectiveness of polyethelene and polyvinyl-
chlorpyrifos applied to artificial field pools.
Ibid., 33 (2): 148 - 155.

- Mohsen, Z.H.; Al-Chalabi, B.M. and Mehdi, N.S. (1987).
Midgut histopathology in Culex quinquefasciatus Say
treated with Bacillus thuringiensis H-14 and Bacillus
sphaericus.
Journal of Biological Sciences Research
18 (1): 219 - 228.

- Mulla, M.S. (1970).
Methodology of control integrated control of mosquitoes,
chemical measures against pre-imaginal stages.
In Conference on Anopheline Biology and Malaria
Eradication.
Misc. Pub. Ent. Soc. Amer. 7 (1): 78 - 98.

- Nelson N.N., Barnes, W.W., Harris, F.W. and Lawson, M.A. (1970).
Evaluation of release rates of Dursban from polyvinyl
chloride formulations.
J. Econ. Entomol. 63 (6): 1870 - 1873.

- Nelson, L.L., Miller, T.A., Whitlaw, J.T., Young, W.W. and Lawson, M.A. (1973).

Polymer formulations of mosquito larvicides.

VI. Laboratory and field evaluation of selected polyethylene formulations of chlorpyrifos.

Mosq. News 33 (3): 403 - 412.

- Nelson, J.H., Evans, E.S., Pennington, N.E. and Meisch, M.V. (1976).

Larval control of Psorophora confinnis with a controlled-release formulation of chlorpyrifos.

Ibid., 36 (1): 47 - 51.

- Nishitsutsuji-Uwo, J.; Endo, Y. and Himeno, M. (1980).
Effects of Bacillus thuringiensis delta-endotoxin on insect and mammalian cells in vitro.
Appl. Entomol. Zool., 15 (2): 133 - 139.

- Paulini, E. and Da Souza, C.P. (1970).

Influence of different suspended solids in the water upon molluscicide activity.

WHO Rep. Ser. PD/Mol/70.12, 1970.

- Pilat, M. (1935).

Histological researches into the action of insecticides
on the intestinal tube of insects.
Bull. Ent. Res. 26: 165 - 172.

- Quick, T.J., Cardarelli, N.F., Ellin, R.J. and Sherman, L.R.
(1980).

Controlled release temephos: laboratory and field
evaluations.

Proceeding of the seventh international symposium on
controlled release of bioactive materials
(Danny H. Lewis, Ed.) Florida. 275 - 285.

- Radi, M.H. (1986).

Pathogenesis of Bacillus thuringiensis serotype H-14
as a mosquito larvicide.

Ph.D., Thesis, Fac. of Sci., Ain Shams Univ.: 146 - 150.

- Raley, T.G. and Davis, E.D. (1949).

Observations on the use of toxic briquettes for mosquito
control.

Mosq. News 9 (2): 68 - 71.

- Rettich, F. (1981).

The use of sand granular fertilizers to prepare granules containing pirimiphos-methyl for the control of mosquito larvae.

Ibid., 41 (3): 435 - 439.

- Roberts, L.W., Roberts, D.R., Miller, T.A., Nelson, L.L., and Young, W.W. (1973).

Polymer formulations of mosquito larvicides.

II. Effects of a polyethylene formulation of chlorpyrifos on Culex populations naturally infecting artificial field pools.

Ibid., 33 (2): 155 - 161.

- Roberts, R.H., Kottkamp, W.B. and Meisch, M.V. (1984).

Larvicide evaluations against the rice field mosquito

Psorophora columbiae.

Ibid., 44 (1): 84 - 86.

- Saleh, M.S., Gaaboub, I.A. and Kassem, S.H.M.I. (1981).

Larvicidal effectiveness of three controlled-release formulations of Dursban and Dimilin on Culex pipiens L.

and Aedes aegypti.

J. agric. Sci. Camb., 97: 87 - 96.

- Saleh, M.S., Gaaboub, I.A., Kassem, S.H.M.I. and Abdel-Latif, M.E. (1985).
Comparison of three fenitrothion controlled-release formulations as larvicides for Aedes aegypti.
Journal of Economic Entomology 78 (6): 1187 - 1189.
- Schultz, H.A. and Webb, A.B. (1969).
Laboratory bioassay of pesticide impregnated rubber as a mosquito larvicide.
Mosq. News 29 (1): 38 - 41.
- Scirocchi, A. and D'Erme, A. (1978).
Experimental tests of the persistence of some larvicides in the treatment of roadside drain-wells.
Rivista di Parassitologia, 39 (2/3) 1 - 10.
- Sheldon, A.W. (1974).
The effects of anti-fouling coatings on man and his environment.
Amer. Chem. Soc. Ser., 34 (1), 600.
- Sherman, L.R. and Jackson, J.C. (1980).
Tri-n-butyltin fluoride as a controlled-release mosquito larvicide.
Proceeding of the seventh international symposium on controlled release of bioactive materials.,

(Danny H. Lewis, Ed.) Florida 287 - 294.

- Smith, C.N. and Roos, J. (1966).

Results of tests with two formulations from Aerospace and Defense Products Division, B.F. Goodrich Co. Rep. USDA, Insects Affecting Man and Animals, Research Branch, Florida Station, Gainesville, Fl, Dec. 7, Bpp.

- Stockman, C.H., Bollinger, E.H. and Naranch, R.N.Jr. (1970).

Slow-release polymeric compositions for mosquito larviciding.

Mosq. News 30 (4): 584 - 589.

- Symes, C.B., Thompson, M.R.C. and Busvine, J.R. (1962).

Insect control in public health.

Elsevier Publishing Company, New York. 25 - 26.

- Whitlaw, J.T. and Evans, E.S. (1968).

Selected plastic formulations for use as mosquito larvicides.

J. Econ. Entomol. 61 (4): 889 - 892.

- Wilkinson, R.N., Barnes, W.W., Gillogly, A.R. and Minnemeyer, C.D. (1971).

Field evaluation of slow-release mosquito larvicides.

J. Econ. Entomol. 64 (1): 1 - 3.

- Williams, V.G. and Palmisano, C.T. (1981).

Field tests of methoprene (Altosid[®] SR-10) and an experimental wettable powder (ZPA - 1019) against Culex quinquefasciatus in septic ditches. Mosq. News 41 (1): 51 - 54.

- Woke, P.A. (1940).

Effects of some ingested insecticides on the mid-gut wall of the southern armyworm larvae. Jour. Agr. Res. 61: 321 - 329.

- Zagmunt, Marczenko (1976).

Spectrophotometric determination of elements. Ellis Horwood Limited, Chichester, England, p. 549.