

Contents

Page

CHAPTER I: Introduction	1
I.1. General introduction	1
I.1.1. Commencement	3
I.1.2. Investigation of the studied drugs	3
I.I. Captopril	5
I.I. Literature review	5
I.I.1. Spectrophotometric methods	13
I.I.2. Fluorimetric methods	17
I.I.3. Electro-analytical and physicochemical methods	22
I.I.4. Chromatographic methods	27
I.II. Amlodipine besylate	29
I.II. Literature review	33
I.II.1. Spectrophotometric methods	35
I.II.2. Electro-analytical and physicochemical methods	39
I.II.3. Chromatographic methods	41
I.III. Diltiazem HCl	41
I.III. Literature review	44
I.III.1. Spectrophotometric methods	45
I.III.2. Electro-analytical and physicochemical methods	51
I.III.3. Chromatographic methods	53
I.IV. Atenolol	53
I.IV. Literature review	55
I.IV.1. Spectrophotometric methods	55
I.IV.2. Electro-analytical and physicochemical methods	60
I.IV.3. Chromatographic methods	63
I.V. Lisinopril dihydrate	65
I.V. Literature review	65
I.V.1. Spectrophotometric methods	70
I.V.2. Electro-analytical methods	72
I.V.3. Chromatographic methods	74
I.VI. Enalapril maleate	76
I.VI. Literature review	76
I.VI.1. Spectrophotometric methods	79
I.VI.2. Chromatographic methods	80
Aim of the work	
CHAPTER II: Experimental	
II.1.1. Samples	81
II.1.1.a. Pure samples	81

II.1.1.b. Market samples	81
II.1.1.b.1. Captopril	81
II.1.1.b.2. Amlodipine besylate	82
II.1.1.b.3. Diltiazem HCl	83
II.1.1.b.4. Atenolol	83
II.1.1.b.5. Lisinopril dihydrate	84
II.1.1.b.6. Enalapril maleate	84
II.1.2. Drug solutions	85
II.1.2.a. Pure samples	85
II.1.2.b. Dosage forms	85
II.1.3. Sulphuric acid solutions	85
II.1.4. Oxidant (potassium permanganate)	86
II.1.5. Dyes	86
II.1.5.a. Methylene blue (MB)	86
II.1.5.b. Acid blue 74 (AB)	86
II.1.5.c. Acid red 73 (AR)	87
II.1.5.d. Acid red 27 (AM)	87
II.1.5.e. Acid orange 7 (AO)	87
II.2. Apparatus	88
II.3. Factors affecting the absorbance	88
II.3.1. Effect of permanganate concentration	88
II.3.2. Effect of sulphuric acid concentration	88
II.3.3. Effect of time and temperature	89
II.3.4. Effect of sequence of additions	89
II.3.5. Effect of dye concentration	90
II.3.6. Molar ratio method	90
II.3.7. Statistical analysis	90
II.4. Accuracy and precision	91
II.5. Interferences	91
II.6. Working procedure	92
II.7. Analytical applications	92
II.8. Pharmacopoeial and official methods	92
II.8.1. Assay of captopril	92
II.8.2. Assay of amlodipine besylate	93
II.8.3. Assay of diltiazem HCl	93
II.8.4. Assay of atenolol	93
II.8.5. Assay of lisinopril dihydrate	93
II.8.6. Assay of enalapril maleate	94
II.9. Preparation of solutions for potentiometric measurements	94
II.9.1. Drug solution	94
II.9.2. Hydrochloric acid solution	94
II.9.3. Potassium chloride solution	94
II.9.4. Working procedure	94

CHAPTER III: Results and discussion

III.1. Absorption spectra of captopril	95
III.1.1. Effect of potassium permanganate concentration	98
III.1.2. Effect of sulphuric acid concentration	98
III.1.3. Effect of time and temperature	98
III.1.4. Effect of sequence of additions	99
III.1.5. Effect of dye concentration	99
III.1.6. Molar ratio method	99
III.1.7. Validity of Beer's law	100
III.1.8. Accuracy and precision	101
III.1.9. Interference	102
III.1.10. Analytical applications	102
III.2. Absorption spectra of amlodipine besylate	107
III.2.1. Effect of potassium permanganate concentration	107
III.2.2. Effect of sulphuric acid concentration	108
III.2.3. Effect of time and temperature	108
III.2.4. Effect of sequence of additions	109
III.2.5. Effect of dye concentration	109
III.2.6. Molar ratio method	109
III.2.7. Validity of Beer's law	110
III.2.8. Accuracy and precision	111
III.2.9. Interference	111
III.2.10. Analytical applications	111
III.3. Absorption spectra of diltiazem HCl	116
III.3.1. Effect of potassium permanganate concentration	116
III.3.2. Effect of sulphuric acid concentration	117
III.3.3. Effect of time and temperature	117
III.3.4. Effect of sequence of additions	118
III.3.5. Effect of dye concentration	118
III.3.6. Molar ratio method	118
III.3.7. Validity of Beer's law	119
III.3.8. Accuracy and precision	119
III.3.9. Interference	120
III.3.10. Analytical applications	120
III.4. Absorption spectra of atenolol	125
III.4.1. Effect of potassium permanganate concentration	125
III.4.2. Effect of sulphuric acid concentration	126
III.4.3. Effect of time and temperature	126
III.4.4. Effect of sequence of additions	127
III.4.5. Effect of dye concentration	127
III.4.6. Molar ratio method	127
III.4.7. Validity of Beer's law	128

III.4.8. Accuracy and precision	129
III.4.9. Interference	129
III.4.10. Analytical applications	129
III.5. Absorption spectra of lisinopril dihydrate	135
III.5.1. Effect of potassium permanganate concentration	135
III.5.2. Effect of sulphuric acid concentration	136
III.5.3. Effect of time and temperature	136
III.5.4. Effect of sequence of additions	137
III.5.5. Effect of dye concentration	137
III.5.6. Molar ratio method	137
III.5.7. Validity of Beer's law	138
III.5.8. Accuracy and precision	139
III.5.9. Interference	139
III.5.10. Analytical applications	139
III.6. Absorption spectra of enalapril maleate	144
III.6.1. Effect of potassium permanganate concentration	144
III.6.2. Effect of sulphuric acid concentration	145
III.6.3. Effect of time and temperature	145
III.6.4. Effect of sequence of additions	146
III.6.5. Effect of dye concentration	146
III.6.6. Molar ratio method	146
III.6.7. Validity of Beer's law	147
III.6.8. Accuracy and precision	148
III.6.9. Interferences	148
III.6.10. Analytical applications	148
III.7. Potentiometric titrations	153
Conclusion	157
Summary	158
References	161
Arabic summary	