

Contents

Contents

- **Summary of original work.**

- **Aim of the work.**

- **Chapter I.**

- General introduction. 1
- 1.1 . Radionuclide produced in a reactor.....1
- 1.2. Radionuclide produced in a cyclotron.....4
- 1.3. Radionuclide generators.....10
- 1.4. Technetium.....12
- 1.4.1. Properties of technetium.13
- 1.4.2. Source of technetium.....17
- 1.4.3. Methods of ^{99m}Tc separation.....17
- 1.5. $^{99}\text{Mo} / ^{99m}\text{Tc}$ generator systems.....18
- 1.5.1. Chromatographic generator.....18
- 1.6. ^{99m}Tc Radiopharmaceuticals.....21
- 1.6.1. Labeling with technetium – ^{99m}Tc23
- 1.6.2. Reduction of $^{99m}\text{TcO}_4^-$25
- 1.6.3.1. Direct labeling method.....25
- 1.6.2. Ligand exchange method.....26
- 1.6.3. Bifunctional chelation method.....26
- 1.7. Groups of ^{99m}Tc -radiopharmaceuticals.....28
- 1.7.1. Pertechnetate ion $^{99m}\text{TcO}_4^-$28
- 1.7.2. ^{99m}Tc - Labeled colloids and particulate.....28
- 1.7.3. ^{99m}Tc - Chelates for skeletal imaging.....29
- 1.7.4. ^{99m}Tc - Chelates for renal imaging.....30
- 1.7.5. ^{99m}Tc - Chelates for myocardial imaging.....33

• 1.7.6. ^{99m}Tc - Complexes for brain perfusion imaging.....	33
• 1.7.8. ^{99m}Tc - Blood elements.....	35
• 1.8. Kit preparation.....	36
• 1.9. Freeze drying.....	37
• 1.9.1. Preliminary freezing.....	38
• 1.9.2. Vacuum evaporation.....	38
• 1.9.3. Heat requirement for evaporation.....	39v
1.10 Quality assurance	•
• 1.10.1. Moisture content.....	40
• 1.10.2. Sn (II) content.....	40
• 1.10.3. Radiochemical purity.....	40
• 1.10.4. Sterility apyrogenicity and undue toxicity.....	41
• chapter II :	
Synthesis of ortho, meta and para mino hippuric Acid	
analogs.	
• 11.1 Introduction ..	43
• II.2. Experimental.....	47
• II.2.1. Chemicals and Reagents.....	47
• II.2.2. Equipment.....	48
• II.3. Methods.....	48
• II.3.1. Synthesis of benzoyl glycine (hippuric acid).....	48
• II.3.2. Synthesis of o, m and p- nitrohippuric acid.....	50
• II.3.2. Synthesis of o and p nitrohippuric acid.....	50
• II.3.2.1.1. ortho - Nitrohippuirc acid.....	50
• II.3.2.1.2. para - Nitrohippuric acid.....	50
• II.3.2.2. Synthesis of meta – nitrohippuric acid.....	51

• II.3.3. Synthesis of o , m and p aminohippuric acid.....	53
• II.3.3.1. Pd / C reduction method.....	53
• II.3.4. Synthesis of iminodiacetic acid derivatives of o, m and. p-amino hippuric acid analogs.....	54
• II.3.4.1. Burns's method.....	54
II.3.4.2. Another method.....	55
II.3. Results and discussion.....	56

Chapter III :

Labeling of ortho, meta , and para –amino hippuric acid derivatives by ^{99m}Tc for use in renal funcion studies.

• III.1. Introduction	79
• III.2. Experimental	84
• III.2.1. Materials.....	84
• III.2.1.1. Radioactive material.....	84
• III.2.1.2. Chemicals.....	84
• III.2.1.3. Solvents.....	85
• III.2.2. Equipment.....	85
• III.2.3. Preparation of stock solution of tin (II).....	86
• III.2.3.1. Sn (II) solution.....	86
• III.2.4. labeling procedure of OAHIDA, MHIDA and PAHIDA.	86
• III.2.5. Analysis of ^{99m} Tc-OAHIDA, ^{99m} Tc- MAHIDA and ^{99m} Tc- PAHIDA complexes	87
• III.2.5.1. Determination of free pertechnetate.....	87
• III.2.6. Study of the factors affecting the labeling yield of ^{99m} Tc-AHIDA analogs.....	88
• III.2.6.1. Effect of AHIDA amount of o, m and p derivatives.	88
• III.2.6.2. Effect of tin (II) content.....	88

• III.2.6.3. Effect of pH of the reaction medium.....	88
• III.2.6.4. Effect of reaction time.....	88
• III.2.7. Biodistribution study.....	89
• III.3. Results and discussion.....	89
• III.3.1. Study of the factors affecting the labeling yield....	91
• III.3.1.1.Effect of AHIDA amount.....	91
• III.3.1.2. Effect of Sn (II) content.....	93
• III.3.1.3. Effect of pH of the reaction mixture.....	95
• III.3.1.4. Effect of reaction time and in - vitro stability....	96
• III.4. Biological distribution of ^{99m} Tc - AHIDA analogs..	98