

REFERENCES

- Abbas, H.; Hol, A.; Deyris, V. and Comeau, L. (2002).** Isolation and characterization of an extracellular lipase from *Mucor* sp. strain isolated from palm fruit. *Enzyme and Microbial Technology*, 31: 968-975.
- Abd El-Fattah, A.F.; Mabrouk, S.S.; Hashem, A.M.; El-Shayeb, N.A. and Ismail, A.S. (1998).** Production of detergent-resistant alkaline protease by *Bacillus licheniformis* 1969. *Az. J. Microbiol.*, 39, 59-70.
- Abd El-Rahman, E.M. (1990).** Studies on some thermophilic bacterial strains. Ph.D. Thesis, Al-Azhar Univ. Fac. of Sci. (Boys), Bot. & Microbiol. Dept. Cairo, Egypt.
- Abdeul-Raouf, U.M. (1990).** Studies of proteolytic bacteria isolated from certain localities in Aswan City. M.Sc. Thesis, Bot. & Microbiol. Dept., Fac. of Sci., Al-Azhar University, Cairo, Egypt.
- Abo Shanab, K.M.; Hassouna, N.A.; Yassien, M.A. and Abo El-Wafa, M.M. (2003).** Characterization of crude protease enzymes produced by *Streptomyces pseudoechinosporeus* and *Bacillus megaterium*. *New Egypt. J. Microbiol.* 6, 71-84.
- Abraham, L.D. and Breuil, C. (1996).** Isolation and characterization of subtilisin-like serine pectinase secreted by the sap-staining fungus *Ophiostoma piceae*. Department of Wood Science, Faculty of Forestry, University of British, Colombia Vancouver, Canada.
- Adams, D.M. and Browley, T.G. (1981).** Heat resistant bacterial lipases and ultra high temperature sterilization of dairy products. *J. Dairy Sci.* 64: 1951-1957.
- Ahn, J.H.; J.G. Pan and J.S. Rhee (1999).** Identification of the tliDEF ABC transporter specific for lipase in *Pseudomonas fluorescens* SIK Wl. *Journal of Bacteriology* p. 1847-1852.
- Akimina, T.V.; Nosovskaya, E.A. and Kostrov, S.V. (1992).** Cloning and expression of the neutral proteinase gene of *Bacillus cereus* in *Bacillus subtilis* cells. *Mol. Biol.* 26: 418-423.
- Alford, J.A. and Pierce, D.A. (1963).** Production of lipase by *Pseudomonas fragi* in a synthetic medium. *J. Bac.* (1): 24-29.
- Ali, A.A. and Rousdhy, I.M. (1998).** Fermentation of milk permeate by proteolytic bacteria for protease production. *Appl. Biochem. Biotechnol.* 74 (2), 85-9.

- Alloway, B.J. and Ayres, D.C. (1997).** Chemical principals of environmental pollution. U.K., Pub. Chapman and Hall.
- Al-Saleh, A.A. and Zahrkan, A.S. (1999).** Synthesis of extracellular lipase by strain of *Pseudomonas fluorescens* isolated from raw camel milk. Food Microbiology, 16 (2): 149-156.
- Ammar, M.S; Louboudy, S.; and Abdul-Raouf, U.M. (1991).** Distribution, total viable bacteria and identification of the most potent proteolytic bacterial strains isolated from Aswan City. Az. J. Microbiol. 11: 224-238.
- Ammar, M.S. and McDaniel, L.E. (1984).** Lipase production by *Bacillus stearothermophilus*, S-203 in shake flasks. Zbl. Microbiol. 139, 61-68.
- Ammar, M.S.; El-Gamal, M.S.; El-Louboudy, S.S. and El-Moussallany, M.K. (1990).** Lipases from the nitrogen fixing bacteria, *Azotobacter chroococcum*, *Rhizobium sesbani* and *R. lupini*, 282, Az. J. Microbiol. 10, 122-141.
- Ammar, M.S.; El-Kasaby, A.M.; Bayoumi, R.A. and Soliman, A.M. (2003).** Thermostable protease(s) production using slaughter house (SH) poultry (P) and fish (F) wastes under solid state fermentation conditions. Al-Azhar Bulletin of Science Proceeding of 5th Int. Sci. Conf. 25-27 March (2003), 211-224.
- Ammar, M.S.; El-Louboudy, S.S.; El-Gamal, M.S. and Ibrahim, A.M. (1997).** Purification and properties of proteolytic enzyme(s) from *Bacillus licheniformis*, G-19 growing on wheat straw using solid-state fermentation. Egypt. J. Microbiol. 32: 4, 505-521.
- Ammar, M.S.; Mostafa, S.A. and Barrada, S.H. (1985).** Production of thermostable lipase(s) from obligate thermophilic bacteria in relation to α -amylase biosynthesis. Aspect. Saudi Arabia, March, 12-14.
- Ammar, M.S.; Shash, S.M.; El-Said, T.I. and Abd El-Monem, M.O. (1999).** Environmental and nutritional parameters controlling the biosynthesis of thermostable alkaline protease (TAP) from *Bacillus stearothermophilus*, S- WN1616 IB isolated from Wadi El-Natroun Lakes in Egypt. (3rd Intern.) Sci. Confr. Fac. of Sci. Al-Azhar Univ., Cairo, Egypt. 22-25.
- Andersson, R.E.; Donelsson, G.; Hedlind, C.B. and Svensson, G. (1981).** Effect of heat resistance microbial lipase on flavor of ultra-high temperature sterilized milk. J. Dairy. Sci. 64: 375-379.

- Anwar, A. and Saleemuddin, M. (1997).** Alkaline protease: A review. Department of Biochemistry, Faculty of Life Sciences, Aliyarh Muslim University, Aliyarh- 202002, India.
- Aoyama, S.; Yoshida, N. and Inauya, S. (1988).** Cloning sequencing and expression of lipase gene from *Pseudomonas fragi*. IFO- 12049 in Ecol. FEBS Lett., 242: 36-40.
- Ashour, M.S.; Ammar, M.S.; Rasslan, O.S.; Helal, A.A. and El-Kastawy, S.F. (1993).** Lipase production by *Pseudomonas aeruginosa* ii) Purification and characterization of the purified enzyme. Az. J. Microbiol. 19, 11-33.
- Ayman, E.; Habibuddin, H.; Kamaruzaman, Z.; Zdnial, A.M. and Om-Hashem, M. El-Banna (2006).** Differentiation of two Egyptian isolates of *Spiroplasma citri* based on 16S-rDNA spiralin genes and 16S/23S rDNA intergenic spacer region. Asian J. of Microbiol. Biootech. Env. Sc. Vol. 8, No. (3): 443-454.
- Babu, K. and Satyanarayana, T. (1993).** Amylase production by thermophilic *Bacillus coagulans* in solid state fermentation. Process. Biochemistry 30, 305-309.
- Bains, W. (1998).** Biotechnology from A to Z., sec. edt. Oxford, New York, Tokyo, Oxford University, Presss.
- Banerjee, U.; Sani, R.; Azmi, W. and Sani, R. (1999).** Thermostable alkaline protease from *Bacillus brevis* and its characterization as a laundry detergent additive. Process Biochem. 35, 213-219.
- Banik, R. and Prakash, M. (2004).** Laundry detergent compatibility of the alkaline protease from *Bacillus cereus*. Microbiological Research, 159, 135-14.
- Barett, A.J. (1995).** Proteolytic enzymes: aspartic and metalloproteases. Methods Enzymol. 248, 183.
- Barrada, S.H. (1984).** Studies on certain thermophilic bacteria. Ph>D. Thesis, Bot. Dep. College for Women, Ain Shams Univ., Cairo, Egypt.
- Barrow, G.I.; and Feltham, R.K. (eds.) (1993).** Cowan & Steel's: Manual for the identification of medical bacteria. 2nd ed. Cambridge Univ. Press. London.
- Barry, T.; Colleran, G.; Giennon, M.; Dunican, L.K. and Gannon, F. (1991).** The 16S/23S ribosomal spacer region as a target for DNA probes to identify eubacteria PCR methods, Appl. 1, 51-56.

- Battaglino, R.A.; Huergo, M.G.; Pilosof, A.M. and Bartholomai, G.B. (1991).** Culture requirements for the production of protease by *Aspergillus oryzae* in solid state fermentation. Appl. Microbiol. Biotechnol. 35 (3): 292-296.
- Bayaudh, A.; Gharsallah, N.; Chamkha, M.; Dhoub, A.; S. Ammar and Nasri, M. (2000).** Purification and characterization of an alkaline protease from *Pseudomonas aeruginosa* MNI. J. of Industrial Microbiology & Biotechnology, 24: 291-195.
- Beg, Q. and Gupta, R. (2003).** Purification and characterization of an oxidation stable, thiol-dependent serine alkaline protease from *Bacillus mojavensis*. Enzymeand Microbial Technol. 32, 294-304.
- Beg, Q.; Sexena, R. and Gupta, R. (2002).** De-repression and subsequent induction of protease synthesis by *Bacillus mojavensis* under fed-batch operations. Process Biochem. 37, 1103-1109.
- Bidochka, M.J. and Khachatourians, G.G. (1987).** Purification and properties of an extracellular protease produced by the Entomopathogenic fungus. Applied and Environmental Microbiology, Canada, 53: 7, 1679-1684.
- Bjoerkling, F.; Godtkfredesn, S.S. and Kivk, O. (1991).** The future impact of industrial lipase. Denmark, Trends Biotechnol. 9 (10)" 360-369.
- Blomback, B. and Lomoshina, I. (1958).** On the N terminal amino acids in the fibrinogen and fibinken: 12, 299-319.
- Boetterg, E.C. (1989).** Rapid determination of bacterial ribosomal RNA sequences by direct sequencing of enzymatically amplified DNA-FEMS Microbial, Lett 65: 171-176.
- Borgstrom, B. and Brockman, H.L. (1984).** Lipase. Elsevier, Amstrdam, the Netherlands.
- Bottina, N.R.; Vandenburg, G.A. and Reiser, R. (1967).** Resistance of certain leng chain polyunsaturated fatty acids of marine oils to pancreatic lipase hydrolysis. Lipds, 2: 489-493.
- Bradford, M.M. (1976).** A rapid and sensitive method for quantification of microgram quantities of protein utilizing the principle of protein dye binding. Anal. Biochem. 72: 248-254.
- Brosstad, F. and Godal, H.C. (1977).** Qualitative changes in fibinogen following expausre to agents used for preparation of fibrin monomers. Haemastasis 6, 149-156.

- Brunner, C.R. (1996).** Medical waste disposal. Library of congress catalog card No. 95-95256,
- Brzozowski, A.M.; Derewenda, U.A.; Derewenda, Z.S.; Dodson, G.G. and Lawson, D.M. (1991).** A model for interfacial activation in lipases from the structure of a fungal lipase-inhibitor complex. *Nature*, 351, 491-494.
- Calik, P.; Bilir, E.; Caik, G. and Özdamar, T. (2003).** Bioreactor operation parameters as tools for metabolic regulations in serine alkaline protease production: Influence of pH conditions. *Chem. Eng. Sci.* 58 (3): 759-766.
- Calik, P.; Pilir, E.; Calik, G. and Özdamar, T. (2002).** Influence of pH conditions on metabolic regulations in serine alkaline protease production, *Enzyme Microb. Technol.* 31, 685-697.
- Caspori, E.A. and Ketwick, R.A. (1957).** Some physicochemical properties of human fibrinogen. *Biochem. J.* 67, 42-48.
- Chang, G.H.; Lee, Y.P.; Jeon, G.H.; Yoo, O.J. and Rhee, J.S. (1991).** Cloning and nucleotide sequence of thermostable lipase gene from *Pseudomonas fluorescens* SIK Wi. *Agric. Biol. Chem.*, 55, 2359-2365.
- Chen, R. and Doolittle, R.F (1969).** Identification of the polypeptide chains involved in the cross-linking of fibrin. *Biochemistry* 63, 420-427.
- Chen, S.C.; Shimura, S. and Kirinura, K. (1993).** Enhancement of lipase production from hydrocarbons by mutation of *Trichosporon fermentans*. *Applied Microbiology and Biotechnology*, Japan, 38 (6): 714-718.
- Chiang Yang, F. and Hsing Lin, I. (1998).** Production of acid protease using thin stillage from a rice spirit distillery by *Aspergillus niger*. Department of chemical Engineering, Tunghai University, Taichung, Taiwan.
- Chihara-Siomi, M.; Yashikaa, K.; Oshimizu-Hirayama, N.; Yamamata, K.; Sogaba, Y.; Nakatani, T.; Nishioka, T. and Oda, J. (1992).** Purification molecular cloning and expression of lipase from *Pseudomonas aeruginosa*. *Arch. Biochem. Biophys.* 296, 505-513.
- Chisti, Y. (1998).** Strategies in downstream processing. In: *Bioseparation and bioprocessing: a handbook*. Vol. 2. Subramanian G. (editor), pp. 3-30, New York: Wiley-VCH.

- Chitte, A.R.; Nalawade, V.K. and Dey, S. (1999).** Keratinolytic activity from the broth of a feather-degrading, thermophilic *Streptomyces thermoviolaceus* strain SDB Letters in Applied Microbiology, 38: 131-136.
- Chopra, A.K. and Mather, D.K. (1983).** Factors affecting protease production by *Bacillus stearothermophilus* RM-67. J. Food production 46 (12), 1020-1025.
- Christiansen, T. and Nielsen, J. (2002).** Growth energetics of an alkaline serine protease-producing strain of *Bacillus clausii* during continuous cultivation. Bioprocess Biosystem Eng. 24, 329-339.
- Cihangir, N. and Sarikaya, E. (2004).** Investigation of lipase production by a new isolate of *Aspergillus* sp. World Journal of Microbiology & Biotechnology, 20: 193-197.
- Collee, J.G.; Marmion, B.P.; Fraser, A.G. and Simmons, A. (1996).** Medical Microbiology (Mackie and Mac Carteny). Fourteen Edition. Charchill Livingstone.
- Commenil, P.; Belingheri, L.; Samchalle, M.; eharter, B. (1995).** Purification and properties of an extracellular lipase from the fungus *Botrytis cinerea* Lipase, Frkance, 30 (4): 351-156.
- Cutchins, E.C.; Doetsch, R.N. and Belczar, M.J. (1952).** The infection of medium comoponents on the production of bacterial lipase. J. Bact. 63: 264-272.
- Denizci, A.; Kazan, D.; Abeln, E. and Erarslan, A. (2004).** Newly isolated *Bacillus clausii* GMBAE 42: an alkaline protease producer capable to grow under highly alkaline conditions. Journal Applied Microbiology, 96, 320-327.
- Desouky, E.M. (1976).** Physiological and biochemical studies of certain enzymes produced from local yeasts. M.S. Thesis, Bot. Dep., Fac. of Sci. Al-Azhar Univ., Cairo, Egypt.
- Dhandapani, R. and Vijayaragavan, R. (1994).** Production of a thermophilic extracellular alkaline protease by *Bacillus stearothermophilus* AP-4. World Journal of Microbiology and Biotechnology, 10, 33-35.
- Dixon, M. and Webb, E. (1964).** Enzymes, 2nd Edition. Academic Press Inc., New York.

- Doolittle, R.F. and Surgener, D.M. (1962).** Blood coagulation in fish. *Am. J. Physiol.* 203: 954-970.
- Doung, F.; Cascia, C.; Lazdunski, A. and Murger, M. (1994).** The *Pskeudomonas fluorescens* lipase has a C. terminal secretion signal and is secreted by three. Component bacterial ABS-exporter system. *Mol. Microbial.* 11, 1117-1126.
- Durham, L.H.; Willatt, D.J.; Yung, M.; Jones, W.I.; Stevenson P.A. and Ramadan, M.F. (1987).** A method for preparation of fibrin glue. *J. Laryngol. Otol.* 101, 1182-1186.
- Edwards, U.; Ragall, T.; Bloecker, H.; Gmde, M. and Boettger, E. (1989).** Isolation and direct complete nucleotide determination of entire gene, characterization of gene coding for 16S ribosomal RNA nucleic acid. *Res.* 17: 7843-7853.
- El-Safey, M.E. (1994).** Production of microbial α -amylase(s) under solid state incubation conditions in the open air. M.Sc. Thesis. Bot. And Microbiol. Dept. Fac. of Sci. Al-Azhar Univ., Cairo, Egypt.
- El-Sayed, M.A.A. (2006).** Production of thermostable microbial enzymes for application in bio-detergent technology. M.Sc. Al-Azhar University.
- El-Shinawi, K. and Ghazal, S.A. (1993).** Taxonomical studies on new *Thermoactinomyces* sp. and its lipolytic activity. *Az. J. Microbiol.* 19, 162-185.
- Elwan, S.H.; El-Naggar, M.R. and Ammar, M.S. (1977).** Characteristics of lipases in the growth filtrate dialysate of *Bacillus stearothermophilus* grown at 55°C using a trubytrubecup plate assay. *Bulletin of the Fac. Riyadh Univ. (Saudi Arabia).* 8: 105-119.
- Elwan, S.H.; Mostafa, S.A.; Khodair, A.A. and Ali Om-Kolthoum, A. (1978b).** Lipase productivity of a lipolytic strain of *Thermoactinomyces vulgaris* Zbl. Bakt. II, Abt., Bd. 133 (5): 706-712.
- Elwan, S.H.; Mostafa, S.A.; Khodair, A.A. and Ali, O.A. (1978a).** Identity of lipase activity of an isolate of *Thermoactinomyces vulgaris* Zbl. Bakt. II. Abt. 133: 713-722.
- Even Monseth; P.O. Skjervold; S.O. Fyaera; Brosstad; Stine Byornson, F.R. and Ragnar Flengsrud (2004).** Purification and characterization of Atlantic salmon (*Salmo salar*) Fibrinogen. *Comparative Biochemistry and Physiology, Part B*, 138: 169-174.

- Ferrato, F.; Carriere, F.; Sarda, L. and Verger, R. (1997).** A critical reevaluation of the phenomenon of interfacial activation. 122, pp. 327-47.
- Ferrero, M.A.; Castro, G.R.; Abate, C.M.; Baigori, M.D. and Sioeriz, F. (1996).** Thermostable alkaline protease of *Bacillus licheniformis* MIR 29: Isolation, Production and characterization. Appl. Microbiol. Biotechnol. 45, 327-332.
- Flengsrud, R. (1993).** Separation of acidic barley endosperm proteins by two-dimensional electrophoresis, 14: 1060-1066.
- Flengsrud, R. and Kobra, G. (1989).** A method for two dimensional electrophoresis of proteins from green plant tissues. Anal. Biochem. 177: 33-36.
- Foscher, K. and Messner, K. (1992).** Adsorption of lipase on fiber during biological patch control in paper industry. Enzyme Microb. Technol. L. Vienna 14 (6): 470-373.
- Fox, G.E.; Stockebrandt, E.; Hespell, R.B.; Gibson, J.; Manilott, J.; Dyer, T.A.; Wolte, R.S.; Balch, W.E.; Tonner, R.; Morgrum, L.; Zabler, L.B.; Blakemore, R.; Gupta, R.; Bonen, L.; Lewis, B.J.; Stahl, D.A.; Luchrsen, K.R.; Chen, K.N. and Woese, C.R. (1980).** The phylogeny of prokaryotes. Science 209: 457-463.
- Franken, L.G. A. Grcol; Tammassen, J. and Veirps, C.T. (1993).** Role of the Lip B gene product in the folding of the secreted lipase of *Pseudomonas glumae*. Mol. Microbiol. 9: 591-599.
- Freire, D.M.; Teles, E.M.; Bon, E.P. and Snt' Anna, G.L. (1997).** Lipase production by *Penicillium restrictum* in a bench-scale fermented. Effect of carbon and nitrogen nutrition, agitation and aeration. Appl. Biochem. Biotechnol. 63-65, 409-421.
- Frenken, L.G.; Egmond, M.R.; Batenburg, A.M.; Bas, J.W.; Visser, C. and Vemps, C.T. (1992).** Cloning of *Pseuomonas glumae* lipase gene and determination of the active site residues. Appl. Environ. Microbiol., 58: 3787-3791.
- Fujiwara, N. and Yamamoto, K. (1987).** Decomposition of gelatin layer on X-ray films by the alkaline protease from *Bacillus* sp. Hakkokogaku, 65, 531-534.

- Fujiwara, N.; Yamamoto, K. and Masui, A. (1991).** Utilization of thermostable alkaline protease from an alkalophilic thermophile for the recovery of silver from X-ray film. *J. Ferment. Bioeng.* 72, 306-308.
- Fuller, G.M. and Doolittle, R.F. (1971).** Studies of invertebrate fibrinogen: I. Purification and characterization of fibrinogen from spiny lobster. *Biochemistry* 10, 1305-1311.
- Fuller, G.N. and Doolittle, R.F. (1966).** The formaton of cross linked fibrins: evidence of the involvement of lysine amino groups. *Biochem. Biophys. Res. Common.* 25, 694-700.
- Gaur, R.; Yadov, J. and Pandey, L. (1989).** Thermostability of extracellular protease enzyme produced by *Spicaria fusispora* a thermophilic fungus laboratory of Microbial Ecology and Mycology C.A.S in: Botany Bananas Hindu Univers. Varanasi 221005 (Vol. 31, No. 1-2).
- Genkal, H. and Tari, C. (2006).** Alkaline protease production from alkalophilic *Bacillus* sp. isolated from natural habitate. *Enzyme and Microbial Technology*. Accepted in 8 December 2005.
- Gerhartz, W. (1990a).** General production methods. In: *Enzymes in Industry, Production and Applications*. Pp. 36. VCH puplishers.
- Gerhartz, W. (1990b).** Industrial uses of enzymes. In: *Enzymes in Industry, Production and Applications*, pp. 110-112. VGH Publishers.
- Gessesse, A.; Hatti-Kaul, R.; Gashe, B.A. and Mattiasson, B. (2003).** Novel alkaline proteases from alkaline proteases from alkaliphilic bacteria grown on chicken feather. *Enzyme and Microbiol., Technology*, 32, 519-524.
- Ghazal, S.A.; Annar, M.S.; Louboudy, S.S.; El-Ganal, M.S. and Soliman, S.M. (1993).** An Epioligothiadiketopeprazene antibiotic member produced by *Aspergillus fumigatus* under solid state fermentation. *The African Journal of Mycology and Biotechnology*. (2): 157-164 (1993).
- Ghorbel, B.; Sellami-Karnoun, A. and Nasri, M. (2003).** Stability studies of protease from *Bacillus cereus* BGI. *Enzyme Microb. Technol.* 32: 513-518.
- Gilbert, C.; Atlan, D.; Blane, B.; Protalier, R.; Germond, J.S.; Lapierre, L. and Mollet, B. (1996).** A new cell surface proteinase: sequencing

and analysis of the part B gene from *Lactobacillus delbrueckii* subsp. *Bulgaricus*. J. Bacteriol. 178: 3059-3065.

Glazer, N.A. and Nikaido, H. (1998). Microbial Microbiology, University of California, Berkely.

Godfrey, T. and West, S. (1996). Industrial enzymology, 2nd ed., p. 3. Macmillan Publishers Inc., New York, N.Y.

Gomori, G. (1955). Preparation of buffers for use in enzyme active studies. In: Methods in Enzymology, Vol. I. Colwick, S.P.; and Kaplan, N.O. (Eds.). Academic Press Inc. Pub. New York.

Grebeshova, R.N.; Saldeco-Torres, L.E. and Hidalgo, M.A. (1999). Serine protease of *Bacillus subtilis*. R. Applied Biochemistry and Microbiology 35, 131-134.

Greenough, R.J.; Perry, C.J and Stavnsb Jerg, M. (1996). Safty evaluation of a lipase expressed *Aspergillus oryzae*. Ood. Chem. Toxicol, 34 (2): 161-166.

Gron, B.; Bennick, A.; Nieuwenhuizen, W.; Bjornsen, S. and Brasstad, F. (1988). Immuno visualization of fibrinogen A. Chain heterogeneity in normal plasma and plasma from protein with DIC or on streptokinase therapy, thermob. Res. 52, 413-424.

Gulati, R.; Saxena, R.K. and Gupta, R. (2002). Fermentation and downstream processing of lipase from *Aspergillus terreus*. Process Biochemistry, 36 (1-2): 149-155.

Gupta, R.; Beg, Q.; Khan S. and Chauban, B. (2002). An overview on frmentation, downstream processing and properties of microbial alkaline proteases. Appl. Microbiol. Biotechnol. 60, 381-395.

Gupta, R.; Gupta, K.; Sexena, R. and Khan, S. (1999). Bleach-stable, alkaline protease from *Bacillus* sp. Biotechnol. Lett. 21. 135-138.

Haab, D. and Kubicek, C.P. (1990). Formation of the extracellular proteases from *T. ressei* Q.M. 9414.

Hamamoto, T. and Horikoshi, K. (1992). Effect of dissolved oxygen tension and pH on the production of extracellular protease from a new isolate of *Bacillus subtilis* K2, for use in leather processing. J. Chem. Technol. Biotechnol. 74, 5-8.

- Haq, I.; Ashraf, H.; Zahara, R. and Qader, M.A. (1998).** Biosynthesis of α -amylase by *Bacillus subtilis* GCB-12 using agricultural by products as substrates. *Biolog.* 44 (1 & 2), 154-163.
- Harasawa, R. and Kanamoto, Y. (1999).** Differentiation of two biovars of *ureoplasma urealyticum* based on the 16S-23S intergenic spacer region. *J. Clin. Microbiol.* 37, 4135-4138.
- Hass, M.I.; Cichowica, O.J. and Bailey, D.G. (1992).** Purification and characterization of an extracellular lipase from the fungus *Rhizopus deleamar* lipids 27: 57-576.
- Hemoso, J.; Pignol, D.; Kerfelee, B.; Crenon, L.; Chapus, C. and Fonteeilla, C. (1996).** Lipase activation by nonionic detergent. *J. Biol. Chem. U.S.A.* 26: 261 (30): 18007-18016.
- Henschen-Edman, A.H. (2001).** Fibrinogen non-inherited heterogeneity and its relationship to function in health and disease. *Ann. N.Y. Acad. Sci.* 936, 580-593.
- Hensyl, W.R. (Ed) (1994).** Bergy's Manual of Determinative Bacteriology 9th edition, Williams & Wilkins, Baltimore.
- Hoar, W.S. and Randal, D.J. (1979).** *Fish Physiol.* Academic Press, N.Y. 22-25.
- Hobson,; Bucklkey, A.H.; Aamand, C.M.; Jorgensen, J.L.; Diderichsen S.T., B. and McConnell, D.J. (1993).** Activation of a bacterial lipase by its chaperone. *Proc. Natl. Acad. Sci. USA*, 90: 5682-5686.
- Hoor, W.S. and Rondau, D.J. (1969).** *Fish physiol.* Academic Press, N.Y. 22-25. Jacobsson, K., 1955. Studies on the determination of fibrinogen in human blood. *Second J. Clin. Lab, Invest.* 7 (Suppl. 14), 5-54.
- Horikoshi, K. (1991a).** Isolation and classification of alkalophilic microorganisms. In: "Microorganisms in alkaline environments". PP. 5-23. VCH publishers.
- Horikoshi, K. (1991b).** Industrial applications in "Microorganisms in alkaline environments". PP 187-230. VCH Publishrs.
- Hübner, U.; Bock, U. and Schtigerl, K. (1993).** Production of alkaline serine protease subtilisin Carlsberg by *Bacillus licheniformis* oncomplex medium in a stirred tank reactor. *Ppl. Microbiol. Biotechnol.* 40, 182-188.

- Hutadilok, T.N.; Painupong, A. and Suntainalert, P.C. (1999).** Purification and characterization of an extracellular protease from alkaliphilic and thermophilic *Bacillus* sp. PS719. *Journal of Bioscience and Bioengineering*, 87 (5): 581-587.
- Ibrahim, A.M. (1992).** Microbial enzymes produced under natural solid state fermentation. M.Sc. Thesis, Al-Azhar Univ., Fac. of Sci., Bot. And Microbiol. Dept., Cairo, Egypt.
- Ihara, E.; Kageyama, Y.; Hirata, M.; Nibira, T. and Yamada, Y. (1991).** Purification, characterization and molecular cloning of lactonizing lipase from *Pseudomonas* species. *J. Biol. Chem.* 266, 18135-18140.
- Ihara, F.; Okamatol, I.; Akao, K.; Nihro, T. and Yamoda, Y. (1995).** Lipase modulator protein (L. ml) of *Pseudomonas* sp. strain Log. *J. Bacteriol.* 171: 1251-1258.
- Ingale, S.S.; Rele, M.V. and Srinivasan, M.C. (2002).** Alkaline protease production by *Basidiobolus* (N.C.I. 97.1.1). effect of 'darmform' morphogenesis and cultural conditions on enzyme production by preliminary enzyme characterization. *World J. Microbiol. Biotechnol.* 18, 403-408.
- Ipper, S.N.; Kim, J.E.; Koo, J.H.; Hur, J.H. and Lim, C.K. (2005).** Inhibitory affects of a koran strain Gpf01 identified as *Pseudomonas fluorescens* on *Cucumber mosaic virus*. *Plant Pathol. J.* 21 (3): 262-269.
- Ismail, A.M.; Saleh, S.A. and Abdel-Fattah, A.F. (1990).** Production of protease by fungi. *Egypt, Microbiose-Letters*, 43 (170): 81-85.
- Jacobs, M.F. (1995).** Expression of the subtilisin Carlsberg. Encoding gene in *Bacillus licheniformis* and *Bacillus subtilis*. *Gene* 152: 67-74.
- Jacobsson, K. (1955).** Studies on the determination of fibrinogen in human blood. *Second. J. Clin. Lab. Invest* 71 Suppl. 14). 5-54.
- Jaeger, K. and Dijkstra, B.; Ransa, S.; Colson, C.; Van Heuvel, M. and Missel, O. (1994).** Bacterial lipases. *FEMS Microbiol. Rev.* 15, 29-63.
- Jaeger, K.E.; Ransac, S.; Dijkstra, B.W.; Colson, C.; Vonttwel, M. and Missel, O. (1994).** Bacterial lipases. *FEMS Microbiol. Rev.*, 15: 29-63.
- Jang, H.O. and Chen, K.S. (2003).** Production and characterization of thermostable cellulases from *Streptomyces transformant* T3-I. *World J. Microbiol. Biotechnol.* 19, 263-268.

- Jang, W.H.; Kim, E.K.; Lee, H.B.; Chaung, J.H. and Yoo, O.J. (1996).** Characterization of an alkaline serine protease from an alkaline resistant *Pseudomonas* sp. Cloning and expression of the protease in *Escherichia coli*. Biotechnol. 18: 57-62.
- Jayer, K.E. and Wohlforth, S. (1993).** Bacterial lipase biochemistry. Molecular genetics and application in biotechnology. Bioengineering, 9: 39-46.
- Jensen, R.G. (1983).** Detection and determination of lipase (acylglycerol hydrolase) activity from various sources. Lipids 18: 650-657.
- Johnvesly, B. and Naik, G. (2001).** Studies on production of thermostable alkaline protease from thermophilic and alkaliphilic *Bacillus* sp. JB-99 in a chemically defined medium. Process Biochem. 37, 139-144.
- Joo, H.S. and Chang, C.S. (2005).** Production of protease from a new alkalophilic *Bacillus* sp. 1-312 grown soybean meal: optimization and some properties. Process Biochemistry, 40, 1263-1270.
- Joo, H.S. and Chang, C.S. (2006).** Production of oxidant and SDS-stable alkaline *Bacillus clausii* I-52 by submerged fermentation: Feasibility as a laundry additive. Enzyme and Microbial Technology, 38: 176-183.
- Joo, H.S.; Koo, Y.M.; Choi, J.W. and Chang, C.S. (2005).** Stabilization method of an alkaline protease from inactivation by heat, SDS and hydrogen peroxide. Enzyme and Microbial Technol. 36, 766-772.
- Joo, H.S.; Kumar, C.G.; Park, G.C.; Paik, S.R. and Chang, C.S. (2003).** Oxidant and SDS-stable alkaline protease from *Bacillus clausii* 1-52: Production and some properties. J. Appl. Microbiol. 95, 267-272.
- Jorgensen, S.; Skov, K.W. and Diderichsen, B. (1991).** Cloning sequence and expression of lipase gene from *Pseudomonas cepacia* lipase production in heterologous hosts requires two pseudomonas genes. J. Bacteriol. 173, 559-567.
- Kajima, Y. and Shimizu, S. (2003).** Purification and characterization of lipase from *Pseudomonas fluorescens* HU380. J. Biosci. Bioeng. 96, 219-226 (2003).
- Kakudo, S.N.; Kikuchi, K.; Kitadokoro, T.; Fujiwara, E. and Nakamura, H. (1992).** Purification, characterization, cloning and expression of a glutamic acid-specific protease from *Bacillus licheniformis* ATCC 14580. J. Biol. Chem. 267, 23782-23788.

- Kalisz, H.M. (1988).** Microbial proteinases. In: Advances in Biochemical Engineering/Biotechnology, Vol. 36, Fiechter, A. (Ed.), pp. 1-65, Springer, Berlin.
- Kanwar, L. and Goswami, P. (2002).** Isolation o *Pseudomonas* lipase produced in pure hydrocarbon substrate and its application in the synthesis of isoamyl acetate using membrane-immobilized lipase. Enzyme and Microb. Technol. 31: 727-735.
- Karl, E.J.; Stephane, R.; Bankew, D.; Charles, C.; Margreet, H., Van and Onno, M. (1994).** Bacterial lipases. FEMS Microbiology Reviews. (15) 1: 29-63.
- Keay, L. (1971).** Production and isolation of microbial proteases, Biotechnol. Bioeng. Symp. (1972)., 3: 63-92.
- Kim, K.K.; Song, H.K.; Shin, D.H.; Hwong, K.Y. and Suh, S.W. (1997).** The crystal structure of Triacylglycerol lipase from *Pseudomonas cepacia* reveals a highly open Conformation in the absence of abound inhibitor structure 5: 173-185.
- Kim, M.H.; Kim, H.K.; Lee, J.K.; Park, S.Y. and Oh, J.K. (2000).** Thermostabl lipase of *Bacillus stearothermophilus*. High level production, purification and calcium dependent thermostability. Biosci., Biotechnol. Biochem. 64: 280-286.
- King, E.O.; Ward, M.K. and Raney, D.E. (1954).** Two simple media for the demonstration of pyocyonin and fluorescin. J. Lab. Clin. Mekd. 44: 301.
- Kirkpalrick, B.C.; Smart, C.D.; Gardner, S.L; Gao, J.L.; Ahrens, U.; Mäurer, R.; Schneider, B.; Larnz, K.H.; Seemüller, G.; Hamson, N.A.; Nambe, S. and Daire, X. (1994).** Phylogenetic relationship of plant pathogenic MLOS established by 16S/23S rDNA spacer sequences IOM lett 3: 228-229.
- Kojima, Y.; Kobayashi, M. and Shimizu, S. (2003).** A novel lipase from *Pseudomonas flulorescens* HV380 gene clone cloning, over production and characterization. J. of Bioscience and Bioengineering 96 (3): 242-249.
- Kosugi, Y.; Suzuki, H. and Funada, T. (1988).** Hydrolysis of beet yellow by lipase from *Pseudomonas* sp. Biotechnol. Bioeng. 31: 349-356.

- Kumar, C. and Parrack, P. (2003).** Arrowroot (*Marantha arundinacea*) starch as a new slow-cost substrate for alkaline protease production. *World J. Microbiol. Biotech.* 19, 757-762.
- Kumar, C.G. (2002).** Purification and characterization of a thermostable alkaline protease from alkalophilic *Bacillus pumilus*. *Ltt. Appl. Microbiol.* 34, 13-17.
- Kumar, C.G.; Tiwari, M.P. and Lany, K.D. (1999).** Novel alkaline serine proteases from alkalophilic *Bacillus* spp. Purification and some properties. *Process Biochem.* 34, 441-449.
- Kumar, G.; Joo, H.; Koo, Y.; Paik, S.; Parkack, P. and Chang, C. (2004).** Thermostable alkaline protease from a novel marine haloalkalophilic *Bacillus clauseii*. *World J. Microbiol. Biotechnol.* 20, 351-357.
- Kumura, H.; Hirose, S.; Sakurai, H.; Mikawa, K.; Tomita, F. and Shimazaki, K. (1998).** Molecular cloning and analysis of a lipase gene from *Pseudomonas fluorescens* no. 33. *Biosci. Biotechnol. Biochem.*, 62, 2233-2235.
- Kuyas, C.; Haeberle, A.; Walder, P. and Straub, P.W. (1999).** Isolation of human fibrinogen and its derivatives by affinity chromatography on Gly. Pro. Arg-Lys-Fractogel, therm b. *Haemest.* 63, 439-444.
- Laemmli, (1970).** Cleavage of structural proteins during the assembly of the head of bacteriophage. *T₄-nature*, 227: 690-685.
- Lamkin, W.M. and Gehrike, C.W. (1966).** Quantitative gas chromatography of amino acids preparation of n-butyl, m-trifluoroacetyl esters. *Annual, Chem.*, 37: 383-389,
- Landault, A. and Guidehen, C.D. (1984).** Separation of amino acids by gas liquid chromatography using telton support. *J. Chromatog.*, 13 (2): 565-567.
- Lane, D.; Pace, B.; Olsen, G.J.; Stahl, D.A.; Sogin, M.L. and Pace, N.R. (1985).** Rapid determination of 16S ribosomal RNA sequences for phylogenetic analysis. *Proc. Natl. Acad. Sci., USA* 82: 6955-6959.
- Lane, D.; Pace, B.; Olsen, G.J.; Stahl, D.A.; Sogin, N.L. and Pace, N.R. (1985).** Rapid determination of 16S ribosomal RNA sequences for phylogenetic analysis. *Proc. Natl. Acad. Sci. USA*, 82: 6955-6959.
- Lanna, A.C.; Olveiro, N.G.A.; Bamos, G.G. and Norara, M.A. (1996).** Kinatic promoters of leaf lipoxygenase pool from normal soybean

genotype and from cline devoid of seed Lipoxygenase Rev. Bras. Fisclugelal 8: 87-92.

- Lawrence, R.C. (1967).** Microbial lipases and related. I. Detection, distribution and production of microbial lipases. Dairy. Sci. Abst. 29: 1-8.
- Layman, P.L. (1986).** Promising new markets emerging for commercial enzymes. Chemical and Engineering News, 68: 17-18.
- Leach, J.E.; White, F.F.; Rhoads, M.L. and Leaing, H. (1990).** A repetitive DNA sequence differentiates *Zanthomonas campestris* *lv. oryzae* from other pathovars of *X. campestris*. Mol. Plant Microbe Interact. 3: 238-246.
- Leblond-Baurget, N.; Philippe, H.O.; Margin, I. and Decaris, B. (1996).** 16S rRNA and 16S to 23S internally transcribed spacer sequence reveals inter and inter specific Bifidobacterium Phylogeny. Int. J. Styl Bacteriol. 146, 102-111.
- Lee, D.W.; Suhartono, M.T. and Pyun, Y. (1999).** Isolation and characterization of a thermophilic lipase from *Bacillus thermo-leovorans*. ID-I. FEMS. Microbiol. Lett. 179, 393-400.
- Lee, S.Y. and Rhee, J. Sh. (1993).** Production and partial purification of a lipase from *Pseudomonas putida*, 3SK. Enzyme and Microb. Technol. 15 (7): 615-623.
- Lewis, J.H. (1972).** Comparative hemostasis, studies on etasmobrenchs. Comp. Biochem. Physiol. 42, 233-240.
- Li, D.C.; Yang, Y.J. and Shen, CY. (1997).** Protease production by the thermophilic fungus *Thermomyces lauginosus*. Mycol. Res. 1997, Vol. 101: 18-22.
- Litthauer, D.; Ginster, A. and Etinee (2002).** *Pseudomonas luteola* lipase: A new member of the 320-residue *Pseudomonas* lipase family. Enzyme and Microb. Technol., 30: 209-215.
- Liu, W.H.; Beppu, T. and Arima, K. (1972).** Purification and general properties of the lipase of thermophilic fungus *Humicola lanuginose* S-38. Agric. Biol. Chem. 37: 157-163.
- Lorend, L.; Chenoueth, D. and Domanik, R.A. (1969).** Chain pairs in the cross linking of fibrin. Biochem. Biophys. Res. Common 37, 219-224.

- Lorond, L. and Onmg, H.H. (1966).** Studies on fibrin cronlinking. Nodure of the acceptor groups in transpeptidation. Biochem. Biophys. Res. Common, 23, 188-193.
- Louboudy, S.S.; Ammar, M.S.; El-Gamal, M.S. and Ibrahim, A.M. (1997).** Production of constitutive protease(s) by *Bacillus licheniformis*, G-19 in relation to certain physical factors under solid state fermentation conditions., Al-Azhar Bull. Sci. Vol. 8, 595-506.
- Mabrouk, S.S.; Hashem, A.M.; El-Shayeb, N.M.; Ismail, A.S. and Abdel-Fattah, A.F. (1999).** Optimization of alkaline protease productivity by *Bacillus licheniformis* ATCC 21415. Bioresource Technol. 69, 155-159.
- Mahadik, N.D.; Puntambekar, U.S.; Kulbushan, B.B.; Khire, J.M. and Gokhale, D.V. (2002).** Production of acidic lipase by *Aspergillus niger* in solid state fermentation. Process Biochemistry 38 (5): 715-721.
- Mahmoud, A.I. (2004).** Biotechnological recycling of infectious hospital wastes for the sake of safe environment. M.Sc. Thesis, Bot. & Microbiol. Dept., Fac. of Sci. Al-Azhar University, Cairo, Egypt.
- Maier, R.M.; Pepper, I.L. and Gerba, C.P. (2000).** Environmental Microbiology. Academic Press.
- Makay, A.M. (992).** Production of an alkaline protease by *Fusarium graminearum* grown on whey. Milchissenschft, Ireland, 47 (3): 147-148.
- Makinen, K.K. and Makinen, P.L. (1987).** Purification and properties of an extracellular collagenolytic protease produced by Human and bacterium *Bacillus cereus* strain Soc. 67. J. Biool. Chem. 262 (26): 12488-12495.
- Makinen, P.L.; Clewell, D.B.; An, f. and Makinen, K.K. (1988).** Purification and substrate specificity of a strongly hydrophobic extracellular-metalloino peptidase from *Streptococcus faecalis* strain OG1-10. J. Biol. Chem. 264 (6): 3325-34.
- Malathi, S. and Chakraborty, R. (1991).** Production of alkaline protease by a new *Aspergillus flavus* isolate under solid substrate fermentation conditions for use as a depletion agent. Appl. Environ. Microbiol. 57 (3): 712-718.

- Manachini, P.L.; Fortina, M.G. and Parini, C. (1998).** Thermostable alkaline protease produced by *Bacillus thermoruber*-A new species of *Bacillus*. Applied Microbiol. Biotechnol. 28, 409-413.
- Manseth, E.; Skjervold, P.O.; Fjaera, S.O.; Brosstod, F.; Qdegaard, O.R. and Fiengsrud, R. (2003).** Developing of fish meat-binding agent L Purification of salman thrombin. J. Food Sci. 68, 1648-1652.
- Maria, A.L.; Novella, I.S.; Garcia, L.A. and Diaz, M. (1999).** Comparison of *Bacillus subtilis* and *Serratia marcescens* as protease producers under different operating conditions. Journal of Bioscience and Bioengineering, 88 (1): 35-40.
- Mckay, A.M. (1992).** Production of an alkaline protease by *Fusarium graminearum* grown on whey. Milchwissenschaft, Ireland, 47 (3)L: 147-148.
- Mckee, P.A.; Rogers, L.A.; Marer, E. and R.L.; Li, H. (1966).** The subunit poly-peptides of human fibrinogen. Arch. Biochem. Biophys. 116, 271-279.
- Medlin, L.; Elwood, H.J.; Stickel, S. and Sogin, M.L. (1988).** The characterization of enzymatically amplified eukaryotic 16S-like rRNA coding regions. Gen 71: 491-499.
- Meki, M.A.; Shabeb, M.S.A. and Ammar, M.S. (1994).** Constitutive lipase(s) from thermophilic fungi isolated from mud and water samples collected from high Dam Lack (AHD). Egypt. J. Microbiol., 29 (3): 261-270.
- Michaud, S.E.; Wang, L.Z.; Korde, N.; Buck, R.; Randhaws, P.K.; Pastore J.J.; Folet, H.; Hoffmester, K.; Kuuse, R.; Uibo R.; Herod, J.; Eowyer, E. and Jonmey, P.A. (2002).** Purification of salmon thrombin and its potential as an alternative to mammalian in fibrin sealants. Thromb. Res. 197, 245-254.
- Mohamed, Z.K.; Naguib, M.I. and Shahata, N.E. (1984).** Production and purification of extra cellular protease from *Streptomyces* spp. Botany Department, Faculty of Science, Cairo University, Egypt.
- Mohamed, Z.K.; Naguib, M.I. and Shehata, N.E. (1984).** Production and purification of extra cellular protease from *Streptomyces* spp. Botany Department, Faculty of Science, Cairo University, Egypt.
- Moharam, M.E.; El-Bendary, M.A. and Foda, M.S. (2003).** Purification and biochemical characterization of an alkaline serine protease of two

highly mosquitocidal strains of *Bacillus sphaericus* and possible applications. N. Egypt. J. Microb. 4, 36-48.

- Monod, M.; Togni, G. and Frenk, E. (1991).** Isolation and characterization of an extracellular alkaline protease of *Aspergillus fumigatus*. Journal of Medical Microbiology, Switzerland, 35 (1): 23-28.
- Monseth, E.; Skjervold, P.O.; Fjaeva, S.O.; Brasstod, F.; Odegoord, O.R. and Flenysmid, R. (2003).** Developing of meat-binding agent, purification of solanthrombin. J. Food Sci. 68, 1648-1652.
- Moore, S.; Spechman, D.H and Sten, W. (1988).** Chromatography of amino acid on sulphonated polystyrene resins. Ann. At Chem. 301185/1188.
- Moreira, K.A.; Albuquerque, B.F.; Teixeira, M.F.; Porto, A.L. and Filho, J.L. (2002).** Application of protease from *Nocardiopsis* sp. as a laundry detergent additive. W.J. Microbiol. Biotechnol. 18, 307-312.
- Morimura, S.; Kida, K. and Sonoda, Y. (1994).** Production of protease using waste water from the manufacture of shoch, Japan, J. of Ferm. And Bioengineering, 77 (2): 183-187.
- Mosher, D.F. and Blaul, E.R. (1973).** Heterogenity of bovine fibrinogen and fibrin. J. Biol. Chem. 19, 6896-6903.
- Mula, B.R.; Aparna, M. Tanksale; Mohini, S.; Ghatge and Vassanti Deshpande, V. (1998).** Molecular and biotechnological aspects of microbial proteases. Microbiology and Molecular Biology. Reviews, 597-635.
- Mustranta, A.; Forseell, P.and Poutanen, K. (1993).** Application of immobilized lipases to transesterification and esterification reaction. Enzyme and Microb. Technol. 133-139.
- Na, S. and Ya, M. (1988).** Screening of a high alkaline protease producing strain and studies on its fermentation conditions. Acta. Microbiol. 28 (3): 256-296.
- Nasr, M.M.; El-Sayed, M.M. and El-Samragy, Y.A. (1991).** Acceleration of Edam cheese ripening using acid fungi protease. Animal production Reserch Egypt, 35 (2): 143-148.
- Nawani, N. and Kaur, I. (2000).** Purification, characterization and thermostability of a lipase from thermophilic *Bacillus* sp. 133. Mol. Cell. Biochem. 206: 91-96.

- Naylor, N.M.; Smith, L.W. and Collins, H.I. (1930).** The esterase and protease of *Penicillium requeforti* Iwal State. Coll. J. Sci. 4: 465-471.
- Nigam, P. and Singh, D. (1995).** Enzyme and microbial systems involved in starch processing. Enzyme Microb. Technol. 17, 770-778.
- Nilegaonkar, S.S.; Kanekar, P.P.; Sarnaik, S.S. and Kelkar, A.S. (2002).** Production, isolation and characterization of extracellular protease of n alkaliphilic strain of *Azotobacter ramosus*, MCM B-351 isolated from the alkaline lake of Lonar, India. World J. Microbiol. Biotechnol. 18, 785-789.
- Nishio, T.; Chikano, T. and Kamimura, M. (1987).** Purification and some properties of lipase produced by *Psseudomonas fragi* 22-39B. Agric. Biol. Chem. 51: 181-186.
- Nobel, M.E.M.; Cleasby, A.; Johanson, L.N.; Egmond, M.R. and Frenken, L.G.J. (1993).** The crystal structure of Triacyl glycerol lipase from *Pseudomonas glumae* reveals a partially redundant catalytic aspartate. FEBS lett., 331, 123-128.
- Oberoi, R.; Beg, Q.; Puri, S.; Sexena, R. and Gupta, R. (2001).** Characterization and wash performance of an SDS-stable alkaline protease from *Bacillus* sp. World J. Microbiol. Biotechnol. 17, 493-497.
- Okada, Y.; Nagas, H. and Harris, E. (1986).** A metalloproteinase from human rheumatoid synovial fibroblast and digest connective tissue matrix components. Purification and characterization. J. Biol. Chem. 261: 14245-14255.
- Omar, A.F.; Habibuddin, H.; Sigma, K.; Ahmad, A.M., and El-Banna, Z.A.M.; Om-Hashem, M. (2006).** Differentiation of two Egyptian isolates of *Spiroplasma citri* based on 16S rDNA, Spiralin genes and 16S/23S rDNA intergenic spacer region. Asian J. of Microbial Biotechn. Env. Sc. Vol, 8, No. (3) 443-454.
- Omar, A.M. (2000).** Microbiological utilization of *Eichornia crassipes* under solid state fermentation. M.Sc. Thesis, Bot. & Microbiol. Dept., Fac. of Sci., Al-Azhar University, Cairo, Egypt.
- Owen, R.J. and Barman, P. (1987).** A rapid biochemical method for purifying high molecular weight bacterial chromosomal DNA for restriction enzyme analysis. Nucleic acids Res. 15: 3631.

- Paliwal, N.; Singh, S.P. and Grag, S.K. (1994).** Cation-induced thermal stability of an alkaline protease from a *Bacillus* sp. *Bioresource Technol.* 50, 209-211.
- Palmerous, B.; Guereca, L.; Alogon, A. and Charez, G. (1994).** Biochemical characterization of the lipolytic activity of *Pseudomonas aeruginosa* 1GB 83:29 (3) 207-212.
- Pandey, A.; Nigam, P.; Soccol, C.; Soccol, Y.; Singh, D. and Mohan, R. (2000).** Advances in microbial amylases. *Piotechnol. Appl. Biochem.* 31, 135-152.
- Papapraskevas, D.; Christakopoulos, P.; Kekos, D. and Macris, B. (1992).** Optimizing production of extracellular lipase from *Rhotorula glutinis*. *Biotechnol. Lett.* 14: 97-402.
- Park, M.S. and Cha, C.L. (1993).** Biochemical aspects of autologous fibrin glue derived from ammonium sulphate precipitation. *Laryngoscope*, 103, 193-196.
- Park, Y.S.; Kang, S.W.; Lee, J.S.; Hong, S.I. and Kim, S.W. (2002).** Xylanase production in solid state fermentation by *Aspergillus niger* mutant using statistical experimental design. *Applied Microbiol. Biotechnol.* 58, 761-766.
- Parker, M.T. (ed.) (1984).** Principles of Bacteriology. Virology and Immunity. Toply and Wilson's. Seventh edition, Volume 2 Systematic Bacteriology.
- Patke, D. and Dey, S. (1998).** Proteolytic activity from a thermophilic *Streptomyces megasporus* strain SDP4. *Lett. Applied Microbiol.* 26, 171-174.
- Pero, I. And Sloma, A. (1993).** Protease *In: bacillus subtilis* and other gram-positive bacteria. Biochemistry physiology and Molecular Genetics [Sonenshein A.L.; J.A., and Lorch, R. (Eds.)]. American Society for Microbiology. Washington, D.C. 99-952.
- Perry, S.F. (1995).** Freeze drying and cryopreservation of bacteria, pp. 21-30. In: Methods in molecular biology. J.G. Day and M.R. McLeelan (eds.) Human Press Inc.
- Petrous, E.; Hameed, K. and Reisinger, A. (1990).** Protease activity of fungi isolated from infested leather, Iraq, Abs. of the 4th international mycological congress.

- Pizzo, S.V.; Schwarts, M.L.; Hill, R.L. and Mckee, P.A. (1972).** The effect of plasmin on the subunit structure of human fibrinogen. *J. Biol. Chem.* 247, 636-645.
- Poldermans, B. (1990).** Proteolytic enzymes. In: *Enzymes in Industry*, Gerhartz W. (ed.). Weinheim: VCH Verlagsgesellschaft mbH, 108-118.
- Prakash, M.; Banik, R. and Brandit, C. (2005).** Purification and characterization of *B. cereus* protease suitable for detergent industry. *Applied biotechnology*, 127, 143-150.
- Prist, F.G. (2000).** Enzymes. Extracellular. In: *Encyclopedia of Microbiology*, 2nd edition, Volume 2 D-K. Lederberg, J. (ed.), pp. 210-221, Academic Press.
- Puri, S.; Beg, Q. and Gupta, R. (3003).** Optimization of alkaline protease production from *Bacillus* sp. using response surface methodology. *Curr. Microbiol.* 44, 286-290.
- Rabilloud, T.; Compenter, G. and Tanoux, P. (1988).** Improvement and simplification of low-background silver staining of proteins by using sodium dithionite, Glectro phoresis, 9: 288-291.
- Rajamoni, S. and Hida, A. (1987).** Plate assay to screen fungi for proteolytic activity. *Current Science India* 56: (22): 1179-1181.
- Ranpach, G.S.; Lin, L.; Murphy, J.; Tuzun, S. and Kloepper, J.W. (1996).** Induced systemic resistance in cucumber and tomato against *Cucumber mosaic cucumovirus* using plant growth-promoting rhizobacteria (PGPR). *Plant Disease*, 80: 891-894.
- Raven, P.H.; Berg, L.R. and Johnson, G.B. (1998).** *Environment*. Saunders College publishing, U.S.A.
- Regassa, L.B.; Stewart, K.M.; Murphy, A.C.; French, F.E.; Lin, T. and Whitcomb, R.F. (2004).** Differentiation of group VIII Spiroplasma strains with sequences of the 16S. 23S rDNA intergenic spacer region. *Can. J. Microbiol* 50, 1061-1067.
- Reports, G.G. and Morrison, W.H. (1987).** Extracellular lipase production by fungi from sunflower seed. *Mycologia*, USA 79 (2): 265-273.
- Rosenou, F. and Jaeger, K. (2002).** *Bacteriol.* Lipases from *Pseudomonas* regulation of gene expression and mechanisms of secretion. *Biochemistry* 82: 1023-1032.

- Rukhaiyar, R. and Srivastava, S.K. (1995).** Effect of various carbon substrates on α -amylase production from *Bacillus* species. *World J. Microbiol. Biotechnol.* 10 (2): 76-82.
- Saeki, K.; Hitomi, J.; Okuda, M.; Hatada, Y.; Kageyama, H.; Takaiwa, M.; Kubota, H.; Hagihara, H.; Kobayashi, T.; Kawai, S. and Ito, S. (2002).** A novel species of alkaliphilic *Bacillus* that produces an oxidatively stable alkaline serine protease. *Extremophiles*. 6, 65-72.
- Salamone, P.R. and Wodzinski, R.J. (1997).** Production, purification and characterization of a 50-KDa extracellular metalloprotease from *Serratia marcescens*. *Appl. Microbiol. Biotechnol.* 48: 317-324.
- Salmond, G.P.C. and Reeves, P.J. (1993).** Membrane traffic wardens and protein secretion in gram-negative bacteria. *TIBS*, 18: 7-12.
- Sambrook, J.; Fritsch, E.F. and Maniatis, T. (1989).** Molecular cloning. A Laboratory Manual 2nd Ed. Cold spring Harbor laboratory press. Cold Spring Harbor, N.Y.
- Sampath, P. and Chandrakasan, G. (1998).** Physiological and nutritional factors affecting biosynthesis of extracellular protease by *Streptomyces* sp. G. 157. *New-Microbiol.* 21 (1): 55-64.
- Sani, A.; Awe, F. and Akinyanju, J. (1992).** Amylase synthesis in *Aspergillus flavus* and *Aspergillus niger* grown on cassava peel. *J. Ind. Microbiol.* 10, 55-59.
- Saxena, R.; Davidson, W.; Sheoran, A. and Giri, B. (2003).** Purification and characterization of an alkaline thermostable lipase from *Aspergillus carneus*. *Process Biochemistry*, 39, 239-247.
- Schmidt, B.R.; Woodhouse, L.; Adams, R.M.; Ward, T.; Mainzer, S.F. and Lad, P.J. (1995).** Alkalophilic *Bacillus* sp. Strain LG12 has a series of serine protease genes. *Appl. Environ. Microbiol.* 61: 4490-449.
- Schuepp, C.; Kermasha, S.; Michalski, M.C. and Morin (1997).** Production, partial purification and characterization of lipase from *Pseudomonas fragi*, CRDA 037. *Process Biochemistry* 32 (3): 225-232.
- Sharaf, E.F. (2000).** Biosynthesis of a constitutive thermostable protease by *Humicola grisea* var. *Thermodea*. *Egypt. J. Biotechnol.* 8, 1-13.
- Sharaf, E.F. and Ammar, M.S. (2000).** Purification and characterization of constitutive thermostable three isoproteases produced by *Humicola grisea* var. *Thermodea* at 55°C. *Egypt. J. Biotechnol.* 8, 124-189.

- Sharma, R.; Chisti, Y. and Banerjee, U.C. (2001).** Production, purification, characterization and applications of lipases. *Biotechnol. Advances*. 19, 627-662.
- Shash, S.M. (1998).** Regulation of alkaline lipase(s) biosynthesized under bench scale fermentation conditions by *Aspergillus flavus*, S-7, allowed to grow on Nile hyacinth homogenates. *Egypt. J. Biotechnol.* 3: 91-103.
- Shastry, S. and Prasad, M.S. (2002).** Extracellular protease from *Psseudomonas* sp., CL 1457 active against *Xanthomonas campestris*. *Process Biotechnol.* 37 (6): 611-621.
- Shiriling, E.M. and Gottlieb, D. (1966).** Methods for characterization of *Streptomyces* species. *Int. J. Syst. Bact.* 16, 313-340.
- Sidkey, N.; Shash, S.M. and Ammar, M.S. (1997).** Partial purification and characterization of α -amylase biosynthesized by *Aspergillus flavus*, S-7 allowed to grow on hyacinth water homogenate (HWH). *Al-Azhar Bull. Sci.* 8, (2): 545-561.
- Sidkey, N.M. (1996).** *Aspergillus* sp., S-7 protease(s) from Nile hyacinth homogenates produced in static flasks. *Al-Azhar Bull. Sci.* 7 (1): 619-632.
- Sidler, W.; Kump, F.B.; Paterhans, B. and Zuber, H. (1986).** A neutral protease produced by *Bacillus cereus* with high sequence homology to thermolysin production, isolation and characterization. *Appl. Microbiol. Biotechnol.* 25 (1), 18-24.
- Sidorenko, I.N.; Nosovskaya, E.A. and Kostrov, S.V. (1995).** Cloning and expression of *Bacillus stearothermophilus* thermostable metallo-protease gene in *Bacillus subtilis*. *Mol. Biol.* 29: 507-511.
- Silver, F.H.; Wang, M.C. and Pins, G.D. (1995).** Preparation and use of fibrin glue in surgery. *Biomaterials* 16, 891-903.
- Sinchaikul, S.; Sookkheo, B.; Phutrakul, S.; Pan, F. and Chen, S. (2002).** Optimization of a thermostable lipase from *Bacillus stearothermophilus* Pl: over expression, Purification, and ..., 388-398.
- Singh, J.; Vollra, R.M. and Sahoo, D.K. (1999).** Alkaline protease from a new obligate alkalophilic isolate of *Bacillus sphaericus*. *Biotechn. Lett.* 21, 921-924.
- Skjervold, P.O.; Fjaera, S.O. and Ostby, P.B. (1999).** Rigor in salmon as affected by crowding stress prior to chilling before slaughter. *Aquaculture*, 175: 93-101.

- Sloma, A.; Rufo, G.; Rudolph, C.; Sullivan, B.; Theriault, K. and Pero, J. (1990).** Bacillopeptidase F of *Bacillus subtilis*: Purification of the protein and cloning of the gene. *J. Bacteriol.* 172: 1470-1477.
- Smart, C.P.; Schneider, B.; Blomquist, G.L.; Guena, L.J.; Hamison, N.A.; Ahrens, U.; Larenz, K.H.; Seemuller, E. and Kilkpatrick, B. (1996).** Phytoplasma-specific primers based on sequences of 16S- 23S rRNA spacer region. *Appl. Environ. Microbiol.* 62: 2985-2993.
- Sodhi, H.; Sharma, K.; Gupta, J. and Soni, S. (2005).** Production of a thermostable α -amylase from *Bacillus* sp. PS-7 by solid state fermentation and its synergistic use in the hydrolysis of malt starch for alcohol production. *Process. Biochemistry.* 40, 525-534.
- Sohani, S.S. and Joshi, P.N. (1982).** Isolation and characterization of protease from *Bacillus subtilis*. *Indian J. Biochem. Biophys.* 19 (6): 1982 (RECD, 1983).
- Soliman, A.M. (2003).** Microbial thermostable proteases from environmental wastes produced under solid state fermentation conditions. M.Sc. Thesis. Bot. & Microbiol. Dept., Fac. of Sci., Al-Azhar University, Cairo, Egypt.
- Stepaniak, L.; Kornack, K. and Wodeck, E. (1980).** Effect of some conditions on the production of lipase and protease by *Penicillium regueforti* and *Penicillium candidum* strains in surface culture. *Lait.* 60: (591-592): 45-55.
- Sunna, A.; Hunter, L.; Hutton, C. and Bergquist, P. (2002).** Biochemical and characterization of a recombinant thermoalkalophilic lipase and assessment of its substrate enantioselectivity. *Enzyme and Microb. Technol.* 31: 472-476.
- Svendsn, A. (2000).** Lipase Protein Engineering. *Biochem. Biohys. Acta*, 1543, 223-238.
- Takami, H.; Akiba, T. and Horikoshi, K. (1989).** Production of extremely thermostable alkaline protease from *Bacillus* sp. N. AH-10. *Appl. Microbiol.* 30 (2): 120-124.
- Tan, Y. and Miller, K.J. (1992).** Cloning expression and nucleotide sequence of a lipase gene from *Pseudomonas fluorescens* B52. *Appl. Environ. Microbiol.* 58: 1402-1407.

- Tommaseen, J.; Fillaux, A.; Bally, M.; Murgier, M. and Lazdunsk, A. (1992).** Protein secretion in *Pseudomonas aeruginosa*. FGMS Microbial. Rev. 9: 73-90.
- Tremacoldi, C.R. and Carmoa, E.C. (2005).** Production of extracellular alkaline protease by *Aspergillus clavatus*. World Journal microbiology and biotechnology 21. 169-172.
- Tunga, R.; Bacerjee, R. and Bhattachacharyya, B.C. (1998).** Optimizing some factors affecting protease production under solid state fermentation. Bioprocess Engineering 14: 87-190.
- Turnberg, W.L. (1996).** Biohazardous waste, risk assessment, policy and management. A Wiley-Interscience Pub. U.S.A.
- Uchida, H.; Kondo, D.; Yamashita, S.; Tanaka, T.; Tran, L.H.; Hiroko Nagamo, H. and Uwayima, T. (2004).** Purification and properties of a protease produced by *Bacillus subtilis* CN2 isolated from a vietnamese fish save. World J. Microbial. Biotechnol. 20, 579-582.
- Van Tilbeurgh, H.; Egloff, M.; Martinez, C.; Rugani, N. and Verger, R. (1993).** Interfacial activation of the lipase-procolipase complex by mixed micelles revealed by X-ray crystallography. Nature, 362, 814-820.
- Veger, R. (1997).** "Interfacial activation" of lipases: facts and artifacts. Trends Biotechnol. 15: 32-38.
- Vincent, J.M. (1970).** A manual for the practical study of the root nodule bacteria. International biological program 7 Marylebone Road, London, Nwi, Blackwell Scientific Publications, Oxford & Edinburgh, P. 75.
- Walde, D. (1988).** Lipases as examples for enzymes in reverse micelles. In
- Walde, P. (1988).** Lipases as examples for enzymes in reverse micelles. In:
- Wang, L.Z.; Borlun, J.; Michaud, S.E.; Janney, P.A.; Goddeau, R.P.; Kwse, R.; Uibo, R.; Adams, D. and Sawyer, E.S. (2000).** Purification of salmon clotting factors and their use as tissue sealants. Thromb. Res. 100, 537-548.
- Wang, Y.; Srivastava, K.; Shen, G. and Wng, H. (1995).** Thermostable alkaline lipase from a newly isolated thermophilic *Bacillus* strain A30-1 (ATCC 53841). J. Ferment Bioeng. 79, 433-438.
- Wang, Y.Z.; Patterson, J.; Gray, J.E.; Yu, C., Cottrell, B.A.; Shimizu, A.; Graham, D.; Riley, M.; Doolittle, R.F. (1989).** Complete

sequence of the lamprey fibrinogen alpha chain. *Biochemistry* 28, 9801-9806.

Ward, O.P. (1991). Bioprocessing. Open University Press. Buckingham, U.K.

Weisburg, W.G.; Barns, S.M.; Pellelier, D.A. and Lane, D.J. (1991). 16S ribosomal DNA amplification for phylogenetic study. *J. Bac.* 173: 697-703.

West, E.S.; Tood, w.R.; Mason, H.S. and Van Burggen, J.T. (1967). Text book of biochemistry, 4th ed Macmillan Co., N.Y. Collier Macmillan Lid, London.

Wiater, C.L. (1991). Application of multiple enzyme blends to control industrial slime on equipment surface. U.S.A., Nalco Chemical Co.

Wilson, K. and Walker, J. (1994). Practical biochemistry, principles and techniques. Fourth Edition, Cambridge University Press, pp. 182-191.

Winkhaus, H.D. (1987). Primary influencing factors and major trends in the European detergent and cleanser market. *J. Am. Oil Chern. Soc.* 64, 244.

Wistreich, G.A. and Lechtman, M.D. (1984). Microbiology Fourth Edition. Collier Macmillan Publishers. London, pp. 865-868.

Wolff, A.M.; Showed, M.S.; Venegas, M.G.; Barnett, B.L. and Werts, W.C. (1996). Laundry performance of subtilisin proteases. In: Subtilisin enzymes: Practical protein Engineering. Bott. R. and Betzel. C. (eds.). pp. 113-120. Netherlands: Kluwer Academic Publishers. ISBN 0306451085.

Yamane, T. (1988). Enzyme technology for the lipids industry: an engineering overview. In: Apple white TH (ed) proceedings of World Conference on biotechnology for the fats and oils industry, Hamburg, Germany, September 27 October 2, 1987. American Oil, Chemists Society, Champaign III, USA, pp. 7-22.

Yan, L.; Langlois, B.S.; D'Leary, J. and Hicks, C.L. (1985). Purification and characterization of 4 extracellular proteases isolated from raw milk psychrotrophs. *J. Dairy Sci.* 68 (6): 1323-1336.

Yang, J.K.; Shih, T.I.; Tzeng, Y.M. and Wang, S.I. (2000). Production and purification of protease from a *Bacillus subtilis* that can deproteinize crustaccan wastes. *Enzyme and Microbial Technology*, 26, 406-413.

- Yang, S.; Jin, C.; Bao, D. and Zhang, S. (1996).** Cloning and expression of thermostable protease gene from *Bacillus stearothermophilus* HY-69 in *Bacillus subtilis*. Ann. N.Y. Acad. Sci. 782: 219-225.
- Zhu, K.; Jutila, A.; Tuminen, E.; Patkar, S. Sevendsen, A., and Kinnunen, P. (2001).** Impact of the tryptophan residues of Humicola lanuginosa lipase on its thermal stability. J. Biochem. Biophys. Acta 1547: 329-338.