

- Ietswaart, J. H. (1980). A taxonomic revision of the genus *Origanum* (Labiatae). Ph.D Thesis. Leiden Botanical Series 4. Leiden University Press, The Hague
- Iftikhar - Ahmad; Mushtaq - Ahmad; Ashfaq - Ahmad (1994). Antimicrobial activity of *Dodonaea viscosa* oil. *Fitoterapia*, 65: 2, 167-168 .
- Jens K.S.; Miller, Rodrigo R.; Catharion and Marcos N. Eberlin (2005). "Electrospray ionization mass spectrometry fingerprinting of essential oils : Spices from the Labiatae family" *Food Chemistry*.
- Jensen, H.L. (1930). *Soil Sci.*, 30, 59-77. (C.F. B. Haroun Ph.D. Thesis, 1969, F.Sc. Ain Shams Univ. Cairo).
- Jirawan Oonmetta-areea, Tomoko Suzukib, Piyawan Gasalucka and Griangsak Eumkeb (2005). "Antimicrobial properties and action of galangal (*Alpinia galangal* Linn.) On *Staphylococcus aureus*" Article in press.
- Jones, K. (1949). Fresh isolates of actinomycetes in which the presence of sporogenous aerial mycelia is a fluctuating characteristics. *J. Bacteriol.*, 57:141-145.
- Katiyar, S.K.; Agarwal, R. and Mukhtar, H., (1996). Inhibition of tumor promotion in sencar skin by ethanol extract of *Zingiber officinale* rhizome. *Cancer Research* 56, 1023–1030.
- Kavanagh, F. (1972). *Analytical Microbiology*. Vol. 2, Acad. Press, New York.

- Hyphomycetes, *Clavariopsis aquatica* 1-Taxonomy, Fermentation, Isolation and Biological Properties. J. of antibiotics. 54 (1) : 17 – 21.
- Khan R.A.; Campbell, J. and Lear, (1981).** "Mortality in captive Atlantic cod, *Gaussia morhua* associated with fin rot disease". J.of wild life diseases, 17 (4) 521-527.
- Konning G.H.; Agyare , C. and Ennison, B. (2004).** "Antimicrobial activity of some medicinal plants from Ghana". Fitoterapia 75 (65 – 67).
- Kosar, M.; Dorman, H.J.D. and Hiltunen, R. (2005).** Effect of an acid treatment on the phytochemical and antioxidant characteristics of extracts from selected Lamiaceae species. Food Chemistry 91, (525-533).
- Krieg, N.R. and Holt, J.G. (1984).** "Bergey's Manual of systemic Bacteriology – Williams and Wilkins, Baltimore, London, Vol. 1."
- Kuster, E. and Williams, S.T. (1964).** Production of hydrogen sulphide by streptomycetes and methods for it detection. App. Microbiol.; 12:46-52.
- Langner, E., Greifenberg, S. and Gruenwald, J., (1998).** Ginger: history and use. Advances in Therapy 15, 25–44.
- Lennette, E. H.; Balows, A.; Hausler, W.J. and Traunt, J. P.(1980).** "Manual of clinincal Microbiology". Amer. Soc. Micro., Washington , D.C.
- Lio-Po, G. and Sanvictores, E.G. (1987).** "Studies on the causative organism of niloticus (Linnacus) fry mortalities, 1. primary isolation and pathogenicity experiments". J. Aquacult. Trop. 2: 25-30.

- Loper, J. E.; Henkels, M. D.; Roberts, R. G.; Grove, G. G.; Willett, M. J., and Smith, T. J. (1991). Evaluation of streptomycin, oxytetracycline, and copper resistance of *Erwinia amylovora* isolated from pear orchards in Washington State. *Plant Disease*, 75, 287–290.
- Mariah S.; Alina, A.R.; Chia, K.L.; Babji, A.S.; Nulkirah, M.; Chang-YuShyun (ed.); Mohtar, M, (ed.); Subramaniam, V. (ed.) and Yunos, N.M. (2002). Antioxidative effects of ginger (*Zingiber officinale*) extract on surimi during frozen storage. Towards-modernisation-of-research-and-technology-in-herbal-industries.-Proceedings-of-the-Seminar-on-Medicinal-and-Aromatic-Plants, 211-215 .
- Marzouk, M.S.; Eissa, I.A.M.; Moustafa, M. and Mervat, S. H. (1989). Contribution to tail and fin rot disease in catfish (*Clarias lazara*) . *Zag . Vet. J. Vol. 17 No. 3P. 244- 257 .*
- Mead, P.S., Slutsker, L., Dietz, V., McCaig, L.F., Breese, J.S., Shapiro, C., Griffin, P.M., & Tauxe, R.V. (1999). Food related illness and dead in the United States. *Emerging Infectious Diseases*, 5, 607-625.
- Megahed, A.A. (2000). Studies on some Gram negative bacteria of fish M.Sc. Thesis (microbiology) Fac. Of Vet. Med. , Suez Canal University .
- Milos, M., Mastelic, J. and Jerkovic, I. (2000). Chemical composition and antioxidant effect of glycosidically bound volatile compounds from oregano (*Origanum vulgare* L. ssp. hirtum. *Food Chemistry*, 71, 79–83.

- Moustafa, B.E.N. (1986).** "Epidemiological on fin rot disease in some Nile fish from Upper Egypt."M.V.Sc., Thesis (fish disease) Assuit University .
- Muniruzzaman, M. and Chowdhury, M.B.R. (2004).** Sensitivity of fish pathogenic bacteria to various medicinal herbs. Bangladesh-Journal-of-Veterinary-Medicine; 2 (1): 75-82 .
- Neuwinger, H.D., (2004).** Plants used for poison fishing in tropical Africa. Toxicon; 44(4): 417-430 .
- Nitsh, B. and Kutzner, H.J. (1969).** Egg-Yolk agar as diagnostic medium for *Streptomyces*. Sp. 25:113.
- Noga, E.J. (1996):** Fish disease Diagnosis and Treatment. Mosby-Yearbook,Inc.,St.Louis, Mo.
- Okaeme, A.N. (1989).** "Bacteria associated with mortality in tilapias (*Heterobronchus bidorsalis*) and *Clarias Lazera* in indoor hatcheries and outdoor ponds". J. Aquacult . Trop. 4 (2): 143 –146.
- Okpokwasili, G.C. and Obaho, (1991).** "Relationship between water quality and bacteria associated with the brown patch disease of *Tilapia* fingerlings reared in tropical fresh water, culture ponds ". J.Aquacult . In the tropics 6 : 2 , 157 – 172 .

- Osman, A.; Atallah; Mohey, E.I.S. ; Easa Abd-Elmonem A. Aly; Ahmed, S. Diab and Saleh, F. Sakr (1997).** Pathological changes associated with the fin –Rot in during Bacterial diseases in fresh – water fish . Alex. J. Vet. Sc. Vol. 13 No. 6:629 – 644 .
- Oya Keles; Tulay Bakirel; Seyyal A.K. and Abdulkerim Alpmar (2000).** "Antibacterial activity of some plants used for medicinal purpose against pathogens of veterinary importance" 9th Sci. Cong. Fac. Vet. Med. Assiut Univ. Egypt
- Petrinee, Z.; Naglic, T. Matasin, Z. and Fijan, N. (1985).** "Pseudomonas fluorescens septicemia in big head (Aristichthy nobilis rich), following handling". Veterinarshi, Arhiv, 55 (6), 277- 284
- Pitt, J.I., & Hocking, A. D. (1997).** Fungi and food spoilage (2nd ed.). London, UK: Blackie Academic and Professional, 596 pp.
- Post, G. (1987).** "Text book of fish health ." T.F.H. publications, Inc., Ltd, 2 nd . Ed. , 182 – 185 .
- Post, G. (1983).** "Text Book of fish health"T.F.H. publication, Inc., Lid, Wes. Sylrania, New Jersy, USA.
- Rizk, K; M.H.; N.F. and Easa, M. (1984).** "Progect complete survey on diseases of cultured fish Egyptian ponds. "A progressive report to Scientific Research Academy .
- Sagdic, O., & € Ozcan, M. (2003).** Antibacterial activity of Turkish spice hydrosols. Food Control, 14, 141–143.
- Sahin, F.; Guluze, M.; Daferera, D.; Sokmen , A.; Sokmen , M.; Polissiou, M.; Agar, G.; and Ozer, H. (2004).** Biological activities of the essential oils and methanol extract of *Origanum*

- vulgare* ssp. *vulgare* in the Eastern Anatolia region of Turkey. Food Control 15: (549-557).
- Sahin, M.; Guluce, D.; Daferera, A.; Sokmen, M.; Sokmen, M.; Polissiou, G. & Agar and Ozer, H. (2004).** Biological activities of the essential oils and methanol extract of *Origanum vulgare* ssp. *Vulgare* in the Eastern Anatolia region of Turkey . Food Control 15, (549-557).
- Salama, S.S and Abd El- H . (1999):** Studies on the bacterial diseases of *Oreochromis niloticus* reared in concrete pond. m.V.SC. Thesis (Fish Diseases and Mangagement) Fac. Vet. Med. Suez Canal Univ.
- Schaperclaus, W.; Kulow, H. and Schreckenback, K. (1992).** Fish Disease Vol.I A.A. Balkema / Rotterde .
- Service, R. F. (1995).** Antibiotics that resistance. Science, 270, 724–727.
- Shalaby, M.A. (1997).** Studies on virulence factors of some pseudomonadeceae and virbionaceae microorganisms isolated from fresh and frozen fish . Ph.D.thesis (Microbiology), Fac. Vet. Med. Sues Canal Uni .
- Shariff, M. and Law, A.T. (1980).** An incidence of fish mortality in bakok River . In M.N.H. Hasan , A.L. Mohamed , M.M. Clyde and Tan S.C. eds. (P.153 – 162) . International Symp . On Topley, M. and Wilson, L. (1983): Principles of bacteriology, Virology and immunity Vol. 117th Ed. , Edward Arnold , Great Britain , London .
- Shiriling, E.B. and Gottlieb, D. (1966).** Methods for characterization of streptomyces species. Int. J. Syst. Bact. 16, 313-340.

- Shivanand, D.; Jolad, R.; Clark Lantz; Guan Jie Chen; Robert B.; Bates, Barbara N. and Timmermann (2005).** "Commercially processed dry ginger (*Zingiber officinale*) :Composition and effects on LPS- stimulated PGE production" *Phytochemistry* 66 (1614 – 1635).
- Shoji, N.; Umeyama A.; Yoshikawa, K.; Nagai, M.; and Arihara, S. (1994).** Baccharane glycosides from seeds of *Impatiens balsamina*. *Phytochemistry*, 37: 5, 1437-1441.
- Shotts, E.B. and Rimler, R. (1973).** "Medium for the isolation of *Aeromonas hydrophila*" *Applied Microbiology*, 26 (4). 550-553.
- Simpson, B.B. and Conner, O.M. (1986).** *Economic Botany – Plants in our world*, PP 640- Mc Graw – Hill Book Company, l Hamburg.
- Skurat, E.K.; Degtyarik. S.M.; Androsik, N.N. and Linnik, V.Y.A. (2001).** Phytotherapy in the fishpond breeding. *Bulletin -VURH-Vodnany*, 37: 2, 83-87 .
- Snogerup, S. (1971).** Evolutionary and plant geographical aspects of Chasmophytic communities. In P. H. Davis, P. C. Harper, & I. C. Hedge (Eds.), *Plant life of South–West Asia* (pp. 157–170).
- Soliman, K.M., & Badeaa, R.I. (2002).** Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi. *Food and Chemical Toxicology*, 40, 1669–1675.
- Suheyla Karatas Dugenci, Nazli Arda, and Akin Candan (2003).** "Some medicinal plants as immunostimulant for fish" *Journal of Ethnopharmacology* 88 99- 106 .
- Sung – Sook Chun; Dhiraj, A.; Vattam, Yuan; Tong Lin and Kalidas Shetty (2005).** "Phenolic antioxidants from clonal oregano

- (*Origanum vulgare*) with antimicrobial activity against *Helicobacter pylori* " Process Biochemistry 40 (809 – 816).
- Surh, Y. J., (2002).** Anti-tumor promoting potential of selected spice ingredients with antioxidative and anti-inflammatory activities: a short review. Food and Chemical Toxicology 40, 1091–1097.
- Surh, Y.J., Lee, E., Lee, J.M., (1998).** Chemopreventive properties of some pungent ingredients present in red pepper and ginger. Mutation Research 402, 259–267.
- Sutter, V.L.; Vargo, V.L. and Finegold, S.M. (1975).** Wadsworth anaerobic bacteriology manual, Ed. 2, Los Angeles, the regents of the University of California.
- Topley M. and Wilson, L. (1983).** Principles of bacteriology. Virology and immunity Vol.11-7th Ed., Edward Arnold. Great Britain, London.
- Toranzo, A. E. ; Novoa, B . and Romalde , J. L. (1993).** Numez , S.; Devesa, S.; Marino, E.; Silva, R. ; Martinez, E. ; Figueras, A. and Barja, J.L.
- Turnbull, J.F. (1993).** Bacterial gill diseases and rot . Bacterial diseases of fish , PP. 40 – 57 . Oxford , UK ; Blackwell Sci . publications.
- Valero, M., & Salmeron, M.C. (2003).** Antibacterial activity of 11 essential oils against *Bacillus cereus* in tyndallized carrot broth. International Journal of Food Microbiology, 85, 73–81.

-
- Walker, S.J. (1988).** Major spoilage micro-organisms in milk and dairy products. *Journal of the Society of Dairy Technology*, 41, 91– 92.
- Watt, J.M. and Breyer – Brandwijk, M.G. (1962).** The medicinal and poisonous plants of Southaerl and Eastern Alfrica, Being and account of their medicinal and other uses, chemical composition, pharmacological effects and toxicologyin man and animal, 2nd edn. Edinburgh: S livingotone LTD.
- Williams, S.T.; Goodfellow, M.; Alderson, G.; Wellington, E.,M.H.; Seneath, P.H. and Sackin, M.J. (1983).** Numerical classification of streptomyces and related genera. *J. Gen. Microbiol.*, 129:1743-1813.