
REFERENCES

- Abo-El-Enein, S.A., Kotkata, M.F., Hanna, G.B., Saad, M., Abd El-Razek, M.M.**, "Electrical conductivity of concrete containing silica fume", *Cem. Concr. Res.*, vol. 25(8), p. 1615 (1995).
- Aiad, I., Abo-El Enein, S.A. and Mohamed, A.A.**; "Rheological properties of cement pastes admixed with some alkanolamines", *Cem. Concr. Res.*, Vol. 33, 1, p. 9-13, (2003).
- Aiad, I.**; "Influence of time addition of superplasticizers on the rheological properties of fresh cement pastes", *Cem. and Concr. Res.*, Vol. 33, 8, p. 1229 - 1234, (2003).
- Aitcin, P.C. and Miao, B.**; "How to Make High Performance Concrete", in : J.C. Chem, (Ed.), *Proceedings of the Second Seminar on High Performance Concrete*, Taipei, Taiwan, pp. 91-118, (1992).
- Andersen, P.J., Roy, D.M. Gaidis, J.M. and Grace, W.R! & Co.**, "The effects of adsorption of superplasticizers on the surface of cement", *Cem. Concr. Res.*, Vol. 17, pp. 805-813 (1987).
- Asaga, K. and Roy, D.M.**, "Rheological properties of cement mixes: IV. effects of superplasticizers on viscosity and yield stress", *Cem. Concr. Res.*, Vol. 10(2), pp. 287-295 (1980).
- ASTM Designation: C₁₀₉₋₈₀**, "Standard test methods for compressive strength of hydraulic cements", *ASTM Standards* (1983).
- ASTM Designation: C₁₈₇₋₉₂**, "Standard test methods for normal consistency of hydraulic cement", *ASTM Standards* (1992).
-

-
- ASTM Designation: C₁₉₁₋₈₂**, "Standard test methods for time of setting of hydraulic cement by Vicat needle", ASTM Standards (1992).
- Bacges, H.H.**, Proc. 2nd Int. Confer. on Superplasticizer in Concrete, Ottawa Canada, vol. 11 (1981).
- Banfill, P.F.G. and Gill, S.M.**; "The effect of addition of three superplasticizers on the rheological properties of cement pastes", *Advanced in Cem. Res.*, Vol. 5, 20, p. 131 – 138, (1993).
- Bassett, J., Denney, R.C., Jeffery, G.H. and Mendham**, "Vogel's Textbook of Quantitative Inorganic Analysis", ELBS & Longman, London, 4th. Edn. (1982).
- Bonen, D. and Sarkar, S.L.**, "The superplasticizer adsorption capacity of cement pastes, pore solution composition, and parameters affecting flow loss", *Cem. Concr. Res.*, Vol. 25(7), pp. 1423-1434 (1995).
- Brackenbury, W.R.E., Grzeskowiak, R., Reid, N.L. and Lynn, M.E.**, "Flexural strengths of polymer modified cement pastes prepared by a Novel curing process", *Cem. Concr. Res.*, Vol. 18, pp. 971-979 (1988).
- Bradley, G. and Howarth I.M.**; "Water Soluble Polymer. The relation between structure, dispersing action and rate of cement hydration", *Cem. Concr. Agg.*, Vol. 8, p. 145, (1986).
- Brunauer, S. and Capland, L.E.**, *The chemistry of concrete*, Science, Amer., 210(83), (1964).
-

-
- Bye, G.C.**, "Portland cement composition, production and properties", Pergamon, London (1983).
- Chandra, S. and Björnström, J.**, "Influence of cement and superplasticizers type and dosage on the fluidity of cement mortars: part I., Cem. Concr. Res., Vol. 32(10), p. 1605-1611 (2002).
- Chandra, S. and Björnström, J.**, "Influence of superplasticizer type and dosage on the slump loss of Portland cement mortars: part II., Cem. Concr. Res., Vol. 32(10), p. 1613-1619 (2002).
- Chandra, S. and Flodin, P.**, "Interactions of polymers and organic admixtures on Portland cement hydration", Cem. Concr. Res., Vol. 17(6), pp. 875-890 (1987).
- Chen, S.D., Hwang, C.H. and Hsu, K.C.**; "The effects of¹ sulphonated phenolic resins on the properties of concrete", Cem. Concr. Res., Vol. 29, p. 255-259 (1999).
- Chiocchio, G. and Paolini, A.E.**, "Optimum time for adding superplasticizers to Portland cement pastes", Cem. Concr. Res., Vol. 15, No 5, p. 901-908 (1985).
- Colak, A.**, "Properties of plain and latex modified Portland cement pastes and concretes with and without superplasticizer", Cem. Concr. Res., 35(8), p. 1510-1521 (2005).
- Colleparidi, M.; Enco**; "Admixtures used to enhance placing characteristics of concrete", Cem. Concr. Composites, Vol. 20, No (2 - 3), p.103 - 112, (1998).
-

- El-Didamony, H. and Khalil, A.A.**, "Investigation of the hydration products of the system $\text{CaO-Al}_2\text{O}_3\text{-SO}_3\text{-SiO}_2$ in presence of varying amounts of SiO_2 ", *Zement-Kalk-Gips*, vol. 34, p. 660-663 (1981).
- El-Didamony, H., Amer, A.A., and Heikal, M.**, "Effect of calcium lignosulphonate on silica fume blended cements" 1st, *Intr. Symp. Cem. Ind.*, p. 423-436, Nov. 8-10, Assuit, Egypt (1997).
- El-Didamony, H., Amer, A.A., and Heikal, M.**, "Improvement of silica fume blended cements by using superplasticizer" *Ceramic – Silikaty*, vol. 42(4), p. 171-176 (1998).
- El-Didamony, H., Amer, A.A., Ebied, E., and Heikal, M.**, "The role of cement dust in some blended cements", *il Cemento*, vol. 90, pp.221-230 (1993).
- El-Didamony, H., Amer, A.A., Heikal, M. and Shoaib, M.M.**, "Effect of calcium acetate as accelerator and water reducer on the properties of silica fume blended cement", *Ceramic – Silikaty*, vol. 43(1), pp. 29-33 (1999).
- El-Didamony, H., Haggag, M.Y. and Abo El-Enein, S.A.**, "Studies on expansive cement, ii. hydration kinetics, surface properties and microstructure", *Cem. Concr. Res.*, vol. 8, p. 351-358 (1978).
- El-Didamony, H., Helmy, I.M., Amer, A.A., and Heikal, M.**, "Utilization of some egyptian by products in the preparation of blended cements", *Zement-Kalk-Gips*, vol. 9, p.502-507 (1995).
-

-
- Ghosh, S.N.**, "Advances in cement technology", Pergmon Press. 1st. Ed. (1983).
- Gioglio, C., Gioncarlo, S., Roberto, V. and Salvatore, T.;** iL - Cemento, Vol. 79, 9, Pp. 169-180, (1982). C.A. 90373, Vol. 100, 12, (1984).
- Goheen, D.W. and Othmer, L.K.;** "Encyclopedia of chemical technology," John Willy & Sons, 3rd Ed. Vol. 14, p. 294, (1992).
- Grabiec, A.M.**, "Contribution to the knowledge of melamine superplasticizer effect on some characteristics of concrete after long periods of hardening", Cem. Concr. Res., Vol. 29, p. 699-704 (1999).
- Grutzech, M., Roy, D.M., and Wolfe, D.**, 4th Confr. Proc., (ICMA) Confr., vol. 193 (1982).
- Gu, P., Xie, P., Beaudoin, J.J. and Jolicoeur, C.**, "Investigation of the retarding effect of superplasticizers on cement hydration by impedance spectroscopy and other methods", Cem. Concr. Res., Vol. 24(3), p. 433-442 (1994).
- Heikal, M. and El-Didamony, H.**, "Effect of some superplasticizers on the properties of silica fume blended cement pastes", Silic. ind., vol. 65(11-12), p. 125-130 (2000).
- Heikal, M.**, "Effect of calcium formate as an accelerator on the physicochimcal and mechanical properties of pozzolanic cement pastes, Cem. Concr. Res., vol. 34, pp. 1051-1056 (2004).
- Heikal, M., Aiad, I., Shoaib, M.M. and El-Didamony, H.**, "Physico-chemical characteristics of some polymer cement composites",
-

-
- Mater. Chem. and Phys., Vol. 71, p. 76-83 (2001).
- Heikal, M., Morsy, M.S. and El-Didamony, H.**, "Effect of limestone on the hydration characteristics of portland slag cement", *iiC*, vol. 76(5), p. 422-431 (2001).
- Hewlett, P.C.**, "Lea's Chemistry of Cement and Concrete", 4th Edn., John Wiley & Sons Inc., New York (1998).
- Hiroshi, U., Daisuke, S. and H. Shunsuke**; "Influence of kind and added timing of organic admixture on the composition, structure and property of fresh cement paste", *Cem. Concr. Res.*, Vol. 25, No 2, p. 353-364 (1995).
- Justnes, H. and Nygaard, E.C.**, "Technical calcium nitrate as set accelerator for cement at low temperatures", *Cem. Concr. Res.*, Vol. 25(8), p. 1766-1774 (1995).
- Kent, J.A.**; "Riegel's handbook of industrial chemistry", 8th Ed., Van Nostrand, Reinhold, New York, (1983).
- Khan, M.I., Lynsdale, C.J. and Waldron, P.**, "Porosity and strength of pfa/sf/opc ternary blended paste", *Cem. Concr. Res.*, vol. 30(8), p. 1225-1229 (2000).
- Kim, B.-G., Jiang, S., Jolicoeur, C. and Aïtcin, P.-C.**, "The adsorption behavior of PNS superplasticizer and its relation to fluidity of cement paste", *Cem. Concr. Res.*, Vol. 30(5), p. 887-893 (2000).
- Kinoshita, M., Suzaki, T., Soeda, K. and Nawa, T.**; "Properties of methacrylic water-soluble polymer as superplasticizers for ultra high -strength concrete", Vol. 42, p. 143 (1994).
-