

References

- Abd El-Ghani, M. M. (1981):** Preliminary studies on the vegetation of Bahariya Oasis, Egypt. M.Sc. Thesis, Cairo University. Cairo.
- Abdel Rahman, A. A., Ibrahim, A. A. and Hassan, H. T. (1976):** Contribution to the anatomical characters of some xerophytes. *Bull. Fac. Sci., Cairo Univ.*, 49: 139- 162 Pp.
- Abdel Rahman, S. I., El- Asmar, H. and Yehia, M. A. (1998):** Remote Sensing applications for change detection in the coastal region of the Nile delta, Egypt. *J. Remote Sensing and Space Science*, 1: 58- 67 Pp.
- Abdelgaleil, S. A. M., El-Aswad, A. F. and Nakatani, M. (2002):** Molluscicidal and anti-feedant activities of diterpenes from *Euphorbia paralias* L. *Pest Management Science*, 58: (5) 479 – 482 Pp.
- Abdel-Razik, M. S., Abdel-Aziz, M. and Ayyad, M. (1984):** Multivariate analysis of vegetational variation in different habitats at Omayed Egypt. *Vegetatio*, 57: 167–175 Pp.
- Abo Sitta, Y. M. (1981):** Ecological studies of a sector in the Mediterranean coastal zone, Egypt. Ph.D. thesis, Faculty of science, Cairo University 216 Pp.
- Abu Al-Izz, M. S. (1971):** *Land forms of Egypt*. Translated by Yusuf, A. Fayed. The American Univerisity press. Cairo, Egypt. 281 Pp.
- Abu Ziada, M. E. (1980):** Ecological studies on the flora of Kharga and Dakhala Oases of the western Desert of Egypt. Ph. D. Thesis, Fac. Sci., Mansooura Univ., Egypt.
- Aganga, A. A., Mthetho, J. K. and Tshwenyane, S. (2003):** *Atriplex nummularia* (Old Man Saltbush): A potential Forage Crop for Arid Regions of Botswana. *Pakistan Journal of Nutrition*, 2 (2): 72-75 Pp.
- Allen, S. E., Grimshaw, H. M., Parkinson, J. A. and Quarmby, C. (1974):** *Chemical analysis of ecological materials*. Black well scientific Publication. Oxford 565 Pp.

Anonymous (2005): Climatological normals for the Arab Republic of Egypt up to 2005. Ministry of Civil Aviation, Cairo.

Aptekar, R. and Rejmanek, M. (2002): The effect of sea-water submergence on rhizome bud viability of the introduced *Ammophila arenaria* and the native *Elymus mollis* in California. *Journal of Coastal Conservation*, 6:107-111 Pp.

Ayyad, M. A. (1973): Vegetation and environment of the western Mediterranean coastal land of Egypt. I. The habitat of sand dunes. *J. Ecol.*, 61: 509- 523 Pp.

Ayyad, M. A. and Ammar, M. Y. (1974): Vegetation and environment of the western Mediterranean coastal land of Egypt. II. The habitat of inland ridges. *J. Ecol.*, 62: 439- 456 Pp.

Ayyad, M. A. and El Ghareeb, R. E. (1972): Microvariation in edaphic factors and species distribution in Mediterranean salt desert. *Oikos* 23: 125- 131.

Ayyad, M. A. and El Ghareeb, R. E. M. (1982): Salt marshes vegetation of the western med. Coast of Egypt. *Vegetatio*, 49: 3- 19 Pp.

Ayyad, M. A. and El Ghareeb, R. E. M. (1984): Habitat and plant communities of the NE desert of Egypt. *Communications in agriscience and development research, College of Agriculture, Univ. of Alexandria* 7(6):1-34 Pp.

Ayyad, M. A. and El- Kady, H. F. (1982): Effect of protection and controlled grazing on the vegetation of a Mediterranean desert ecosystem in northern Egypt. *Vegetatio*, 49:129-139 Pp.

Ayyad, M. A. and Ghabbour, S. I. (1977): Systems Analysis of Mediterranean Desert Ecosystems of Northern Egypt. *Environmental Conservation*, 4(2): 91-102 Pp.

Ayyad, M. A. and Ghabbour, S. I. (1986): Hot deserts of Egypt and Sudan. Chapter 5. In *Ecosystem of the world, 12B, Hot Deserts and Arid Shrublands* (Eds M. Evenari et al.), Elsevier, Amsterdam, 149-202 Pp.

- Ayyad, M. A. and Fakhry, A. M. (1994):** Species diversity in the plant communities of the coastal dunes of the Western Mediterranean desert of Egypt. *Journal of Union of Arab Biology*, 1(B): 73-87 Pp.
- Aziz, S. and Khan, M.A. (1996):** Seed bank dynamics of a semi-arid coastal shrub community in Pakistan. *Journal of Arid Environments* 34: 81-87 Pp.
- Badger, K. S. and Ungar, I. A. (1989):** The effects of salinity and temperature on the germination of the inland halophyte *Hordium jubatum*. *Canadian Journal of Botany*, 67: 1420-1425 Pp.
- Barbour, M. G.(1970):** Is angiosperman obligate halophyte. *Am. Midl. Nat.* 84: 105-120 Pp.
- Barbour, M. G., DeJong, T. M. and Pavlik, B. M. (1985):** Marine beach and dune plant communities. In Chapbot, B. F. and H. A. Mooney, (eds.), *Physiological ecology of North American plant communities*. Chapman and Hall, New York.
- Barbour, M., and Johnson, A. F. (1977):** Beach and dune. In Barbour, M. and J. Major (eds.), *Terrestrial Vegetation of California*. John Wiley and Sons, New York. Pp. 223-270 Pp.
- Batanouny, K. H. (1964):** Sand dune vegetation of El Arish area. *Bull. Fac. Sci., Cairo Univ.* 39: 11- 23 Pp.
- Batanouny, K. H. (1979):** The desert vegetation in Egypt. *Cairo Univ. Afr. Studies Rev.* 1: 9- 37 Pp.
- Batanouny, K. H. (1981):** *Ecology and Flora of Qatar*. Alden press, Oxford, Uk, Center for Sci. and Appl. Res., Qatar Univ., Qatar, 245 Pp.
- Batanouny, K. H. (1999):** The Mediterranean coastal dunes in Egypt: An endangered landscape. *Journal of Estuarine, Coastal and Shelf Science*, 49: 3-9 Pp.
- Batanouny, K. H. (2001):** *Plants of the Deserts of the Middle East*. Berlin, Springer, 193 Pp.

- Batanouny, K. H. and Abdel Wahab, M. A. (1973):** Eco-physiological studies on desert plants. VIII. Root penetration of *Leptadenia pyrotechnica* (Forssk.) Decne in relation to its water balance. *Oecologia* (Berl.), 11: 151-161 Pp.
- Batanouny, K. H. and Batanouny, M. H. (1969):** Formation of phytogenic hillocks. I. Plant forming phytogenic hillocks. *Acta Bot. Acad. Sci. Hung.*, 14: 243-252 Pp.
- Batanouny, K. H., Aboutabel, E., Shabana, M. and Soliman, F. (1999):** *Wild medicinal plants in Egypt*. Cairo, palm press. 207 Pp.
- Belgrave, C. D. (1923):** *Siwa: The Oasis of Jupiter Ammon*. Bodly Head, London. 275 Pp.
- Bin- Jaber, N. A. (1990):** Chemical constituents of some Chenopodiaceae plants grown in Saudi Arabia. M. Sc. Thesis, College of science, King Saud University. 128 Pp.
- Bolous, L. (1995):** *Flora of Egypt-Checklist*. Al Hadara publishing, Cairo, Egypt. 283 Pp.
- Bolous, L. (1999):** *Flora of Egypt*. Volume 1 "Azollaceae-Oxalidaceae" Al Hadara Publishing, Cairo, Egypt. 419 Pp.
- Bolous, L. (2000):** *Flora of Egypt*. Volume 2 "Geraniaceae-Boraginaceae". Al Hadara Publishing, Cairo, Egypt. 325 Pp.
- Bolous, L. (2002):** *Flora of Egypt*. Volume 3 "Verbenaceae-Compositae". Al Hadara Publishing, Cairo, Egypt. 373 Pp.
- Bolous, L. (2005):** *Flora of Egypt*. Volume 4 "Monocotyledons". Al Hadara Publishing, Cairo, Egypt. 617 Pp.
- Boyko, H. (1949):** On the climate-vegetation of the Negev with special reference to arid oasture. Proldem Palest. *Journal of Bot. Rehovost Ser.*, 7:17-35 Pp.
- Braun-Blanquet, J. (1964):** *Plant Sociology*. MC, Braw-Hills Book, New York. 487 Pp.

- Bruelheide, H., Jandt, U., Gries, D., Thomas, F. M., Foetzki, A., Buerkert, A., Wang, G., Zhang, X. and Runge, M. (2003):** Vegetation changes in a river oasis on the southern rim of the Taklamakan Desert in China between 1956 and 2000. *Phytocoenologia* 33: 142- 157 Pp.
- Chapman, V. J. (1976):** *Coastal vegetation*. Pergamon Press, Oxford. 292 Pp.
- Cope, T. A. and Hosni, H. A. (1991):** *A key to the Egyptian Grasses*. Whitstable Litho, Whitstable Kent, Great Britain. 75 Pp.
- Crawley, M. J. (1997):** *Plant Ecology*. Second edition, Blackwell Science Ltd, U. S. A., 717 Pp.
- Cullen, P. (1998):** *Ammophila arenaria* and *Euphorbia paralias*: Serious Threats to the Integrity of the South West Tasmanian Coastline. Hobart, Parks and Wildlife Service, Tasmania, Pp 20.
- Danin, A. (1972):** Mediterranean elements in rocks of the Nagav and Sinai deserts. *Notes Roy. Bot. Gard., Edinburgh* 3: 437- 440 Pp.
- Danin, A. (1983):** *Desert Vegetation of Israel and Sinai*. Jerusalem. Cana Publishing House. 148 Pp.
- Danin, A. (1992):** Flora and vegetation of Israel and adjacent areas. *Bocconeia* 3:18- 42 Pp.
- Danin, A. (1996):** *Plants of desert dunes. Adaption of desert dunes*. XII, 177 Pp.
- Danin, A. (2006):** Flora of Israel Database. Available on line: <http://www.botanic.co.il/a/find.asp>
- Danin, A., Orshan, G. and Zohary, M. (1975):** The vegetation of Northern Nagev and the Judean desert of Israel. *Israel journal of Botany*, 24: 118- 172 Pp.
- Danin, A., Orshan, G. and Zohary, M. (1964):** Vegetation of the neogene sand areas of the North Negev. *Israel journal of Botany*, 13: 208-233 Pp.

- Davis, P. H. (1985):** *Flora of Turkey and the East Aegean Islands*. Edinburgh., The University press. 724 Pp.
- Deshmukh, I. K. (1974):** Primary production and leaf litter breakdown of *Ammophilla arenaria* in a sand dune succession. Ph. D. Thesis, University of Dundee.
- Dilcher, D. L. (1974):** A proaches to the Identification of Angiosperm Leaf Remains. *Bot. Rev.* 40 (1) 86-116 Pp.
- Easu, K. (1979):** *Plant Anatomy*. New York, John Wiely and Sons. 3rd edition, Pp 158- 171.
- Eig, A. (1938):** On the phytogeographical subdivision of Palestine Palest. *J. Bot. Jersualem Ser.*, 1: 4- 12 Pp.
- Eig, A. (1939):** The vegetation of the light soil belt of the coastal plain of Palestine palest. *J. Bot. Jersualem Ser.*, 1: 255- 312 Pp.
- Eig, A. (1946):** Synopsis of the phytogeographical units of Palestine Palest. *J. Bot. Jersualem Ser.*, 3: 183- 248 Pp.
- El Aich, A. (1987):** Fodder trees and shrubs in range and farming systems in North Africa. Food and Agricultural (FAO) report. Rome.
- El-Bana, M. I., Nijs, I. and Khedr, A. A. (2002):** Response of shrubs and under- shrubs to protection against grazing in two islands of lake Bardawil, Med. Coast of Egypt. *Egyptian J. Desert Res.* 52(2): 235- 250 Pp.
- El Ghareeb, R. and Rezk, R. M. (1989):** A preliminary study on the vegetation of the Coastal land at Bousseli (Egypt). *Journal of Univ. Kuwait (Sci)* 16: 115-127 Pp.
- El-Ghonemy, A. A. (1973):** Phytosocilological and ecological studies of the maritime sand dune communities in Egypt. I. Zonation of vegetation and along adune side. *Bull. Inst. Desert, Egypt*, 23(2): 463-473 Pp.
- Elhaak, M. A. (1999):** Effect of CO₂ deficiency during the dark period on some water stressed plants. *Journal of Union Arab Biology*, Cairo, 7B: 17-32 Pp.

- Elhaak, M. A., Migahid, M. M. and Wegmann, K. (1997):** Ecophysiological studies on *Euphorbia paralias* under soil salinity and sea water spray treatments. *Journal Arid Environment*, 35(3): 459–471 Pp.
- El- Hadidi, M. N. (1993):** A histrotical Flora of Egypt, Apreliminary survey. In Davies, W. V. and Walker, R. (Eds) *Biological Anthropology and the study of Ancient Egypt*, British Museum press, Pp 144- 155 Pp.
- El-Kady, H. F. (1993):** The ruderal vegetation of the Med. Desert, Egypt. *Feddes Repertorium*, 104: 403- 415 Pp.
- El- Khouly, A. A. (2001):** Plant diversity in the Dry land habitats of Siwa Oasis, Western desert, Egypt. *Journal of Environmental Science*, 22: 125- 143 Pp.
- El Mousallamia, A. M. D., Afifi, M. S. A. and Hussein, S. A. M. (2002):** Acylated flavonol diglucosides from *Lotus polyphyllus*. *Phytochemistry*, 60: 807- 811Pp.
- El Naggar, S. M. and Abd El- Ghani, M. M. (2004):** Development of taxonomic and floristic studies in Egypt, A bibliography. *Bull. Fac. Sci. Assiut Univ.* 33(1) 63- 93Pp.
- El-Sharkawi, H. M. (1961):** Phytosociological studies on the vegetation of Bagoush area. *Bull. Inst. Desert Egypte*, 11(1): 1- 18 Pp.
- El-Sharkawi, H. M. and Salama, F. M. (1975):** Salt tolerance criteria in some wheat and barley cultivars. I- Analysis of transpiration curves. *Egyptian Journal of Botany*, 18: 69–79 Pp.
- Fahmy, H. S. (2004):** Vegetation of sand dunes. *Review Article* 53 Pp.
- Fahn, A. (1974):** *Plant Anatomy*. 2nd edition, Pergamon press, p 410- 412.
- Feinbrun- Dothan, N. (1986):** *Flora of Palaestina*. Vol. IV. The Israel Academy of Sciences and humanities. Jerusalem. 462 pp.
- Gad, M. R. M. (1999):** Environmental conditions affecting the growth of plants used for the stabilization of sand dunes "Siwa Oasis, Case

study". M.sc. Thesis Institute of environmental studies and research, Ain Shams Univ., 141 pp.

- Gemma, J. N., Koske, R. E. and Carreiro, M. (1989):** Seasonal dynamics of selected species of V-A mycorrhizal fungi in a sand dune. *Mycological Research* 92 (3): 317-321Pp.
- Gimingham, C. H. (1964):** The maritime zone. In Burnett, J. H. (ed). *The Vegetation of Scotland* pp 86-112. Oliver and boyed. Edinbrugh.
- Girgis, W. A. (1973):** Phytosociological studies on the vegetation of Ras El- Hikma- Mersa Matruh coastal plain. *Egyptian Journal of Botany*, 393- 409 Pp.
- Gray, A. J. (1985):** A daption in perennial coastal plants with particular reference to heritable variation in *Puccinellia maritima* and *Ammophila arenaria*. *Vegetatio*, 61: 179-188 Pp.
- Greenaway, W., Goimodere, I. and Whatley, F. R. (1991):** A nalysis of phenolics of bud exudates of *Populus euphratica* by GC-MS. *Phytochmistry*, 30 (6): 1883- 1885 Pp.
- Greipsson, S., Davy, A. J. (1996):** Sand Accretion and Salinity as Constraints on the Establishment of *Leymus arenarius* for Land Reclamation in Iceland. *Annals of Botany*, 78: 611-618 Pp.
- Gries, D., Zeng, F., Foetzkil, A., Arndt, S. K., Ruelheide, H., Thomas, F. M., Zhang, X. and Runge, M. (2003):** Growth and water relations of *Tamarix ramosissima* and *Populus euphratica* on Taklamakan desert dunes in relation to depth to a permanent water table. *Plant, Cell and Environment*, 26: 725-736 Pp.
- Gu1, R., Liu, Q., Pei, D. and Jiang, X. (2004):** Understanding saline and osmotic tolerance of *Populus euphratica* Suspended cells. *Plant Cell, Tissue and Organ Culture*, 78: 261-265 Pp.
- Gulzar, S. and Khan, M. A. (2001):** Seed germination of a halophytic grass *Aeluropus lagopoides*. *Annals of Botany* 87: 319-324 Pp.
- Hagedorn, H., Giebner, K., Weise, K., Busche, D. and Grunert, G. (1977):** *Dune stabilization*. Printed in West Germany, GTZ 194 Pp.

- Han, Y. and Weisgerber, H. (1997):** Genressourcen von Pappeln in China. In: Zhou, H., Weisgerber, H. (Eds.), Beiträge zur Wiederbewaldung der Lüßhochebene in Nordchina. Datong/Hann., Münden, pp. 220- 229.
- Harris, D. and Davy, A. J. (1987):** Seedling growth in *Elymus farctus* after episodes of burial with sand. *Annals of Botany*, 60: 587-593 Pp.
- Harris, S. and Davis, G. (1995):** The vegetation and flora of Deal Island, Kent Group. *Papers and Proceedings of the Royal Society of Tasmania*, 129:43-51pp.
- Harris, S., and Kirkpatrick, J. B. (1996):** The Coastal Vegetation of Northeast Tasmania. *Records of the Queen Victoria Museum Launceston*, 103:121-131 Pp.
- Hassan, L. M. (1987):** Studies on the flora of the Eastern Desert, Egypt. Ph. D Thesis, Fac., Sci., Cairo Univ., 524 Pp.
- Heyligers, P. (1989):** Sea Spurge (*Euphorbia paralias*), a strandline pioneer new to the Perth Region: *The Western Australian Naturalist*, 18:1-6 Pp.
- Heyligers, P. C. (1985):** The impact of introduced plants on foredune formation in south-eastern Australia. *Proceedings of the Ecological Society of Australia Number 14*: 23-41 Pp.
- Hilton, M. and Harvey, N., (2002):** Management and Implications of Exotic Dune Grasses on the Sir Richard Peninsula, South Australia. *Coast to Coast Conference* 186- 189 Pp.
- Hopkins, D. L. and Nicholson, A. (1999):** Meat quality of wether lambs grazed on saltbush (*A. nummularia*) plus supplements or Lucerne (*Medicago sativa*). *Meat Sci.*, 51: 91-95 Pp.
- Huiskes, A. H. L. (1979):** Biological flora of the British Isles: *Ammophila arenaria* (L.) Link (*Psamma arenaria* (L.) Roem. et Schult; *Calamagrotis arenaria* (L.) Roth). *Journal of Ecology*, 67: 363-382 Pp.

- Jackson, M. L. (1960):** *Soil chemical analysis*. Prentice-Hall, Inc. Englewood Cliffs, N.J. 248 Pp.
- Jafri, S. M. H. (1966):** *Flora of Karachi*. University of Karachi, Karachi, Pakistan.
- Johansen, D. A. (1940):** *Plant microtechnique*. New York, Book Company. 553 Pp.
- Kamal, S. A. (1982):** A study of vegetation environmental relations of the Western Mediterranean desert of Egypt. M.Sc. Thesis, University of Alexandria, 193 Pp.
- Kamal, S. A. (1988):** A study of vegetation and land use in the western Mediterranean desert of Egypt. Ph.D. thesis, Faculty of Science, Alexandria University, Alexandria, Egypt. 189 Pp.
- Kassas, M. (1957):** On the Ecology of Red Sea coastal land. *Journal of Ecology*, 45: 187- 203.
- Kassas, M. (1960):** Certain aspects of land form effects on plant- water resource. *Bulletin de la societe de Geographie d Egypte*, 33: 45- 52 Pp.
- Kassas, M. and Girgis, W. A. (1965):** Habitats and plant communities in Egyptian desert. VI- The units of desert ecosystem. *Journal of Ecology*, 53: 715- 728 Pp.
- Kassas, M. and Imam, M. (1954):** Habitats and plant communities in Egyptian desert. III- The Wadi bed ecosystem. *Journal of Ecology*, 42: 224- 241 Pp.
- Kassas, M. and Zahran, M. A. (1967):** On the Ecology of Red Sea Littoral salt marshes, Egypt. *Ecological Monographs*, 37: 297 Pp.
- Khan, M. A. and Gul, B. (1998):** High salt tolerance in the germinating dimorphic seeds of *Arthrocnemum indicum*. *International Journal of Plant Sciences* 159: 826-832 Pp.
- Khan, M. A., and Gul, B. (2002):** Salt tolerant plants of coastal sabkhas of Pakistan. In H. Barth and B. Boer [eds.], *Sabkha ecosystems:*

the Arabian Peninsula and adjacent countries, vol. 1, 123–140 Pp. Kluwer, Dordrecht, The Netherlands.

- Khan, M. A. and Gulzar, S. (2003):** Light, Salinity and Temperature effects on the seed germination of perennial grasses. *American Journal of Botany*, 90(1): 131–134 Pp.
- Khan, M. A. and Ungar, I. A. (1997):** Effect of temperature regime on recovery of seed germination of halophytes from saline conditions. *American Journal of Botany*, 84: 279–283 Pp.
- Khan, M. A. and Ungar, I. A. (1998):** Germination of salt tolerant shrub *Suaeda fruticosa* from Pakistan: Salinity and temperature responses. *Seed Science and Technology* 26: 657–667 Pp.
- Khan, M. A. and Ungar, I. A. (1999):** Effect of salinity on the seed germination of *Triglochin maritima* under various temperature regimes. *Great Basin Naturalist* 59: 144–150 Pp.
- Khan, M. A. and Ungar, I. A. (2001):** Alleviation of salinity stress and the response to temperature in two seed morphs of *Halopyrum mucronatum* (Poaceae). *Australian Journal of Botany*, 49: 777–783 Pp.
- Khan, M. A., Ungar, I. A. and Showalter, A. M. (1999):** Effects of salinity on growth, ion content and osmotic relations in *Halopyrum mucronatum* (L.) stapf. *Journal of Plant Nutrition*, 22(1): 191–204 Pp.
- Kilmer, V. J. and Alexander, L. T. (1949):** Methods of making mechanical analysis of soils. *Soil Sci.*, 68: 15–24 Pp.
- Kirkpatrick, J. B. and Harris, S. (1995):** The conservation of Tasmanian dry coastal vascular plants. Wildlife Scientific Report 95/1. *Parks and Wildlife Service Tasmania*.
- Kluge, M. and Tig, I. P. (1978):** Taxonomy and geographical distribution of CAM plants 1–3-Euphorbiaceae. In: Kluge, M. & Tig, I.P. (Eds), *Crasulacean Acid Metabolism, Analysis of an Ecological Adaptation*, pp. 12–13. Berlin, Heidelberg, New York: Springer-Verlag. 334 Pp.

- Koske, R. E. and Polson, W. R. (1984):** Are VA mycorrhizae required for sand dune stabilization? *Bioscience* 34 (7): 420-424 Pp.
- Kramer, P. I. and Boyer, J. (1995):** *Water relations of Plants and soils: Academic Press SanDiego.* (C.F. CrauleymM.J.(1997). Plant ecology, 2nd edition Black well science Ltd. Springer-Verlag,Berlin. 717 Pp.
- Lazarides, M. (1994):** *Halopyrum mucronatum.* In Dassanayake,M.D (ed) Arevised Hand book to the flora of Ceylon. V. VIII. Published for the smith sonian Institution and the National Science Foundation, Washington, D. C., by Amerind publishing Co. pvt. Ltd., New Delhi. 246-247 Pp.
- Little, L. R. and Maun, M. A. (1996):** The *Ammophila* problem revisited a role for mycorrhizal fungi. *Journal of Ecology* 84: 1-7 Pp.
- Lubke, R. A., Hertling, U. M. and Avis, A. M. (1995):** Is *Ammophila arenaria* (Marram grass) a threat to South African dune fields, *Journal of Coastal Conservation*, Number 1.
- Ludwig, J. A. and Reynolds, J. F. (1988):** *Statical Ecology, a primer on methods and computing.* New Yourk, Jonwiley and Sons. 337 Pp.
- Metcalf, C. R. (1960):** *Anatomy of the Monocotyledons. I- Gramineae.* The Clarendon press. Oxford,731 Pp.
- Metcalf, C. R. and Chalk, L. (1979):** *Anatomy of the Dicotyledons.* (Vol. 2.) Oxford, Clarendon press. Pp 978-988.
- Michael, F. F., Dolores, M. L., and Molly, M. K. (1999):** From the waters of Babylon. *Populus euphratica* in Spain is clonal and probably introduced. *Biodiversity and Conservation* 8: 769-778 Pp.
- Migahid, A. M. (1978):** *Flora of Saudi Arabia.* Second edition, two volumes, Riyadh univ. press.1-650 and 651-939 Pp.
- Migahid, A. M. and Ayyad, M. A. (1960):** An ecological study of Ras El- Hikma area. *Bull. Inst. Desert. Egypte*, 10: 1-120 Pp.

- Migahid, M. M. (2003):** Effect of salinity shock on some desert species native to the northern part of Egypt. *Journal of Arid Environments*, 53: 155–167 Pp.
- Noor, M. and Khan, M. A. (1995):** Factors affecting germination of summer and winter seeds of *Halopyrum mucronatum* under salt stress. In: Khan MA, Ungar IA, eds. *Biology of salt tolerant plants*. Karachi, Pakistan: University of Karachi, 51-58 Pp.
- Oliver, F. W. (1945):** The flowers of Mareotis: an impression. Part II. Transactions of Norfolk and Norwich. *Naturalists Soc.*, 16: 130-164 Pp.
- Oliver, J. E. (1973):** *Climate and mans environment: An introduction to applied climatology*. Johan Wiley and Sons. Inc. N. Y. 517 Pp.
- Oppermann, A. (1999):** *A Biological Survey of the South Australian Coastal Dune and Cliff top Vegetation*. Adelaide, Department for Environment, Heritage and Aboriginal Affairs, 334 Pp.
- Pandeya, G. S., Puri, G. S. and Singh, J. S. (1968):** *Research methods in plant ecology*. Asia Publ. House. Bombay. 272 Pp.
- Parks & Wildlife Service (2006):** Threats on coastal weeds (Sea spurge, marram grass & sea-wheat). Available on Internet: [www. Parks.tas.gov.au](http://www.Parks.tas.gov.au).
- Pickart, A. J. (1997):** Control of European Beach grass (*Ammophila arenaria*) on the West Coast of the United States. California Exotic Pest Plant Council 1997 Symposium Proceedings. 8 Pp.
- Piper, C. S. (1950):** *Soil and plant analysis*. Interscience Publishers, Inc, New York, N.y. 186 Pp.
- Ranwell, D. (1959):** New borough Warren, Anglesey.(I) The dune system and dune slack habitat. *J. Ecol.*, 47: 571-601 Pp.
- Ranwell, D. S. (1972):** *Ecology of salt marshes and sand dunes*. London, Chapman and Hall.
- Raunkiaer, C. (1934):** *Life forms of plants and statistical plant geography*. Arno press, A New York Times Company, New York, 620 Pp.

- Reis, C. S. and Freitas, H. (2002):** Rehabilitation of the Leirosa Sand Dunes. *Littoral* 381-384 Pp.
- Rezk, M. R. (1970):** Vegetation change from sand dune community to asalt marsh as related to soil characters in Mariud District, Egypt, *Oikos*, 21: 341-343 Pp.
- Richards, L. A. (1954):** *Diagnosis and improvement of saline and alkali soils*. Us. Department of agriculture, Handbook Company. 60 Pp.
- Rizk, A. M. (1986):** *The phytochemistry of the flora of Qatar*. Scientific and Applied Research Center, Univ., Qatar, 582 Pp.
- Rodriguez-Echeverria, S., Crisóstomo, J. and Freitas, H. (2004):** Arbuscular mycorrhizal fungi associated with *Ammophila arenaria* L. in European coastal sand dunes. Proceedings 10th MEDECOS Conference, April 25 – May 1, 2004, Rhodes, Greece, Arianoutsou & Papanastasis (eds) 7 Pp.
- Rottenberg, A. (2000):** Fertility of exceptional bisexual individuals in four dioecious plant species" *Israel Sex Plant Reprod.*, 12: 219-221 Pp.
- Rudman, T. (2003):** Tasmanian Beach Weed Strategy for marram grass, sea wheatgrass, pyp grass and beach daisy, Nature Conservation Report 03/2, Nature Conservation Branch, Department of Primary Industries, Water and Environment, Tasmania.
- Rüger, N., Schlüter, M. and Matthies, M. (2005):** A fuzzy habitat suitability index for *Populus euphratica* in the Northern Amudarya delta (Uzbekistan). *Ecological Modelling*, 184: 313-328 Pp.
- Ryan, J., Garabet, S., Harmsen, K. and Rashid, A. (1996):** A soil and plant analysis manual adapted for the west Asia and north Africa region. International Center for Agricultural Research in the Dry Areas (ICARDA). Aleppo. Syria. 140 Pp.
- Shaltout, K. H., El- Halawany, E. F. and El- Kady, H. F. (1996):** Consequences of protection from grazing on diversity and

abundance of the coastal low land vegetation in Eastern Saudi Arabia. *Biodivers. Conserv.*, 5: 27-36 Pp.

Soliman, M. I., Zahran, M. A. and Khedr, A. A. (1996): Anatomical Adaption of halophytic plants in Egypt. *Journal of Environmental Science*, 11: 119- 139 Pp.

Stewart, E. A. (1974): *Chemical analysis of ecological material.* Blackwell scientific publication. Oxford, London, Edinburge.

Sykes, M. T. and Wilson, J. B. (1989): The effect of salinity on the growth of some New Zealand sand dune species. *Acta Botanica Neerlandica*, 38: 173- 182 Pp.

Täckholm, V. (1974): *Students Flora of Egypt* (2nd Edn). Cairo: Cairo University. 888 Pp.

Tadros, T. M. (1953): Aphytosociological study of halophilous communities from Mareotis (Egypt). *Vegetatio* 4: 102- 124 Pp.

Tadros, T. M. (1956): An Ecological survey of the semi- arid coastal strip of Western desert of Egypt. *Bull. Du Institute du desert d Egypte* 6: 28- 56 Pp.

Tadros, T. M. and Atta B. A. (1958): Further contribution to the study of the sociologand ecology of the halophilous communities from Mareotis (Egypt). *Vegetatio* 8: 137- 160 Pp.

Tadros, T. M. and El- Sharkawy, H. M. (1960): Phytosociological and ecological studies on the vegetation of Fuca- Ras El- Hikma area. I. Sociology of the communities. *Bull. Du Institute du desert d Egypte* 10: 37- 60 Pp.

Thalen, D. C. P. (1979): Ecology and utilization of desert shrub range lands in Iraq. Dr. W. Junk. B. R. Publishers, the Hague.

Tingjun, M., Qunlu, L., Zhuo, L. and Xujia, Z. (2002): Tonoplast H⁺-ATPase in response to salt stress in *Populus euphratica* cell suspensions. *Plant Science*, 163 : 499- 505 Pp.

Treshkin, S. Y. (2001): Transformation of tugai ecosystems in the floodplains of the lower reaches and the delta of the Amu-Dar'ya and their protection. In: Ecological Research and Monitoring of

the Aral Sea Deltas. A Basis for Restoration, vol. 2. UNESCO Aral Sea Project.

Weisgerber, H. and Han, Y. (2001): Diversity and breeding potential of poplar species in China. *For. Chron.*, 77 (2): 227-237 Pp.

White, R. S. (1976): Seasonal pattern of photosynthesis and respiration in *Atriplex confertifolia* and *Ceratoides lanata*. Ph.D. dissertation, Utah State University. 283 Pp.

Wiedeman, A. M. and Pickart, A. (1996): The *Ammophila* problem on the north west coast of North America. *Landscape and Urban Planning*, 34: 287-299 Pp.

Wilcock, P. J. (1997): Aspects of the Ecology of *Euphorbia paralias* L. (Sea Spurge) in Australia. Unpublished Bachelor of Applied Science Honours Thesis, University of Ballarat, Ballarat, 119 Pp.

Wilde, S. A., Corey, R. B., Iyer, J. G. and Voigt, G. K. (1979): *Soil and plant analysis for tree culture*. Oxford, IBH publishing Co., New Delhi, Bombay. Calcutta. 224 Pp.

Willis, A. J., Folkes, B. F., Hope-Simpson, J. F. and Yemm, E. W. (1959a): Braunton Burrows: The dune system and its vegetation. Part(I). *J. Ecol.*, 47: 1-24 Pp.

Willis, A. J., Folkes, B. F., Hope-Simpson, J. F. and Yemm, E. W. (1959b): Braunton Burrows: The dune system and its vegetation. Part (II). *J. Ecol.*, 47: 249-288 Pp.

World Agroforsty Center (2006): *Populus euphratica*. Available on line <http://www.worldagroforestry.org/search/default.asp?q=populus%20&c=0>.

Zahran, M. A. (1967): On the ecology of the East coast of the Gulf of Suez. I- Littoral salt marsh. *Bull. Desert. Inst. Cairo*. 17: 225-252 Pp.

Zahran, M. A. (1972): On the ecology of Siwa Oasis. *Egypt. J. Bot.*, 15: 223-242 Pp.

Zahran, M. A. (1976): On the Ecology of the halophytic vegetation of Egypt. *Bull. Fac. Sci., Mans. Univ.*, (4): 29- 58 Pp.

- Zahran, M. A. (1977):** Africa A. Wet formations of the African Red Sea coast. Chapter 10: In Chapman, V. J. (eds) *Ecosystems of the world, wet coastal Ecosystems*. Elsevier Sci. publishing company, Amsterdam. Pp 212-231.
- Zahran, M. A. (1982a):** *Vegetation types of Saudi Arabia*. King Abdul Aziz Univ. Jeddah, Saudi Arabia. 63 Pp.
- Zahran, M. A. (1982b):** *Ecology of the halophytic vegetation of Egypt. Tasks for vegetation science*. volzed by D.N. sen and K.S. Raipurohit. Dr. W. Junk Publisher, Pp 3-20.
- Zahran, M. A. (1989):** *Principles of plant ecology and flora of Egypt*. Dar El Nashr for Egyptian Universities- El Wafa Libirary 388 Pp.
- Zahran, M. A. (1993):** Dry coastal ecosystems of the Asian Red Sea coast. In: *Ecosystem of the World 2B Dry coastal ecosystems*(ed). Eddy Van der maarel. Else Vier, Amsterdam (17-29 pp) 616 Pp.
- Zahran, M. A. and Mashaly, I. A. (1991):** Ecological notes on the flora of the Red Sea Coastal land of Egypt. *Bulletin of Faculty of Science, Mansoura Univ.*, 18(2): 251- 292 Pp.
- Zahran, M. A. and Willis, A. J. (1992):** *The Vegetation of Egypt*. Chapman and Hall. 424 Pp.
- Zahran, M. A., El- Demerdash, M. A., Abu Ziada, M. E. and Serag, M. S. (1988):** On the Ecology of the Deltaic Mediterranean coastal land, Egypt. II-Sand formations of Damietta-Port-Said coast. *Bull. Fac. Scie., Mans. Univ.*, 15(2): 581- 606 Pp.
- Zahran, M. A., El- Demerdash, M. A., and Mashaly, I. A. (1985):** On the ecology of the deltaic coast of the Mediterranean Sea. Egypt I-General survey. proc, Egypt Bot. Soc.,4, 1985, Ismailia conf. 1392-1407 Pp.
- Zahran, M. A., El- Demerdash, M. A., and Mashaly, I. A. (1990):** Vegetation types of the deltaic Mediterranean coast of Egypt and their environment. *Journal of vegetation Science* 1: 305-310 Pp.
- Zahran, M. A., Murphy, K. J., Mashaly, I. A. and Khedr, A. A. (1996):** On the ecology of some halophytes and psammophytes in

the Mediterranean coast of Egypt. *Verhandlungen der Gesellschaft für Ökologie* 25: 133-145 Pp.

Zahran, M. A. and Mashaly, I. A. (2000): Climate and vegetation of Egypt. *Proceedings, 5th conference: Metrology & Sustainable development*, Cairo 22-24 February 200, 196-210 Pp.

Zahran, M. A., Moore, P. D. and Sekina, M. A. (1992a): Ecopolynological studies on the Deltaic Mediterranean Coastal belt of Egypt. *Bull. Fac. Sci., Mans. Univ.*, 19(2): 121-139 Pp.

Zahran, M. A., Shukry, W. M., Mashaly, I. A., El-Kacoy, T. and Abu El-Soud, M. (1992b): Environmental and physiological adaptation of plants naturally growing in the different habitats of Egypt. *Bull. Fac. Sci., Mans. Univ.*, 19(2): 203-227 Pp.

Zahran, M. A., Shukry, W. M., Mashaly, I. A. and Abu El-Soud, M. (1993): Anatomical Adaptation of some native Egyptian plants growing under salinity and /or aridity stresses of Egypt. *Bull. Fac. Sci., Mans. Univ.*, 20(1): 71-96 Pp.

Zohary, M. and Fahn, A. (1952): Ecological studies on East Mediterranean dune plants. *Bulletin of the Research Council of Israel*, 1: 38- 53 Pp.

Zohary, M. (1962): *Plant Life of Palestine*. New York, The Ronald Press Company.

Zohary, M. (1973): *Geobotanical Foundations of the Middle East*. Gustav Fischer Verlag. (2 vols.) Stuttgart. 739 Pp.

Zohary, M. and Feinburn, N. (1951): Outline of the vegetation of the Northern Negev. *Palestine Journal of Botany. Jerusalem series*, 5: 96-114 Pp.