

References

- Abdallah, A. M. and EL-Adindani,A (1963):** "Stratigraphy of the Upper Paleozoic Rocks, Western Side of the Gulf of Suez, Egypt" U.A.R. Geol. Sury. Paper No. 25, pp. 1-18.
- Abu EL Ata, A.S.A and Abdel-Aziz, A.L.; (1988):** " Hydrocarbon Source Rock Evaluation of Abu Raosh Clastic Members of Abu Sennan Area, Western Desert , Egypt Utilizing Well Logging Analysis". 6th ann. Meeting, Egy. Geophys. Soci. March, 1988, P.323-336.
- Abd El Shafy. A., (1992):** " Miocene-Pliocene boundary in the Gulf of Suez region, Egypt, 10th E.G.P.C. Exploration and Production Conference,20p.
- Allen L.S. Mills W.R. (1965):**” The effects of fluid invasion in pulsed Neutron logging”; Geophys. .Vol. 30, No .3
- Alger, R. P., (1963):** " Formation Density Log Application in Liquid Filled holes., " J . Pet. Tech. 15, pp.321-332.
- Andrawis, S., Fahmy, S.E., and Ansary, S.E., (1962):**
" Biostratigraphic studies of the Upper Cretaceous section in the GPC wells" in the Eastern Desert and Sinai. Proc. 4th Arab. Pet. Cong. Beirut, pap 24, (B-3), 19p.
- Asquith G.B. and Gibson C. (1982):** “Basic well logging analysis for geologists “; Text Book , AAPG, Tulsa, Oklahoma, U.S.A., 216 P.

- Arps, J.J.; (1953):** " The effect of temperature on the density and electrical resistivity of sodium chloride solution. " Pet. Trans. ATME.
- Barron, T., (1907):** " The topography and geology of the peninsula of western portion" Egypt Survey Dept., Cairo, 241p.
- Bassiouni, Z.; (1994):** " Theory, Measurement and Interpretation of well logs" SPE Textbook Series, USA, 372p.
- Bobbite, J.E., and J. D. Gallagher;(1978):** " The petroleum Geology of the Gulf of Suez, 10th annual OTC in Huston, Texas, USA, P.375-380.
- Brooks, M., and kearey, P., (1991):** " An Introduction To Geophysical Exploration., " Black Well, Scientific, Publication, Oxford.
- Bruke J.A.,(1969):** "The Lithology Porosity Crossplot" The Log Analyst (SPWLA),10(6),P.25-43.
- Carothers J. W.,(1968):** " A Statistical Study of the Formation Factor Relationship" The Log Analyst, (Sep.-Oct.1968) P.14-20.
- Chowdhary L.R., and S. Taha; (1987):** " Geology and habitat of oil Ras Budran Field" Gulf of Suez, Egypt: AAPG Bul., Vol. P.1274-1293.
- Cloose, H., (1929):** " Tectonische Experiment and die Entstehug von Bruchtinien" C.R. 15thInt. Geol. Congr. South Africa,2.
- Cloose, H., (1932):** " Zur Mechnik Grosser Bruche and Graben" center. Bt. F. Min. etc. (B) 773-286
- Demaison, G. J., and G. T. Moor, (1980):** " Anoxic environment and oil source bed genesis : AAPGBulletin, v.64,p. 1179-1209.
- De Sitter, L. U., (1956):** " Structural Geology" Mc. Graco Hill Book Co., nc., London, New York, Torento, 552P.
- Dresser Atlas, (1979):** "Log Interpretation Charts" Dresser Industries I nc., Houston Texas, 107p.

Dresser Atlas, (1982): "Well Logging & Interpretation Techniques"

Dresser Atlas, Dresser Industries Inc.

Dresser Atlas, (1983): " Log Interpretation " Dresser Industries Inc.,

Houston Texas, 149p.

Dobrin, M.M., (1988): " Introduction to Geophysical Prospecting., " 4th

Edition, Mc Graw-Hill Inc.867p.

Dumanoir J.L., (1972): “ Rxo/Rt methods for wellsite interpretation”;

Trans., SPWLA, 13th Ann.Log.Symp.

Durochet J.; (1981): " The DIAGEN Program, Two Procedures to

calculate the Diagenetic Evaluation of Organic Matter" Bull.

Cent. Tech. Expl. Proc., Vol. 4, P. 813-831.

E.G.P.C. Stratigraphic Sub-committee; (1964): " Oligocene and

Miocene rock stratigraphy of the Gulf of Suez region, " Egypt.

Mimographed. Cairo, 12PP.

E.G.P.C. (1996): "Gulf of Suez Oil Field" A Comprehensive Overview,

Cairo, Egypt.

EL-Heiny,I.A.,(1982): " Neogene Stratigraphic of Egypt,," Newslett.

Stratigr., Vol.11: p.41

Evans, A.L.(1988): "Neogene tectonic and stratigraphic events in the

Gulf of Suez rift area. " Egypt; Tectonophysics, Vol. 153, P. 235-247.

Evans, A.L.(1990): " Miocene sandstone provenance relation in the Gulf

of Suez: insights into synrift unroofing and uplift history: AAPG Bull., v.74, p. 1386-1400.

Fawzy, H., and Abdel Aal, A., (1984): " Regional Study of Miocene

Evaporites and Pliocene Recent Sediments in the Gulf of Suez,,"

7th EGPC. Expl. Ann. Sem., Cairo, Egypt, 44-73

Fertle W.H and Hammack G.W (1971): “ A comparative look at water saturation computations in shaly pay sands”; Trans.SPWLA.

Fertl, W.H.; (1978): " How subsurface Temperature Affects Formation Evaluation" Oil and Gas Jour., July, P.54,59-62.

Fertle W.H. and Frost E. (1980): “ Evaluation of shaly calstic reservoir rocks”; J.Petro.Tech.

Garfunkel, Z.,(1981): " Internal structures of the Dead Sea leaky transform (Rift) in relation to plate kinematics, " Tectonophysics, 80: 81-108.

Ghorab, M.A.;(1961): " Abnormal stratigraphic features in Ras Gharib oil field."3rd Arab petrol. Cong. Alexandria 10 PP.

Gridler, R.W., (1958):" The Relationship of the Red Sea to the East African Rift System"

GUPCO, (1990): October oil field: AAPG Treatise of Oil and Gas Fields, p.27.

GUPCO, (1982): "The structure contour map for top of Nukhul Formation" library of Petroleum sector information center, GTL 3001 file, Rep.No.: ER82-17(AR), Encl: A4, and Rep. No.: ER 82-17, Encl:3B (1982).

Hagras, M.A.; (1976): "The Distribution and Nature of the Miocene Sediments in the Gulf of Suez"E.G.P.C.5th Expl. Semin. Cairo, Egypt. 12P.

Hagras,M.A.; (1986): "Some geological observation on the Gulf of Suez area, Egypt."E.G.P.C.8th Expl. Conference, Cairo, Egypt.28P.

Harris M.H. (1969): “A computer oriented generalized porosity-lithology interpretation of neutron, density and sonic logs”; AIME , Denver, Colorado , U. S. A.

Harper, M.L.; (1966): "Block Faulting and Sedimentation in the Gulf of

Suez." Petroble Company Report No. 36.

Hassan, A., (1967): A new Carboniferous occurrence in Abu Durba-Sinai-Egypt: 6th Arab petroleum Cong., Baghdad, 39(B-3).11p.

Hassouba, M., (1990): Reservoir geometry of Hammam faraun and its implication to reservoir managements. Badri field, Gulf of Suez,EGPC, 10th Expl. And Prod. Conf., Cario. 16p.

Hassouba, M., (1992): Nezzazat Group reservoir geometry and rock types in the October field area, Gulf of Suez, EGPC, 11th Expl. and Prod. Conf., Cario, pp. 152-163.

Hassouba, M., (1994): Early synrift sedimentation in October field area, a stratigraphic model for hydrocarbon accumulation, E.G.P.C. 12th Exploration and Production Conference, Cario, 10p.

Hedberg H.G., (1979): “ Petroleum prospects of deep off share”; AAPG Bull.Vol.63, P.286-300.

Helander, D. P., (1978): "Formation Evaluation Manual. " Oil and Gas Consultants International , inc. Boston, Tusla, Oklahoma, U.S.A

Helmy, H., (1988): " Structural of the B-Trend Oil Southern Gulf of Suez, Egypt. " GUPCO, Cairo, Egyptian Sud. Leidsche Geolog. Vol.12 No.2, pp.251-470

Hilchie, D.W., (1878): "Application Open Hole Interpretation for Geologist and Engineers. " D.W. Hilichie, Inc., Golden, Colorado,U.S.A.

Hoseny, I. A., (1986): Miocene Stratigraphic Nomenclature in the Gulf of Suez, E.G.P.C. 8th Expl. siminar., Cairo. 10p.

Hus, M. Y. (1982): " Fault movement in the Ramadan Field, Gulf of Suez., " Six exploration Seminar, Cairo,22p.

Jordi, H., (1984): " A Megatectonic concept of the Gulf of Suez., " 7th

EGPC Expl.and Prod. Conf., Cairo Vol. Expl. P.1-4.

- Khalil, B., (1984):** Geological and sedimentological studies of Oligocene- Miocene in Abu Zenima and October field, Sinai, Egypt: M.Sc. thesis, Ain Shams University. 170p.
- Krumbin, W.C. and Sloss, L.L., (1963):** Stratigraphy and sedimentation, 2nd edition, Freeman and Company San Francisco and London, 660p.
- Lopatin, N.V., (1971),** " Temperature and geologic time as factors in coalification (in Russian) " Akad. Nauk SSSR Izv. Scr. Geol., no. 3, pp. 95-106.
- Oehler, J., (1982):** "Using geothermal gradient to estimate the source rock quality", AAPG Memoir 42.
- McClay, K.R., (1998):** " Extensional Tectonics and Sedimentation, Eastern Gulf of Suez, Egypt., " Chapman and Hall, London, 15p.
- Mc Connel, R.B. (1948):** "Rift and shield structures in the East Africa Rep. XVII, Int., Geol. Congr. Gt. Britain.
- Meshrif W. M., (1976):** " Structural Interpretation of Gulf of Suez and Oil Potentialities" 5th EGPC Expl.& Conf., Cairo, 21p.
- Meshref, W. M., (1976):** " Structural Interpretation of the Gulf of Suez and its Oil Potentialities., " EGPC, 5th Explore. Seminar, Cairo, Egypt. Pp.1-20.
- Meyer, B.L. and Nederlof, M.H.,(1984):** "Identification of Source Rocks on Wireline Logs by Density-Resistivity and Sonic Transit Time-Resistivity crossplots" AAPG. Bull.V.68,No.2.P.121-129.
- Moon, F. W., and Sadek, H., (1923):** Preliminary geological report on Wadi Gharandal area, Cairo Bull. Petrol.Res. No.10, Govt. Press. 11p.
- Morley, C. K., (1990):** Transfer zones in the east African rift systems: AAPG Bull., v.74,p. 1234-1253.

Morris, R.L., (1967): " Using Log Derived Values of water saturation., " SPWLA, Symp.

Moustafa, A.M., (1976): " Block Faulting in thje Gulf of Suez., " 5th Expl. Sem. Cairo. Egypt. P.1-19.

Passey R.Q, Creaney S., Kulla J.B., Moretti F.J. and Stround J.D. (1990): “ A practical model for organic richness from porosity and resistivity logs”; The American Assoc.Petr.Geol.Bull., Vol.74, P.1717-1794.

Peterson R.A, Fillipone W.R. and Coker F.B. (1955): “ The synthesis of seismograms from well log data”; Geophysics, Vol.XX, No.3, P.516-538.

Poupan, A., and Gaymard, R., (1970): " The Evolution of Clay Content From Logs., " The analysis, Vol. II, No.6,pp.18-25.

Poupon A. and Leveaux J. (1971): “Evaluation of water saturation in shaly formation”; SPWLA, 12th Ann. Logging Symp.

Ronov, A.B.(1958): " Organic Carbon in Sedimentary Rocks(in relation to presence of petroleum) ". Translation in Geochemistry, 5, 510-536.

Robertson Research International, (1986): The Gulf of Suez area, stratigraphy, petroleum geochemistry, Petroleum Geology, Six volumes Rebortson Group, Leandudno. 32p.

Said, R., (1962): " The Geology of Egypt., " Elsevier, Amsterdam-New York, pp.1-377p.

Said, R., (1990): " The Geology of Egypt., " A.A Balkeme/ Rotterdam/Brookfield., pp 1-727.

Schlumberger, (1970): " Well Evaluation Conf., " Libya Serv. Tech. Schlumberger, Francs.96p.

- Schlumberger, (1972):** "Log Interpretation, Vol. I, Principles";
Paris, France.
- Schlumberger, (1974):** " Log interpretation., " Vol.II- Applications.
Schlumberger Limited, New York U.S.A., 116p.
- Schlumberger, (1984):** " Well Evaluation Conference, Egypt., " Schl.
Limited, Egypt, 250p.
- Schlumberger, (1987):** " Log interpretation principles/ Applications"
98p.
- Schlumberger, (1989):** " Log interpretation principles/ Applications"
- Schlumberger, (1991):** " Log interpretation Charts" 171p.
- Schlumberger, (1995):** " Log Interpretation Charts. Schlumberger Well
Services, New York, U.S.A, 120p.
- Schmoker, J.W.,(1979):** "Determination of Organic Content of
Appalachian Devonian Shales from Formation-Density Log"
AAPG. Bull. Vol. 63, No. 9, P.1504-1509.
- Schurman, H. M. E.,(1966):** The Pre-Cambrian Along the Gulf of Suez
and the Northern part of the Red Sea, Leiden, Brill. 12p.
- Schutz, K.L., (1994):** "Structure and Stratigraphy of the Gulf of Suez,
Egypt" in Landon S.M., ed., Interior Rift Basin: Am. Assoc.
Petro. Geol., Memoir 59, P. 57-96.
- Serra O (1984):** " Fundamental of well log interpretation. Vol.I (The
acquisition of logging data developments in petroleum science)";
Elsevier, Amsterdam, 440 P.
- Soaudy, A., and Khalil, B., (1984):** " Distribution and Hydrocarbon
Potential of Nukhul Sediments in the Gulf of Suez., " 7th EGPC.
Explor. Ann Sem. Cairo, Egypt, pp.75-95.
- Soliman, M.S., (1965):** Geological setting of the Gulf of Suez province

during the Eocene Period: 5th Arab Pertol. Cong. Cairo, pp. I-29.

Soliman, O. M., (1988): Petroleum habitat in the vicinity of October oil field, Gulf of Suez; M.Sc.Thesis. Suez Canal Univ., 284p.

Shaheen, A.N., and M.M Shehab (1984): " Petroleum generation, migration and accumulation in the Gulf of Suez offshore south Sinai., "7th E.G.P.C Exploration Seminar, Cario, 13p.

Sharaf, M. Lobna, (1992): Sedimentological and geochemical studies related to the occurrences of petroleum in the northern Gulf of Suez, PhD Thesis, Ain Shams Univ.325p.

Simandoux P. (1982): "Measures dielectrics en Milieu Poreux, application a mesure des saturations en eau, etude du comportement des massifs argileux"; Revue de l'institut Francais des Petrole, Supplementary Issue.

Simth, I.W. and Young, N.B (1964): " Specific Gravity to Oil-Yield Relationships for Black Shales of Kentucky's New Albany Formation" U.S. Bur. Mines Rep. Inv.6531.13p.

Steen, G., (1982): Radiometric age dating and tectonic significance of some of Gulf of Suez igeneous rocks. In: Hunter, G.(Ed) The Egyptian General Petroleum Corporation 6th Exploration Seminar, Cairo, 20pp.

Tewfik, N., Harwood, C., and Deighton I., (1992): " The Miocene, Rudies and Kareem Formations of the Gulf of suez Aspects of Sedimentology and Geohistory" 11th EGPC Expl. And Prod. Conf., Cario, Vol. 1,P.84-112.

Thomas B.A. (1979): " Geochemical analysis of hydrocarbon occurrences in northern Perth basin Australia"; AAPG Bull.Vol.63, P.1092-1102.

Tromp, S.W., (1950): " The Age and Oigin of the Red Sea Graben"

Geol. Mag., Vol. 87, P. 385-392.

Wait, S. T., (1950): " North-South Tectonics in the Clysmic Gulf. "

G.P.C. Internal Rep. No. G.R. 878, Cairo, Egypt.

Wait, S. T., and Pooly, R.W., (1953): Report on the Nukhul Formation,
unpublished rept., GR.952.

Waples D.W. (1980): Time and temperature in petroleum formation;
spplication of Lopatin's method to petroleum exploration: AAPG
Bulletin, v.64, pp. 916-929.

Waples D.W. (1985): “ Geochemistry in petroleum exploration”; Reidal,
P.217.

Wasfi S. and Hattaba H., (1980),: "Preliminary biostratigraphic
results of Shoab Ali field, a re-interpretation of the Israeli
stratigraphic data", ER 80-14 (SA).

Welte and, D. H. and Leythaeuser, D. (1981), " Application of organic
geochemistry and quantitative analysis to petroleum origin and
accumulation ". AAPG Bulletin, no. 49, pp. 2248-2268.

Winsauer W. O., (1952): " Resistivity of Brine-Saturated Sands in
Relation to Pore Geometry" Am. Assoc. petro. Geol., Bulletin
(Feb., 1952) Vol. 36, No.2, p.253-77.

Wyllie M.R.J. (1963): “ The fundamental of well log interpretation”;
Academic Press, New York.

Youssef, M.I. (1949): Stratigraphical studies in Kosseir Area.
Ph.D.Thesis, Univ. of Alexandria. 146p.

Youssef, M.I. (1957): Upper Cretaceous rocks in in Kosseir Area. Bull.
Inst. Desert, Egypt 7 (2); 3554.

Youssef, M.I (1968): "Structural Pattern of Egypt and its Interpretation "

AAPG. Bull. Vol.52, 601-614.

Zahran, M. E.,(1981): The geology of west Abu Rudeis; October oil field; with reference to the geology of the Gulf of Suez . M.Sc. thesis, Faculty of Science, Cairo University, 174pp.

Zahran, M. E.,(1986): Geology of October oil Field, E.G.P.C. 8th Exploration International Conference, Cairo, 25p.

Zahran, M. E., and Meshref, W.,(1988): The northern Gulf of Suez basin evolution, stratigraphy and facies relationship. E.G.P.C.9th Exploration International Conference, Cairo. 28p.