

References

- Abd El-Fattah, R. I. (1994).** Plant indicators to habitat conditions in Sharkiya Province. *Egypt. J. Bot.* 2, 177-198.
- Abd El-Ghani, M. M. (1992).** Flora and Vegetation of Qara Oasis, Egypt *Phytocoenologia*. 21: 1-2, 1-14.
- Abd El Rahman, A. A. and El Hadidy, M. N. (1959).** Some observations on the effect of wind on the desert vegetation along Suez Road. *Extrait Du Bulletin De La Societe De Geographic D' Egypt*, T. 32, 207-216.
- Abd El Rahman, A. A. and El Batanouny, K. H. (1959).** Seasonal Variations in the desert vegetation along Cairo-Zueez road. *Bull. Inst. Desert d Egypt*. Tome. IX, No. 1: 1-10.
- Al-Juboory, B. A. and Hassaw, G. S. (1980).** Comparative Morphological development of cogon Grass (*I. cylindrica*) in Iraq Weed *Sci*. 28: 324-326.
- Al-Kouthayri, G. R. and Hassan, A. A. (1988).** Survey of major weeds in Hadramout Valley, Yemen. *Arab-Journal-of-Plant-Protection*. 16:1, 19-26.
- Amita, P., Pandeya, S. C. and Pandeya, A. (2002).** Environment and population differentiation in *Desmostachya bipinnata* (Linn.) Stapf in western India. *Tropical-Ecology*. 43: 2, 359-362.
- Anonymous (2004).** In "*Climatological Normals for the Arab Republic Of Egypt up to 2004* ". Ministry of Civil Aviation, Cairo, Egypt.
- AOAC (1983).** Official methods of analysis of the association of official analytical chemists: 13th ed., Washington D.C.USA.
- Ashida, K. and Sugino, M. (1984).** Studies on the stomata in the leaf blades of graminaceous weeds. *Weed-Research,-Japan*. 1, 29: 2, 138-146.

- Atia, M. M. (2004).** Rice false smut (*Ustilaginoidea virens*) in Egypt. *Zeitschrift-fur-Pflanzenkrankheiten-und-Pflanzenschutz.*, 111: 1, 71-82.
- Attalla, S. I. (1999).** Weed flora distribution in sugar cane *Saccharum officinarum* L. fields at Esna, Quena. *Bulletin-of-Faculty-of-Agriculture, - University-of-Cairo.* 50: 1, 33-40.
- Ayyad, M. A. and Chabbour, S. I. (1986)** Hot Desert of Egypt and Sudan-In: *Ecosystem of the world.* 12B. Hot desert and Arid Shrublands (Eds. M. Evenari et al.), Elsevier, Amsterdam, P. 149-202.
- Bahat, A. (1985).** Glufosinate ammonium for general weed control in vineyards, citrus and other fruit orchards, and uncultivated areas. *Phytoparasitica.* 1, 13: 3-4, 239.
- Baraka, D. M., El-Hady, A. F. and Abd El-Fattah, R. I. (1993).** Alkaloids from *Desmostachya bipinnata* (L) Stapf. *Bull. Fac., Sci, Zagazig Univ.*
- Bell, L. (1983).** Papyrus, Tapa, Amate and Rice Paper: Papermaking In Africa, the Pacific, Latin America and Southeast Asia. *Liliaceae Press, McMinnville, Oregon.*
- Bhanwra, R. K. (1986).** Abortive embryo sacs in *Desmostachya bipinnata* *Current-Science, India.* 55: 20, 1033-1034.
- Boulos, L. and El Hadidi, M. N. (1984).** The Weed flora of Egypt. *American University of Cairo press. Cairo.*
- Boulos, L. (1995).** In "*Flora of Egypt, checklist*". Al Hadara publishing, Cairo, Egypt. 283pp.
- Boulos, L. (1999).** *Flora of Egypt.* Vol.1 Azolaceae - Oxalidaceae. Cairo Al Hadara publishing, 372 pp.
- Boulos, L. (2000).** *Flora of Egypt.* Vol.2 Geraniaceae-Boraginaceae. Cairo. Al Hadara publishing. 352 pp.

- Boulos, L. (2002).** *Flora of Egypt*. Vol.3 Verbenaceae-compositae. Cairo Al Hadara publishing, 372 pp.
- Boulos, L. (2005).** *Flora of Egypt*. Vol.4 alismataceae – Orchaceae. Cairo Al Hadara publishing, 372 pp.
- Braun-Blanquet, J. (1964).** Plant Sociology. Translated by G.D. Fuller and H.S. Conard Mc-Graw-Hill Book Co., Inc. New York, 865 pp.
- Bryson, C. T. and Carter, R. (1993).** Cogongrass, *Imperata cylindrica*, in the United States. Weed-Technology. 7: 4, 1005-1009.
- Caunter, I. G. (1996).** Colletotrichum caudatum, a potential bioherbicide For control of *Imperata cylindrica*, pp. 525-527. In Moran, V. C. and J. H. Hoffman (eds.). Proceedings of the IX International University of Cape Town, Cape Town, South Africa.
- Chand, N. and Agrihotri, M. (1993).** Mechanical characteristic of Kusha Grass fibre. Indian. Textile-Journal.103: 11, 58-60.
- Chauhan, D. R., Makhija, M., Malik, R. K. and Bhatia, S. K. (2002).** Effect of different herbicides against Daab (*Desmostachya bipinnata* L.) stapf in orchards. Haryana-Journal-of-Horticultural- Sciences. 31: 3-4, 197-199.
- Cheng, K. T. and Chou, C. H. (1997).** Ecotypic Variation of *Imperata cylindrica* population in Taiwan : 1 : Morphological and Molecular evidences. Bot. Bull. Acad. Sci. 38: 215-223.
- Chen, P., Zheng, J. and Peng, D. (1996).** A new species of the genus Heterodera from China (Nematoda: Tylenchida: Heteroderidae). Acta Zootaxonomica Sinica 21(1): 23-24.
- Chikoye, D., Ekeleme, F. and Ambe, J. T. (1999).** Survey of distribution and farmers' perceptions of speargrass (*Imperata cylindrica* (L.) Raeuschel) in cassava-based systems in West Africa. International-Journal-of-Pest-Management. 45: 4, 305-311.

- Chikoye, D., Manyong, V. M. and Ekeleme, F. (2000).** Characteristics of speargrass (*Imperata cylindrica*) dominated fields in West Africa crops, soil properties, farmer perceptions and management strategies. Crop-Protection. 19: 7, 481-487.
- Chou, C. H. (1989).** Allelopathic research of subtropical vegetation in Taiwan IV. Comparative phytotoxic nature of leachate from four subtropical grasses. J.Chem.Ecol. 15: 2149-2159.
- Coile, N. C. and Shilling, D. G. (1993).** Cogongrass, *Imperata cylindrica* (L.) Beauv.: a good grass gone bad! Botany-Circular-Gainesville. No. 28, 3 pp.
- Cope, T. and Hosni, H. (1991).** Akey to Egyptian grasses Royal Botanic Gardens Kew & Cairo University Herbarium.
- Dagar, J. C., Gangwar, B. and Sharma, A. K. (1991).** Distribution and integrated management of weeds in Bay Islands. Journal-of-the-Andaman-Science-Association. 7: 1-2, 31-52.
- Danin, A. (1983).** *Desert vegetation of Israel and Sinai*. Cana. Publishing House. Jerusalem. 148 pp.
- Danin, A., Shmida, A. and Liston, A. (1985).** Contributions to the Flora of Sinai. III. Check list of species collected and recorded by the Jerusalem team 1967-1982. *willdenowia*. 15: 255-322.
- Delile (1813).** Description de l'Egypt. Histoire naturelle. Fasc 2: 3. *Flora aegyptaco illustration*, 4. flora d Egypt, Explication des planches. Paris.
- Dozier, H., J. F. Gaffney, S. K. McDonald, E. R. R. L. Johnson, and D. G. Shilling. (1998).** Cogongrass in the United States: History, ecology, impacts, and management. Weed Technology 12: 737-743.
- Dwivedi, R. S., Bal, A. R., Qadar, A. and Joshi, Y. A. (1982).** Studies on salt resistant characters in graminoid facultative alkali Halophytes. Indian-Journal-of-Plant-Physiology. 25: 3, 231-236.

- El Hadidi, M. N. and Kosinova, J. (1971).** Studies on the weed flora of cultivated lands of Egypt. 1. preliminary survey. Mitt. Bot. staatoossmml. 10: 354- 367.
- El Hamy, A. M. Greiss (1957).** Anatomical Identification of some ancient Egyptian plant Materials .Fac, Sci, Cairo Univ.
- El Khouly, A. A. (1996).** Ecological and phytochemical studies on *Mesembryanthemum* species in Egyptian Desert. PH.D. Menoufiya University.
- El Khouly, A. A. and Khedr, A. A. (2000).** Species diversity and phenology of the wetland vegetation in Siwa Oasis, western
- Endang, S. and Hutaaruk, C. (1982).** Control of sheet Imperata grass Pedoman-Teknis,-Pusat-Penelitian-Marihat. No.16, 10pp. desert, Egypt. Desert Inst. Bull., Egypt. Vol. 50 (2):325-343.
- English, R. G. (1998).** The regulation of axillary bud development in the rhizomes of cogongrass (*Imperata cylindrica* L. Beauv.). M. S. thesis, University of Florida, Gainesville, Florida, USA.
- Esau, K. (1965).** Plant anatomy. Willey, Eastern. LTD, New Delhi, Bangalour, Bombay, Calcuta, 767 pp.
- Evans, H. C. (1987).** Fungal pathogens of some subtropical and tropical weeds and the possibilities for biological control. Biocontrol News and Information 8: 7-30.
- Evans, H. C. (1991).** Biological control of tropical grassy weeds, pp. 52-72. In Baker, F. W. G. and P. J. Terry (eds.). Tropical Grassy Weeds. CAB International, Wallingford, United Kingdom.
- Eussen, J. H. H. (1979).** Isolation of growth inhibiting substances from alang-alang (*Imperata cylindrica* L. Beauv. var. major), pp. 138-152. In Proceedings of the Sixth Asian-Pacific Weed Science Society, Jakarta, Indonesia, July 11-17, 1997.

- Asian-Pacific Weed Science Society, Jakarta, Indonesia.
- Ezaki, T., Fujihisa, M. and Imon, Y. (1992).** Utilization of weeds on the slope of river banks in relation to disaster prevention. Weed-Research-Tokyo. 37: 3, 239-247.
- Farrukh, H., Najma, A., Malik, Z.H., Hussain, F. and Abidi, N. (1994).** *Imperata cylindrica* (Linn.) P. Beauv affects germination, early growth and cell division and development in some crop species. Pakistan-Journal-of-Scientific-and-Industrial-Research. 37: 3, 100-103.
- Fei Wen Tsai. (1999).** "Historical Background of Tetrapanax Pith Paper Artifacts." ICOM Ethnographic Newsletter No. 19, April.
- Feuillette, B., Marnotte, P., Bourgeois, T. le. and Le- Bourgeois, T. (1994).** The control of *Imperata cylindrica* Agriculture-et-Developpement. No. 3, 47-48.
- Feuillette, B., Marnotte, P., Bourgeois, T-le.ans Le-Bourgeois, T. (1997).** *Imperata cylindrica*. Agriculture-et-Developpement., May (special issue), 66-67.
- Forsskal, P. (1775).** *Flora Aegyptiaca-Arabica*. Copenhagen.
- Fukui, K. (1988a).** Utility and explanation of the chromosome image analysis program by CHIAS. P: 1-128. National Institute of Agrobiological Resources. Tsukuba- Japanese.
- Gabel, M. L. (1982).** Abiosystematic study of the genus *Imperata* (Gramineae ; Andropogoneae). Ph.D dissertation, Iowa State University, Ames, Iowa, USA.
- Garrity, D. P., Soekardi, M., Noordwijk, M-van, Cruz,R-de-la, Pathak, P. S., Gunasena, H.P.M., So-N-van, Huijun, G., Majid, N. M., Van-Noordwijk, M., De-la-Cruz, R., Van- So, N. and Garrity, D. P. (1995).** The *Imperata* grasslands of tropical Asia: area, distribution, and typology. Special issue. Agroforestry innovations for

- Imperata grassland rehabilitation: papers from a workshop held in Banjarmasin, South Kalimantan, Indonesia, from January 23 to 27, 1995. *Agroforestry-Systems*. 1996-1997, 36: 1-3, 3-29.
- Ghafoor, A., Shad, R. A. and Sher, M. A. (1987).** Ten most important weeds in Pakistan., *Progressive-Farming.*, 7: 1, 17-20.
- Gupta, J. N. (1987).** Ecophysiological association and balance among some grassland communities of Jhansi - India. *Journal-of-Agronomy-and-Crop-Science*. 159: 5, 293-298.
- Gupta, S. R., Sinha, A. and Rana, R. S. (1990).** *International-Journal-of-Ecology-and-Environmental-Sciences*. 16: 1, 57-70.
- Hegazy, A. K. (2001).** Reproductive diversity and survival of the potential annual *Diploaxis harra*. *Ecography*. 24: 403-412.
- Heneidy, S. Z., Hendawy, S. H., Bidak, L. M. and El Khouly, A. A. (2002).** On the Ecology and phytosociology of El-Omayed Area, Egypt. *Egyptian J.Desert Res.*52, No.1, 85-104.
- Hill, M. O. (1979b).** TWINSpan-AFORTRAN program for arranging multivariate data in an ordered two way table by classification of the individuals and attributes. Cornell Univ., Ithaca, NY, 90 pp.
- Hoe, Y. C., Amartalingam, R., Heong, K. L. (ed.) and Lee, B. S. (ed.). (1982).** Influence of ammonium sulphate, foliage age and application technique on the control of lalang (*Imperata cylindrica* (L.) Beauv.). *Proceedings of the International Conference on Plant Protection in the Tropics*. 519-529.
- Holm, L. (1969).** Weed problems in developing countries, *Weed Sci.* 17 : 133-114.
- Holm, L. G., Plucknett, D. L., Pancho, J. V. and Herberger, J. P. (1977).** the world's Worst Weeds: Distribution and Biology. University press of Hawaii. Honolulu, Hawaii, USA.
- Hubbard, C. E., Whyte, R. O., Brown, D. and Gray, A. P.**

- (1944). *Imperata cylindrica*: Taxonomy, distribution, economic significance and control. Imperial Agricultural Bureaux Joint Publication 7:1-63.
- Hughes, H. D., Maurice, E. H. and Darrel, S. M. (1962).** Forages. 2ed. University of Arizona
- Hunter, D. (1978).** Papermaking: The History and Technology of an Ancient Craft. Dover, New York.
- Hsu, C. C. (1975).** Gramineae. In H.L. Li, T.S. Lin, T.C. Huang, T. Koyama, and C.E. DeVol (eds.). Flora of Taiwan. Vol 6. Taipei, pp. 661-662.
- Hussain, F. and Rashid, A. (1989).** A checklist to the monocotyledonous weeds of Pakistan I. Family Poaceae. Sarhad-Journal-of-Agriculture. 5: 2, 183-197;
- Hussain, F. and Najma-Abidi. (1991).** Allelopathy exhibited by *Imperata cylindrica* (L.) P. Beauv. Pakistan-Journal-of-Botany. 23: 1, 15-25.
- Inosaka, M., Ito, K. and Numaguchi, H. (1984).** Research on the utilization of cogongrass (*Imperata cylindrica* Beauv.) for forage. I. On the growth habits and yield potential of cogongrass in Japan. Bulletin-of-the-Faculty-of-Agriculture,-Miyazaki-University. 31: 1, 131-140.
- Ipor, I. B. and Tawan, C. S. (1991).** Activity and retention of glyphosate on *Imperata cylindrica* grown in different soil types. Proceedings, 13th Asian-Pacific Weed Science Society Conference., No. 1, 285-294.
- Ishikawa, S. and Nishiyama, Y. (1998).** Development of the *Imperata cylindrica* community on bars in a gravelly bed river. Memoirs-of-the-Faculty-of-Science,-Kochi-University.-Series-D,-Biology. 19: 15-20.

- Ivens, G.W., Chapman, E.C. (ed.) and Sabhasri, S. (Ed.). (1983).**
The natural control of *Imperata cylindrica*: Nigeria and Northern Thailand. In Natural resource development and environmental stability in the highlands of northern Thailand. Proceedings of a workshop organized by Chiang Mai University and the United Nations University, Thailand, Nov. 1979. Mountain-Research-and-Development. 3: 4, 372-377.
- Jackson, M. L. (1962) .** Soil chemical analysis. Constable and Comp. Ltd., England.
- Jackson, M. L. (1967).** Soil chemical analysis. Hall of India private, new Delhi, India. 248pp.
- johns, G. G. (1984).** Soil water storage in a semi-arid Eucalyptus populnea woodland invaded by woody shrubs and the effects of shrub clearing and tree ringbarking. *Australian Rangeland*, J., 6:75.
- Johnson, E. R. R. L. and Shilling, D. G. PCA Alien Plant Working Group (1998):** Cogon Grass.
<http://www.nps.gov/plants/alien/fact/imcyl.htm>. Accessed July 29, 2002.
- Jose, S. Cox, J. Miller, D. L., Shilling, D. G. and Merritt, S. (2002).**
Alien plant invasions: the story of cogongrass in southeastern forests. *Journal-of-Forestry*. 100: 1, 41-44.
- Joshi, Y. C., Qadar, A. and Sharma, S. K. (1985).** Root growth of *Desmostachya*, *Diplachne*, *Triticum* and *Brassica* on sodic soils. *Indian-Journal-of-Agricultural-Sciences*. 55: 6, 434-437.
- Joolka, N. K., Angiras, N. N. and Bhutani, V. P. (1990).** Chemical weed control in Kinnow orchard. : *Indian-Journal-of-Weed-Science*., publ. 1991, 22: 1-2, 83-85.

- Kachkarove, D. N. and korovine, E. P. (1942).** "La via dans les des deserts" poyot, paris.(C.F. Baraka, D.M.(1990). Ecological and phytochemical studies on Jasonia Montana, Ph.D. thesis, faculty of science, Zagazig University.)
- Kalyan-Singh and Singh, K. (1994).** Site suitability and tolerance limits of trees, shrubs and grasses on sodic soils of Ganga-Yamuna Doab. *Indian-Forester*. 120: 3, 225-235.
- Karyudi Haris, U., Siagian, N. Sunarwidi, Uhendi-Haris, and Nurhawaty, S. (1985).** Allelopathic activity of alang-alang (*Imperata cylindrica* (L.) Beauv.) on the germination of Hevea seeds. *Bulletin-Perkaretan*. 3: 3, 74-77.
- Kayani, S. A., Achakzai, A. K., Ahmed, T. and Qadir, S. A. (1988).** Relationships between plant communities and soil conditions in Nasirabad and Sibi Districts, Baluchistan, Pakistan. *Pakistan-Journal-of-Botany*. 20: 1, 55-62.
- Khan, D., Rafiq-Ahmad, and Shoab-Ismail, (1989).** Structure composition and above ground standing phytomass of some grazable grass-dominated communities of Pakistan coast. *Pakistan-Journal-of-Botany*. 21: 1, 88-106.
- King, S. E. and Grace, J. B. (2000b).** The effects of gap size and disturbance type on invasion of wet pine savanna by Cogongrass, *Imperata cylindrica* (Poaceae). *American Journal of botany* 87 (9): 1279-1286.
- King, S. E. and Grace, J. B. (2000a).** The effects of soil flooding on the establishment of cogongrass.(*Imperata cylindrica*), a nonindigenous invader of the southeastern United States wetland 20-2.
- Klein and Fairall (1986).** Comparative foraging behaviour and associated energetics of impala and blesbok. *Journal-of-Applied-Ecology*. 23: 2, 489-502.

- Lee, S. A. (1987).** Influence of *Imperata cylindrica* (L.) Beauv. on the growth, fruit weight and fruit quality of pineapples. MAPPS-Newsletter. 11: 4, 53-54.
- Le Houerou, H. N. (1992).** In "*Climatic change and the Mediterranean: Vegetation and land-use in the Mediterranean Basin by the year 2050: A prospective study*". Jelic L.; J. D. Milli man and G. Sestini, eds). Edward Arnold publ. London. 673pp. Ch. 6:175-232.
- Lippincott, C. and McDonald, S. (1996).** *Imperata cylindrica* – cogongrass. In: Randall, J.M. and J. Marinelli (eds.) *Invasive Plants: Weeds of the Global Garden*. Brooklin Botanic Garden, Brooklyn.
- Lippincott, C. L. (1997).** Ecological consequences of *Imperata cylindrical* (Cogongrass) invasion in Florida. Sanhill. Ph.D. dissertation, University of Florida, Gainesville, Florida, USA.
- Li-ShanLin, You-ZhenGuo, Liang-DuXiang and Li-SunRong (1997).** Extraction and separation of allelochemicals in wheat and its herbicidal efficacy on *Imperata cylindrica*. *Acta-Phytophylacica-Sinica*. 24: 1, 81-84.
- Ludwing, J. A. and Reynolds, J. F. (1988).** *Statistical Ecology .a primer on methods and computing*. New York, Jon Wiley and sons, pp. 337.
- Macdonald, G. E., Shilling, D. G. Breeke, B. J., Gaffiny, K. A. and Ducar, J. T. (2002).** Cogongrass (*Imp.cylindica* (L.) Beauv.) Biology, Ecology and Mangement In Florida SS-AGR-52, Univerisity of Florida (UF/IFAS).
- Mahmood, K., Malik, K. A., Lodhi, M. A. K. and Sheikh, K. H. (1994).** Soil-plant relationships in saline wastelands: vegetation, soils, and successional changes, during biological amelioration. *Environmental-Conservation*. 21: 3, 236-241.
- Mahmood, K., Malik, K. A., Lodhi, M. A. K. and Sheikh, K. H. (1996).** Seed germination and salinity tolerance in plant species growing on saline wastelands. *Biologia-Plantarum*. 38: 2,309-315.

Mashhor, M., Kamaruzaman, M., Adenan, J., Mashhor- Mansor, Kamaruzaman, Mohamed and Adenan- Jaafar. (1992).

Dominant weed species along the major roads in Peninsular Malaysia. Proceedings of the 1st International Weed Control Congress. Vol. 2, 307-309.

Matumura, M., Yukimura, T., Shinoda, S. Matsumura, M. (1983).

Fundamental studies on artificial propagation by seeding useful wild grasses in Japan. IX. Seed fertility and germinability of the intraspecific two types of chigaya (alang-alang), *Imperata cylindrica* var. *koenigii*. *Journal-of-Japanese-Society-of-Grassland-Science*. 28: 4, 395-404.

Matumura, M. and Nakajima, N. (1988). Comparative ecology of intraspecific variants of the Chigaya, *Imperata cylindrica* var. *koenigii* (Alang-alang). III. Annual growth cycle of the 3rd year communities originated from the seedlings. *Journal-of-Japanese-Society-of-Grassland-Science*. 34: 2, 77-84.

Mcdonald, G. (2004). Cogon Grass (*Imperata cylindrica*) Biology, Ecology, and Management critical- Reviews in plant Science 23 (5): 367-380.

Mcdonald, S. K., D. G. Shilling, C. A. N. Okoli, T. A. Bewick, D.

Gordon, D. Hall, and R. Smith. (1996). Population dynamics of cogongrass, *Imperata cylindrica*. Proceeding of the southern Weed Science Society 49:156.

Mercado, B. L. and Moody, K. (1986). Control of *Imperata cylindrica*. Weed-control-in-tropical-crops.-Volume-II. 268-278.

Miller, I. P. (1973). phytochemistry Vol .II. Van-Nostrand Reinhold Co. New York, Cincinnati, toronto & London.

Minno, M. C. and Minno, M. (1999). *Survey of herbivorous arthropods And pathogens of cogongrass in Florida*. Final Report to D.

G. Shilling, University of Florida, Jay, Florida, and J. Meeker,
Florida Department of Agriculture and Consumer Services.
Gainesville, Florida, USA.

Minno, M. C. and Minno, M. (2000). *Natural enemies of cogongrass in The southeastern United States*. Report to D. G. Shilling, Mid-Florida Research and Education Center, University of Florida.
Apopka, Florida, USA.

Mishra, S. P. (2000). *A Text Book of Fibre Science and Technology*.
New age international (P) limited, New Delhi.

Mizuguti, A., Nishiwaki, A. and Oyamada, M. (2002). Differences of seed germination characters between two types of *Imperata cylindrica* (L.). *Grassland-Science*. 48: 3, 216-220.

Mizuguti, A., Nishiwaki, A., Oyamada, M. and Sugimoto, Y. (2003). Two types of *Imperata cylindrica* (L.) Beauv. characterized by flowering phenology in Miyazaki University. *Bulletin-of-the-Faculty-of-Agriculture,-Miyazaki-University*. 49: 1-2, 89-94.

Montasir, A. H. and Abdel Rahman, A. (1951). Studies on the autoecology of *Zygophyllum simplex*. *Bulletin de l, Institut. Fouad ler du desert. Tome*. No. 1, 35-54.

Montasir, A. H. and Hassib, M. C. (1956). Illustrated Manual Flora of Egypt., part 1, Imperioneric Misr. S.A.E. Cairo, 610pp.

Mohamad, R. B., Ahmad, M. Z. and Halim, R. A. (1989). Regeneration of *Imperata cylindrica* (L.) Raeuschel rhizome fragments of different lengths from various depths in soil. *Pertanika.*, 12: 2, 137-142.

Moosavi-nia, H. and Dore, J. (1979). Factors affecting glyphosate activity in *Imperata cylindrica* (L.) Beauv. and *Cyperus rotundus* L. II: effect of shade. *Weed Research* 19: 321-327.

Ohashi, Y. (2000). Dominant weed species on paddy levees in Kyoto

- Prefecture. Journal-of-Weed-Science-and-Technology. 45:1, 34-38.
- Oren, Y. (1988).** A new approach to weed control in orchards. Phytoparasitica. 16: 4, 386.
- Pandya, S. M. and Sidha, V. K. (1987).** Ecological studies of grazing lands of Kutch (Gujarat State), India. Indian-Journal-of-Range-Management.8: 1, 1-20.
- Patterson, D. T., Flint, E. P. and Dickens, R. (1980).** Effects of Temperature, photoperiod, and population source on the growth of cogongrass (*Imperata cylindrica*). Weed Science 28: 505-509.
- Peach, K. and Tracey, M. V. (1965).** Modern methods of plant analysis. Vol. I . Springer Verlag, Berhing, 4: 643.
- Peet, N. B., Watkinson, A.R., Bell, D. J. and Sharma, U. R. (1999).** The conservation management of *Imperata cylindrica* grassland in Nepal with fire and cutting: an experimental approach. Journal-of-Applied-Ecology. 36: 3, 374-387.
- Piper, C. S. (1947).** Soil and plant analysis. Inter. Science. Publishers, Inc. New York.
- Piper, C. S. (1950)** Soil and plant analysis. University of Adelaide press, Australia.
- Potter, L., Lee, J. and Thorburn, K. (2000).** Reinventing Imperata: revaluing Alang-Alang grasslands in Indonesia. Development-and-Change. 31: 5, 1037-1053.
- Purvis, M. J., Callier D.C. and Walla, D. (1966).** Laboratory Techniques in Botany. London. Butterwonths.
- Ramis, A. I. (1929).** *Bestimmungstabllen Zur Flora von Aegypten.* Jena.
- Raunkiaer, C. (1934).** The life forms of plants and statistical plant geography. Calrendon press. Oxford.
- Richards, L. A. (1954).** Diagnosis and improvement of saline and alkali

soils. USDA Handbook No. 60.

- Sajise, P. E. and J. S. Lales. (1975).** Allelopathy in a mixture of Cogon (*Imperata cylindrica*) and *Stylosanthes guyanensis*. Kalikasan The Philippine Journal of Biology 4 (2): 155-164.
- Sarma, S. N., Sinha, M. P. and Thakur, K. C. (1986).** Effect of glyphosate on thatchgrass (*Imperata cylindrica* (L) Beauv.) control. Two-and-a-Bud. 33: 1 & 2, 53-55.
- Sarir, M. S., Marwat, K. B. and Khattak, J. K. (1986).** Studies on some halophytes of Peshawar district. Pakistan-Journal-of-Science., 38: 39-42.
- Shams, H. M. and Abd El-Fattah, R. I. (1989).** Ecological studies on the salt marsh ecosystem of salhyia Area, Sharkia Province, Egypt. *Desert Inst. Bull. A.R.E.*, 39 (Suppl.).505-531.
- Sharma, B. M. and Okafor, A. N. (1988).** Contribution to the ecology of speargrass (*Imperata cylindrica* (L.) P. Beauv.). *Ekologia-Polska*, 35: 767-774.
- Shehata, M. N. M. (1986).** Ecological studies on natural Vegetation of Qulubiya. Msc. Thesis. Fac. Sci. Benha Univ.
- Shukla, A. K., Prasad, S. Srivastava, S. K., Singh, S. P. and Singh, RP. (2003).** Allelopathic effect of thatch grass (*Imperata cylindrica* (L.) on various kharif and rabi season crops and weeds. *Indian-Journal-of-Weed-Science*. 35: 163-166.
- Sidhu, M. and Ahluwalia, M. K. (1988).** Pollen studies in grass weeds of Punjab plains, India . *New-Botanist*.15: 39-50.
- Singh, S. P., Pal, U. R. and Luka, K. (1989).** Allelopathic effect of three serious weeds of Nigerian savanna on germination seedling vigour of soybean and maize. *Journal-of-Agronomy-and-Crop-Science*. 162: 4, 236-240.
- Singh, U. N., Anoop-Srivastava and Srivastava, A. (1995).** Forage

- production and nutritive value of *Bothriochloa* grassland community in Bundelkhand region, India. Range-Management-and-Agroforestry. 16: 25-37.
- Sinha, A., Rana, R. S. and Gupta, S. R. (1991).** Growth patterns, net primary production and energy transfers in two grassland communities of sodic soils. Tropical-Ecology., 32: 105-116.
- Sugimoto, Y., Hirata, M. and Inosaka, M. (1984).** Research on utilization of cogongrass (*Imperata cylindrica* Beauv.) for forage. III. The relationships between growth of cogongrass, soil phases and pH. Bulletin-of-the-Faculty-of-Agriculture,-Miyazaki-University. 31: 149-154.
- Sumaryono and Goenadi, D. H. (1991).** Growth of alang-alang on media of Air Sugihan histosol and Ciomas alfisol, and its response to glyphosate. Menara-Perkebunan., 59: 95-98.
- Tackholm, V., Tackholm, G. and Drar, M. (1941).** Flora of Egypt 1: Bull. Fac. Sci. Fouad 1 Univ. 17.
- Tackholm, V. and Drar, M. (1950).** Flora of Egypt 2: Bull. Fac. Sci. Fouad 1 Univ. No.28.
- Tackholm, V. and Drar, M. (1954).** Flora of Egypt 3: Bull. Fac. Sci. Fouad 1 Univ. No.30.
- Tackholm, V. and Drar, M. (1969).** Flora of Egypt 4: Bull. Fac. Sci. Fouad 1 Univ. No.36.
- Tackholm, V. (1974).** Students' flora of Egypt (2nd Ed.) .Cairo: Cairo University press 888 pp.
- Tackholm, V. (1956)** "Students *flora of Egypt* " Anglo-Egyptian Bookshop, Cairo. 649 pp.
- ter Braak, C. J. F.(1987).** The analysis of vegetation –environment relationships by Canonical correspondence Analysis (CCA). Vegetation, 69. 69-72.

- Terry, P. J., G. Adjers, I. O. Akobundu, A. U. Anoka, M. E. Drilling, S. Tjitrosemite, and M. Utomo.(1997).** Herbicides and mechanical Control of *Imperata cylindrica* as a first step in grassland rehabilitation. Agroforestry Systems 36: 151-179.
- Tivey, J. (1971).** A study of plant in the ecosphere. Oliver and Bayd Corythorn House, Edinburgh.
- Tominaga, T. (1991).** Variation and adaptation in *Imperata cylindrica*. Weed-Research-Tokyo. 36: 3, 207-216.
- Tominaga, T., Kobayashi, H. and Ueki, K. (1989).** Geographical variation of *Imperata cylindrica* (L.) Beauv. in Japan . Nippon-Sochi-Gakkaishi=-Journal-of-Japanese-Society-of-Grassland-Science. 35: 164-171.
- Tominaga, T., Kobayashi, H. and Ueki, K. (1990).** Adaptive differentiation of *Imperata cylindrica* to local populations in Japan. Japanese-Journal-of-Tropical-Agriculture. 34: 250-254.
- Townson, J. K. (1991).** *Imperata cylindrica* and its control Weed-Abstracts. 40: 11, 457-468.
- Tripathi, J. S. (1996).** Studies on changes in growth of *Imperata cylindrica* during different seasons. Indian-Journal-of-Ecology. 23: 130-132.
- Tripathi, J. S., Amal, S. and Saxena, A. (1995).** Seasonal temperature effects on the germination of seeds of perennial weeds. Indian-Journal-of-Ecology. 22: 59-60.
- Turner, S. (1988).** The Book of Fine Paper. Thames and Hudson, London.
- Turvey, .N. D. (1994).** Afforestation and rehabilitation of *Imperata* grasslands in Southeast Asia: identification of priorities for research, education, training and extension., 52 pp.; ACIAR Technical Reports Series No. 28.
- Valdes, F. A. (1985).** TI: Notes on the chorology of western plants, 97-

106. Anales-del-Jardin-Botanico-de-Madrid. 42: 1, 241-242.
- Ward, G. M. and Johnson, F. B. (1962).** Chemical methods of plant analysis Canada Dep. Agric. 10: 1-59.
- Watkinson, A. R. (1985).** On the abundance of plants along an environmental gradient. *J. Ecol., Agric.*, 73-569.
- Watson, L. and M. J. Dallwitz. (1992).** Grass Genera of the World: Descriptions, Illustrations, Identification and Information Retrieval; including Synonyms, Morphology, Anatomy, Physiology, Phytochemistry, Cytology, Classification, Pathogens, World and Local Distribution, and References.
- Wickens, G. E. (1976).** The flora of Jebel Marra (Sudan Republic) and its geographical affinities. Kew, Bull. Add. Ser. London. 5.
- Wilcut, J. W., Dute, R. R., Truelove, B. and Davis, D. E. (1988).** Factors limiting the distribution of cogongrass, *Imperata cylindrica*, and torpedograss, *Panicum repens*. Weed-Science. 36: 5, 577-582.
- Willard, T. R., Hall, D. W., Shilling, D. G., Lewis, J. A. and Currey, W. L. (1990).** Cogongrass (*Imperata cylindrica*) distribution on Florida highway rights-of-way. Weed-Technology., 4: 3, 658-660.
- Wiroatmodjo, J. and Tjitrosemito, S. (1985).** The effects of light intensities on biomass of alang-alang. SEAMEO-BIOTROP-Newsletter, -Southeast-Asian-Regional-Center-for-Tropical-Biology. No.46, 9.
- Yabe, K. (1985).** Distribution and formation of tussocks in Mobara-Yarumi marsh: Japanese-Journal-of-Ecology. 35: 2, 183-191.
- Zahran, M. A. (1962).** Studies on the Ecology of the Red Sea Coastal land. M SC. Thesis, Cairo University. Egypt.
- Zahran (1972)** On the ecology of the Siwa Oasis Egypt. Egypt. J. Bot. 15:223-242.

- Zahran, M. A. and Girgis, W. A. (1970).** On the ecology of Wadi El-Natrun .Desert, inst. Bull.Vol.XX-1:229-267.
- Zahran, M. A. and Boulos, S. T. (1974).** Potentialities of the fiber plants of the Egyptian Flora in National Economy II.-Thymelaea hirsuta (L.) Endle. Fac, Sci, Mansoura Univ.
- Zahran, M. A. and Mashaly, I. A. (1991).** Ecological Notes on the flora of the Red Sea Coastal land of Egypt. Mans. Sci. Bull. Vol. 18 (2): 251-292.
- Zahran, M. A., Kamal El din and Boulos, S. T. (1972).** Potentialities of the fiber plants of the Egyptian Flora in National Economy I-Juncus rigidus in paper industryBull. Inst. Desert. Egypt 22(1):193-203.
- Zahran, M. A., El Demerdash, M. A. and Mashaly, I. A. (1990).** Vegetation types of the deltatic Mediterranean Coast of Egypt and their Environment, J. Veg. Sci., 1 : 305-310 .
- Zahran, M. A., Serag, M. S. and Persson, S. (1994).** On the Ecology of Canal Bank Vegetation of the Nile Delta, Egypt . National Conference on the River Nile (AUCES).
- Zahran, M. A., Soliman, Magda I. and Serag, M. S. (1994).** Analysis of habitats and anatomy of Juncus subulatus Forssk. Deltaic Med. Coast, Egypt. Arab Gulf J. Sci. Res. 12 (2): 301-319.
- Zahran, M. A., Serag, M. S. and Persson, S. (1995).** On the ecology of canal bank vegetation of the Nile Delta, Egypt. Proc. Naitonal Conf. On The River Nile, Assiut (10-14/3/1994), Assiut University Center for Env. Studies AUCES, 2: 24-45.
- Zahran, M. A., Abu Ziada, M. E. and El-Demerdash, M. A. (1989).** Vegetation of Lake Manzala Islands. Mansoura Sci. Bull 15 (2): 607-643.