

References

References

- 1-NCPR : "Exposure of population in the united states and Canada from natural background radiation". National Council on radiation Protection and measurements. Report No.(4 (1992).
- 2-IAEA; Behaviour of radionuclides in coastal water, Tech Document No.329; 1985.
- 3-IAEA, Radiological surveillance of airborne contaminants in the Working Environment. Safety Series No.49 Vienna (1979).
- 4- Adam, K.S. and Eriksson, A. (1995). Radium-226 uptake by vegetation grown in Western Sudan. *Journal of Environmental Radioactivity*, 29 (1), 27-38.
- 5- Suvakov, D., Duric, G. and Petrovic, B. (1982). Contribution of k-40 to total radionuclides of food of animal origin produced in the territory of SAP Vojvodina Veterinnaria Yugoslavia, 31 (3/4), 323-327
- 6- Van-Bergeijk, K. E., Noordijk, H., Lembrechts, J. and Fissel, M.J. (1992). Influence of pH, soil type and soil organic matter content on soil-to-plant transefer of radiocesium and stronium as analysed by a nonparametric method. *Journal of environmental radioactivity*, 15, 265-276.
- 7- B.Skwarzec, A.Borylo, D. Struminska. "U-234 and U-238 isotopes in water and sediments of South Baltic". *Journal of Environmental Radioactivity* 61 (2002) 345-363
- 8-K. Balakrishna, R .Shankar, M.M. Sarin, B.R.Manjunatha. " Distribution of U-Th nuclides in river and coastal environments of the tropical South West Coastal India. *Journal of Environmental Radioactivity* 57 (2001) 21-33.
- 9-N.M.Ibrahiem. " Measurements of radioactivity levels in soil in the Nile Delta and Middle Egypt" *Journal of Health Physics*, vol 64, No.6 pp 620-627 (1993).
- 10-M.S.El Tahawy and Y.Y Ebaid, " Transfer behaviour of K-40, U-238, Th-232 and Cs-137 from soil to plants in south Egypt"., *Arab J. Nucl. Sc.Appl.*Vol.28(2) pp.111 (1995).
- 11-C.A.Papachristodoulou, P.A.Assimankopoulos, N.E.Patronis, K.G.Ioannides. "Use of HPGe gamma rat spectrometry to assess the isotopic composition of uranium in soil" *Journal of Environmental Radioactivity* 64 (2003) 195-203
- 12-E.E.Santos, D.C.Lauria, E.C.S.Amaral, E.R.Rochedo. "Daily investigation of Th-232, U-238, Ra-226, Ra-228 and Pb-210 in vegetables by inhabitants of Rio De Janeiro city" *Jouranal of Environmental Radioactivity* 62 (2002) 75-86.

13-P.Tochokossa, J.B.Glomo-and O.A.Osibote. "Radioactivity in community water supplies Ife-Central and Ife East local government areas of Osun State, Nigiria" Nuclear instruments and Methods in Physics Research Section A: Accelerators Spectrometers, Detectors and Associated Equipment volume 422, issue 1-3, 11 February 1999 pages 784-789.

14-S.Selvasekarapandian, R.Sivakumar, N.M.Mamikandan, V.Meenakshisunedaram, V.M.Raghunath and V.Gajendran. "Natural Radionuclides distribution in soils of Gudalore, Indian" Applied Radiation and Isotopes volume 52 issue 2 February 2000 pages 299-306.

15-F.Vera Tome, P.Balanco Rodriguez and J.C.Lozano " Diatribution and mobilization of U,Th and Ra-226 in plant-soil compartments of mineralized uranium area in South-West Spain" Journal of Environmental Rdioactivity volume 59, issue 1, 2002, pages 41-60

16-K.N.Yu and S.Y Mao "Application of high resolution gamma ray spectrometry in measuring radioactivities in drinks in Hong Kong" Applied radiation and isotopes volume 45, issue 10, October 1994, pages 1031-1034.

17-M.K.Fasasi, A.A. Oyawale, C.E.Mokobia, P.Tchokossa, T.R.Ajayi and F.A.Balogun "Natural radioactivity of the tar-sand deposits of Ondo State, South Western Nigiria" Nuclear instruments and Methods in Physics Research Section A: Accelerators, spectrometers, Detectors and Associated Equipment. Volume 505, issue 1-2, 1 June 2003 pages 449-453.

18-S.M.El Bahi " Radioactivity levels salts for natural sediments in the North Western desert and local markets in Egypt" Applied Radiation and Isotopes volume 58, issue 1, January 2003 pages 143-148.

19-O.K.Hakam, A.Choukri, J.L.Reyss and M.Lferde. "Determination and comparison of uranium and radium isotopes activity ratios in samples from natural water sources in Moroco, Journal of Environmental Radioactivity, volume 57 issue3, 2001, pages 175-189.

20-N.K.Ahmed "Natural radioactivity of ground and drinking water bin same areas in Upper Egypt"Sixth Radiation physics conference 27-30 October 2002, Assuit Egypt.

21-A. Abbady,. N.K.Ahmed, A.M.EL-Arabi, R. Michel, A.H.EL-Kamel, A.G.E. Abbady "Estimation of radiation hazard indices from natural radioactivity of some rocks" Nuclear Science and Techniques, Vol. 17, N0.2 (2006) 118-122

- 22- M.S.El Tahawy, M.A.Farouk, N.M.Ibrahiem and S.A.M.El Mongy "Natural and artificial radionuclides in the Suez Canal bottom sediments and stream water" Radiation Physics chemistry volume 44, No. ½, pp.87-89, 1994
- 23- C.Papastefanou, M.Manolopoulou, S.Stoulos, A.Ioannidou and E.Gerasopoulos. " Soil to plant transefer of Cs-137, K-40 and Be-7" Environmental Radioactivity volume, issue, pages 59-65 October 1999.
- 24- P. Bossew, M. Lchikawa, G. Mraz, G. Wallner and A. Wensch. "Radiological investigation in surrounds of Bilibino, Chukotka, Russia" Enviropnmental radioactivity volume 51 issue 3, pages 299-319 (December 2000).
- 25- S.A.Sagan, M.K.Kullab and A.M.smail "Radionuclides in hot mineral spring waters in Jordan" volume 52, issue 1, pages 99-107(January 2001).
- 26- E.M.Yoshinara, S.M.Otsubo, R.E.R. Oliveria " Gamma ray contribution to ambient dose rate in the city of Sao Paulo, Brazil". Radiation Measurements 38 (2004) 51-57
- 27- N.Karunakara, H.M.Somashekarappa, Y.Narayana, D.N.Avadhani, H.M.Mahesh, K.Siddappa. "Ra-226, K-40 and Be-7 activity concentrations in plants in the environment of Kaiga, India" journal of Environmental Radioactivity 65 (2003) 255-266
- 28- Glasstone S. and W.H.Jordan; Nuclear Power and its Environmental Effects; American Nuclear Society; 1980.
- 29- M. Eisenbud, " Environmental radioactivity from natural industrial and military sources" Third edition; (Academic Press, Inc. New York)(1987).
- 30- Lamarsh J.R.; Introduction to Nuclear Engineering; Addison-Wesley; 1983.
- 31- Fillensau, S., Rafopokt, A. structures in the subejective Lexieon, Academic Press, New York. (1979)
- 32- IAEA (International Atomic energy Agency), 1979, "earthquakes and associated topics relation to nuclear power plant series" safety series No. 50-SG-S1
- 33- IAEA, 1980, "site selection and evaluation for nuclear power plants with respect to populatte distribution" safety series No. 50-SG-S4
- 34- Sofratome, 1984, "complementary investigation at El Dabaa site and preparation of the Preliminary Safety Analysis Report Site Section" step 5 and 6 Report. Nuclear Power Plant Authority, Cairo.
- 35- IAEA, 1989, "Measurement of radionuclide in food and environment" Technical Report Series 295.

- 36-M.J.Daza, B.Quintanta, M.Garceia-Talavera, F.Fernandez. "Efficiency calibration of HPGe detector in the(46.54-2000) KeV energy range for measurement of environmental samples" Nuclear Instruments and Methods in physics Reseach A 470 (2001) 520-532.
- 37-B. Quintana and F. Fernandez. "An empirical method to determine coincidence-summing corrections in gamma spectrometry" Applied Radiation and isotopes volume 46, issue 9, September 1995, Pages 961-964
- 38-D.Karamanis, V.Lacoste, S.Andramonje, G.Barreau, M.Petit. " Experimental and simulated efficiency of a HPGe detector with point like and extended sources" Nuclear instruments &methods in Physics Research section A 487 (2002) 477-487.
- 39-G.L.Molnar, Zs.Revay, T.Belgya " wide energy range efficiency calibration methode for Ge detector" Nuclear Instruments ans Methods in Physics Research A 489 (2002) 140-159.
- 40-M. I. Abbas, Younis S.Selim, M.Bassiouni. "HPGE detector photopeak efficiency calculation including self-absorption and coincidence corrections for cylindrical sources using compact analytical expressions" Radiation Physics and Chemistry 61 (2001) 429-431
- 41-T.Sharshar, T.El Nimr, F.A. El-Husseiny and El Abd " efficiency calibration of HPGe detectors for volume-source geometries" Applied Radiation and Isotopes vol.48 No.5, pp. 695-697, 1997
- 42-K.Debertin, R.G.Helmer, Gamma-and X-ray spectrometry with semiconductor Detectors, North-Holand, Amestrdam, 1988.
- 43-V.Zobel, J.Eberth, U.Eberth, and E.Eube, Nucl. Instrum. Meth.141, 329 (1977).
- 44- M.S.El-Tahawy et al, "Natural potassium as a standard source for the absolute efficiency calibration of gamma detector". Nucli.Sci.J., vol.29 No.5; pp.361-363 (1992).
- 45-Technical Report, "Background radioactivity environmental materials". J.Environ. Raioact.Vol 9, pp.256-280 (1989).
- 46-International Atomic energy Agency, 1989, Measurement of radionuclide in food and environment Technical Report series 295.
- 47-Cameron, T.F.; Proc. Symp. IAEA, pp.543, (1967).
- 48-Maul.P.R. and O.Hara, J.P, 1889 background radioactivity in environmental materials.J.Environ.radioactivity, 9:265-280.

- 49- A. M. EL-Arabi , Adel G. E. Abbady, ' A. S. Hussien "Gamma-ray measurements of natural radioactivity in sedimentary rocks from Egypt" Nuclear Science and Techniques, Vol.17, No.2 (2006) 123-128
- 50- R.H.Higgy "Radioactivity in Sediment and Sea Water Used in Climatotherapy in Safaga, Raed Sea, Egypt" Sixth Radiation Physics Conference 27-30 October 2002 Assuit-Egypt.
- 51-R.Said, "The Geology of Egypt", A.A.BBalkema, Rotterdam, Netherlands (1990).
- 52-M.H.Saied, A.Abbady, A.H.El-Kamel and A.El Arabi. " Radiation Physics and Chemistry Vol No. ½ pp, 95-98, 1994.
- 53-A.A. El Sayed, H.F. Aly and A.A.Abdel-Rassoul, Proc. International Conf. On Environmental Protection, Alexandria, 20-22 May (1997) 646-664.
- 54-A.H. El-Farrash, A.Abu El-Ela, A.S. El-Mahmoudi, S.H. Ibrahim and H.A.Yousef "Natural radioactivity levels for samples of Sand-Islands (Turtle-Backs), East Nile Delta" Fifth Radiation Physics Conference 5-9 November, Cairo-Egypt.
- 55-K.Merumi et al. "Relationships between the concentrations of natural radionuclides and mineral composition of surface soil". Rad.Prot.Dosimetry, Vol.24, No.1/4, pp 69-72 1988.
- 56-P.R. Maul and J.P. O'Hara, 1989, "Background radioactivity in environmental materials", J. Environmental Radioactivity, IAEA, Vienna.
- 57-UNSCEAR (1993), " Exposure from Natural Sources of radiation", Forty-Second Session of United Nations Scientific Committee on the Effect of Atomic Radiation, Vienna, 12-28 May (1993).
- 58-Barisic, D. (1996). "Dose rate conversion factors, soil thickness and their influence on natural background dose rate in air above carbonate terrains. Journal of Environmental radioactivity, 31 (1), 50-70.
- 59-UNSCEAR (1982) " Sources and Effects of Ionizing Radiation " United Nations Scientific Committee on the Effects of Atomic Radiation, report to the general assembly, with annexes
- 60-UNSCEAR (1988). " source, effects and risks of ionizing radiation" United Nations Scientific Committee on the Effects of Atomic Radiation, report to the general assembly.
- 61-A.J. Beretka and P.J. Mathew, " Natural Radioactivity of Australian Building Materials, Industrial Wastes and By Products", Health Physics, 48, 87-95 (1985).

- 62-UNSCEAR., "Sources of ionizing radiation, New York, United publication, 2000
- 63-Ezzat, M.A., 1976. Ground-water resources of the North Western castal zone; part 1: Regional hydrogeologic conditions: Ground-water Series of the Arab Republic of Egypt, No. 5, Ministry of Irrigation, Desert Irrigation Departement, Cairo.
- 64-Hammad, M. A. (1986) : Land Master Plan, Northwest Coast, Regional report. Ministry of Development, General Authority for Rehabilitation Projects and Agricultural Development, Cairo, Egypt.
- 65-Shukri, N.M.; Philip, G. and Said, R. (1956): The geology of the Mediterranean coast between Rosetta and Bardia, II. Pleistocene sediments, geomorphology and microfacies. Bull Inst. Egypt, vol 37, No.2, pp 395-433.
- 66-Butzer, K.W. (1960): On the Pleistocene shore lines of Arab,s Gulf Egypt.j.Geol.68: 626-637 pp.
- 67-Said, R. (1990); The geology of Egypt; . A.A. Balkema, Rotterdam, Netherlands.
- 68-El Sheikh, H. A. & M. Faris (1985): The Eocene-Oligocene boundary in some wells of the western desert, Egypt. N. Jb. Geol. Palaeontol. Mh(1985), 1:23-28.
- 69-Said, R., 1962b. New report: Egypt Micropalaeontology, vol.8, No.3, pp 410-411.
- 70-Marzouk, I., 1970. rock stratigraphy and soil potentialities of the Oligocene and Miocene in the Western desert, U.A.R: 7th arab Petrol. Cong., Kuwait, vol.2, 54 (b-3), 28p.
- 71-Gindy, A. R. & M. A. El Askari (1969): Stratigraphy, structure and origin of the siwa depression, western desert of Egypt. Bull. A m. A ssoc. P etrol. Geol. 53:603-625.
- 72-Abdallah A.M., 1966, "Stratigraphy and structure of a portion in North Western desert of Egypt, U.A.R., Geol.Survey U.A.R., paper 45, p 19.
- 73-Auslog Digital Logging System (DLS-4), (1995): Operator's manual. Version 6.0, First Edition A, Dara Q., Australia, 109 p.
- 74-Q.P.A. 1981.Study of Qattara depression Feasibility Report, Vol III Ministry of electricity and energy, Egypt

- 75-Hesse, K.H., Hissene., Q., Schanacker, E. Schneider, M.and Thorweihe, V., 1987. Hydrogeological investigation in the Nubian Aquifer system, Eastern Sahara, Berliner Geowiss Abh. (A)pp.397-474.
- 76-Abu El Ela. A.M, 1987.Geological and hydrogeological studies for El Dabaa Nuclear Power Plant Station, north western Desert, Egypt:M.Sc thesis, Cairo university,193p.
- 77-Abu El Ela. A.M, 1992. Influence of the geological factors of the radioactive contamination o f the Ground Water A t El D abaa Nuclear Power Plant North Western Desert, Egypt Ph.D thesis, Cairo university,1156 p.
- 78-F.A.O., 1970. Physical conditions of water resources: ESE: SF/UAR, 49, Technical Report 2.
- 79-Ayyad and Le Floch,,"An ecological assessment of renewable resources for rural agriculture development in the western Mediterranean coastal region".
- 80-Ostund; H.G. and Warner, E.P.; Symp. IAEA, Vienna, pp.93-103, (1963).
- 81-Bultter, H. Van. And Libby, W.F. (1955): " Determination of tritium in natural water samples", J.inorganic and nuclear chemistry, pp.1-75.
- 82-Ro, L.P. (1962): "influence of temperature on the electrolytic separation factor of hydrogen isotopes", Canadian J. Chemistry, Vol.40, pp. 1452-1460.
- 83-Hoffman C.M. and Steward G.L. (1966): " Quantitative determination of tritium in natural water", U.S. Geological Survey Water Supply, paper 1996d, p.18.
- 84-Zoller, U. (1994): " Groundwater contamination and control", Marcel Dekker, Inc., New York.
- 85-Chebotarev, I.I. (1955) "Metamorphism of natural waters in the crust of weathering", Geochem. Et. Gosmochimica Acta, Vol. 8, pp. 22-48.
- 86-Hounslow, A.W. (1995): " Water quality data, analysis and interpretation", CDC, Lewis Puplishers, New York.
- 87-Davis, S.N., and R.J.M. De Wiest. 1966. hydrogeology. John Wiley & Sons, New York, 463 pp.
- 88-Piper, A.M. (1944): " A Graphic procedure in the geochemical interpretation of water analyses", American Geophysical Union Transactions, Vol.25, pp. 914-923.
- 89-Sulin, V.A. (1948): " condition of formation principals of classification and constituents of natural water, particularly water of petroleum accumulation". Academy of Science, Moscow, Lenningrad.

- 90-Ivanov, V.V., Baranov, L.N. and Plotnikova, G.N. (1968): " The main genetic type of mineral waters in the earth crust and their distribution in USSR", in M. Malkovesky and G.Kacura, eds. Report to the 23rd I.G.C., session I on genesis of mineral and thermal waters, 33 pp. Prague.
- 91-Richards, L.A. (1969): " Diagnosis and improvement of saline and alkali soils", United state Salinity Laboratory Staff, Agriculture Handbook No.60, U.S.Government Printing Office, Washington, D.C
- 92-Mckee, J.E and Wolf, H.W. (1963): "Water quality criteria", California State Water Quality Control Board Publication 3-A, 548p.
- 93-Urey. H.C., (1947): "The thermodynamic properties of isotopic substance" Journal of Chemical Society, pp.562-581.
- 94-Baertschi, P., (1976): "Absolute ¹⁸ O content of Standard Mean Ocean Water", Earth and Planetary Science Letter, Vol. 31, pp.341-344.
- 95-Hageman, R., Nief, G. and Roth, E., (1970): "absolute isotopic scale for deuterium analysis of natural waters. Absolute D/H ratio for Smow", Tellus, Vol. 22, pp.712-715.
- 96-Craig, H. (1961): "Standard for reporting concentrations of deuterium and oxygen-18 in natural waters" Sciences Vol.133, pp. 1833-1840.
- 97-Dansgaard, W., 1964. Stable isotopes in precipitation. Tellus 16,436–468.
- 98-International Atomic Energy Agency (1981). Stable Isotope Hydrogen, Deuterium and Oxygen-18 in the Water Cycle, (Eds. J.R. Gat and R. Gonfiantini) Technical Reports Series No.210., IAEA, Vienna.
- 99-IAEA, 1983. Isotope Techniques in Hydrological Assessment of Potential Sites for the Disposal of High-level Radiation Wastes. IAEA Technical Report Series No.228, IAEA, Vienna, 151 p.
- 100-Gat.J.R. (1980). "The isotopes of hydrogen and oxygen in precipitation ", in: P.Fritz and J.Ch.Frontes (Eds.), Handbook of Environmental Isotope Geochemistry, Elsevier, Amsterdam. Pp.21-47.
- 101-Thatcher, L.L. (1962). " The distribution of tritium fallout in precipitation over North America". International Association, Hydrological Sciences, Publication No.7, Louvain, Belgium. Pp.45-58.
- 102-NCRP (National Council on Radiation and Measurements); Tritium in The environment. NCRP report no 62. 1980.)
- 103-Budnitz .R. J., A.V. Nero, D.J. Murphy, and R.Graven. Instrumentation for Environmental Monitoring, volume 1 radiation. Wiley; 1983.

- 104-NCRP (National Council on Radiation Protection and Measurement). Tritium in the environment; NCRP report No 62, 1980.
- 105-Clark, I. and Fritz, P., (1997): "Environmental isotopes in hydrology", Lewis Publishers,
- 106-Belot y., D.Gauthier, H.Gamus and C.Caput. prediction of flux of tritiated water from air to plant leaves; Health physics, 37, 575-583; 1979.
- 107--Belot y., tritium in plants. A Review, Radiation Protection Dosimetry, Vol 16, No.1-2 p.101-105. Nuclear Technology Publishing; 1986.
- 108-Sweet W. C. ; C. E. Murphy and R.loreny. Environmental Tritium Transport from an atmospheric Released of tritiated water ; Health Physics. Vol 44, No 1 (Jan.), pp 13-18; 1983.
- 109-Burton J.D; Chemical Oceanography; Edited by J.P. raily and G.skirrow; Academic Press; 1975.
- 110-Sasscer D.S., C.F.jordan and J.R.Kline; Dynamic Model of wter movement in soil under various climatological conditions. In : Tritium (Edited by Moghissi A.A. and M.W.Carter), pp. 485-495; 1973
- 111-Jordan C.F., M.L.Stewart nd J.R.Kline. Tritium movement in soils: the importance of exchange and high intial dispersion. Heath Physics 27, 37-43, 1974.
- 112-Aly, A.I.M., Froehlich, K., Nada, A.A., Awad, M.A., Hamza, M.S. and Salem, W.M., (1993): "Study of environmental isotope distribution in Aswan High Dam Lake (Egypt) for estimation of evaporation of lake water and its recharge to adjacent groundwater", Environmental Geochemistry and Health, Vol. 25 (1), pp. 37-49.
- 113-Nada, A.A., (1995): "Evaluation of environmental isotopic and salinar composition of ground water in Oases of the Western Desert , Egypt", Isotopes Environ. Health Science, Vol. 31, pp. 117-124.
- 114-Awad, M.A., El-Arabi, N.E. and Hamza, M.S., (1997): "Use of solute chemistry and isotopes to identifiy sources of groundwater recharge in Nile aquifer system, Upper Egypt", Ground Water, Vol. 35 (2), pp.223-228.
- 115-El-Bakri, A., Awad, M.A. and El-sheimy, A., (1991): "Environmental isotopes and Hydrogeochemistry of groundwater in Mallawi area, El-Minia, Egypt" Isotopenpraxis, Vol. 27 (4), pp.173-177.
- 116-Hassan, T.M., Awad, M.A. and Hamza, M.S., (1996): "Study of recharge of the phreatic aquifers, South East Egypt, using environmental isotopes and hydrochemistry", Arab.J.Nucl., Vol.29 (3), pp. 1-21.

- 117-Gat, J.R. and Carmi, I. (1970): "Evaluation of the isotopic composition of atmospheric water in the Mediterranean sea area" *J. Geophys. Res.* 75, pp. 3039-3048.
- 118-M.A. Awad, F.A. Hammed, A.I.M. Aly and M.A. Sadek. (1994): "Use of environmental isotopes and hydrochemistry as indicators for the origin of groundwater resources in El Dabaa area, northeastern coastal zone of Egypt" *Environmental Geochemistry and Health* Vol 16 No. 1
- 119-Sweet W.C., C.E. Murphy and R. Lorenz; Environmental tritium transport from an atmospheric release of tritiated water; *Health Physics*; Vol; No 1 (Jan.), pp 13-18; 1983.
- 120-Gat, J.R. and Carmi, I., 1970. Evolution of the isotopic composition of atmospheric waters in the Mediterranean sea area. *Journal of Geophysical Research*, 75: 3039-3048.
- 121-Ingraham, N.L., Matthews, R.A., 1988. Fog drip as a source of groundwater recharge in northern Kenya. *Water Resour. Res.* 24, 1406-1410.
- 122-Sofratome, step 6 Report chapter 43-meteorology
- 123-Freeze, A., Cherry, J., 1979. *Groundwater*, Prentice Hall, Englewood Cliffs, NJ (654pp.).
- 124-Aly A. I. M., A. Nada, Awad, Salman and Hamza; Isotope Hydrological investigation of Moghra and Ain Elsharip Environment, North Western desert; Egypt; *Isotope and Rad. Res.* 20, 1, 33-41; 1988
- 125-Hamza M.S.; Middle Eastern Regional Radioisotope center for the Arab countries; Ground water recharge age in the eastern Nile delta based on Environmental Tritium; *Isotope and Rad, Res*; 1987.