

References

- Abd Al-Azeem, D. (2003). Current situation of the flora and vegetation of Nile Delta region. Unpublished M.Sc. Thesis, Tanta University, Egypt.
- Abd El-Fattah, R.I. (1986). Ecological and phytosociological studies on plant communities in Salhiya area. Unpublished M.Sc. Thesis, Faculty of Science, Zagazig University, Egypt.
- Abd El-Fattah, R.I. (1994). Plant indicators to habitat conditions in Sharkiya Province. *Egyptian Journal of Botany* **34**(2):177-198.
- Abd El-Salam, M.A. El-Hinssaw, E.E. & Redda, M. (1973). Origin and uniformity of soils of Salhiya area. *Desert Institute Bulletin* **23**:163-180.
- Abdou, M.Z. (1997). Ecological studies on some endemic plant species in South Sinai Egypt. Unpublished Ph.D. Thesis, Cairo University, Egypt.
- Al-Eiswi, D.M. & Takruri, H.R. (1989). A checklist of wild edible plants in Jordan. *Arab Gulf Journal of Scientific Research* **1** (B7): 79-102.
- Allen, S.E., Grimshaw, H.M., Parkinson, J.A. & Quarmby, C. (1974). *Chemical analysis of ecological materials*. Blackwell Scientific Publication Osney, Oxford, London.
- Al-Sodany, Y.M. (1992). Vegetation analysis of the northern part of Nile Delta region. Unpublished M.Sc. Thesis, Tanta University, Egypt.
- Al-Sodany, Y.M. (1998). Vegetation analysis of the canals, drains and lakes of the northern part of Nile Delta. Ph.D. Thesis, Tanta University.
- Amin, S.A. (1992). Phytosociological study of Lake Qarun. Unpublished M.Sc. Thesis, Cairo University, Egypt.
- Amin, S.A. (1998). Ecological study on plant life in Wadi El-Rayan area, El- Fayum-Egypt. Unpublished Ph.D. Thesis. Cairo University, Egypt.
- Anonymous, (1993). SPSS for Windows. Base System User's Guide. Release 5.0, Marija J. Norusis/SPSS Inc. Chicago, IL.
- Archibold. O.W. (1995). *Ecology of world vegetation*. Chapman and Hall. London.
- Attia, L. (1954). Geology of east of the Nile Delta. Unpublished Ph.D. Thesis Fac. Sci., Cairo University, Egypt.
- Ayyad, M.A. & El-Ghareeb, R. (1982). Salt marsh vegetation of the Western Mediterranean desert of Egypt. *Vegetatio* **49**: 3- 19.
-

- Ayyad, M.A. & Fakhry, A.M. (1996). Plant biodiversity in the western Mediterranean desert of Egypt. *Verhandlungen der Gesellschaft für Ökologie* 25: 65 - 76.
- Ayyad, M.A. (1998). *Multipurpose species in Arab African countries*. UNESCO Cairo Office, Cairo.
- Baker, H.G. & Hurd, P.H. (1968). Intrafloral ecology. *Annual Review* 13: 385 - 414.
- Ball, J. (1939). Contribution to the Geography of Egypt. Public Ministry of Finance, Egypt, Survey and Mines Dept.
- Baraka M.D. & Al. Sodany M.Y. (2003). Habitats and plant life in Sharkiya Governorate, Nile Delta, Egypt. *Taeckholmia* 23 (1): 1 - 13.
- Bawa, K.S. (1980). Evolution of dioecy in flowering plants. *Annual Reviews of Ecology and Systematics* 11: 15 - 39.
- Bawa, K.S. & Beach, J.H. (1981). Evolution of sexual systems in flowering plants. *Annals of the Missouri Botanic Garden* 68: 254 - 247.
- Bayoumy, M.R. (1971). Phenological studies in Agricultural expansion area west of the Suez Canal, Egypt. Unpublished M.Sc. Thesis. Fac. Agric. Cairo University, Egypt.
- Belal, A.E. & Springuel, I. (1996). Economic value of plant diversity in arid environments. *Nature and Resources* 32 (1):33-39 .
- Black, C.A. (1965). Methods of soil analysis. *American society of Agronomy* 2:771-1572.
- Boulos, L. & El Hadidi, M.N. (1994). *The weed flora of Egypt*. American University in Cairo Press, Cairo.
- Boulos, L. (1995). *Flora of Egypt: Checklist*. Cairo: Al Hadara Publishing.
- Boulos, L. (1997). Endemic flora of the Middle East and North Africa. In: Barakat, H.N. & Hegazy, A.K. (eds.), *Reviews in Ecology: Desert Conservation and Development*. Metropole, Cairo.
- Boulos, L. (1999-2005). *Flora of Egypt*. Vols:1-4.Cairo: Al Hadara Publishing.
- Box, E.O. (1987). Plant life forms and Mediterranean environments. *Annali di Botanica*. Vol. XLV (2): 1 - 42.
- Brix, H. & Schierup, H. (1989). The use of aquatic macrophytes in water pollution control. *Ambio* 18: 100 - 107.
- Cappers, R.T.J. (1993). Seed dispersal by water: a contribution to the interpretation of seed assemblages. *Vegetation History and Archaeobotany* 2: 173 - 186.
-

- Charnov, E.L., Smith, J.M. & Bull, J.J. (1976). Why be an hermaphrodite? *Nature* **263**: 125 - 126.
- Chesworth, P.M. (1995). History of water use in the Sudan and Egypt. In Howell, P.P. and Allan, J. A. (eds.): *The Nile: Sharing a Scarce Resource*. Cambridge University Press, Cambridge.
- Chevallier, A. (1996). *The Encyclopedia of medicinal plants*. DK. Publishing Incorporation, New York.
- Cook, J. (1977). Environmental pollution by heavy metals. *International Journal of Environmental Studies* **10**: 253 - 256.
- Crawley, M.J., Harvey, P.H. & Purvis, A. (1996). Comparative ecology of the native and alien floras of the British Isles. *Philosophical Transactions of the Royal Society of London* **351**: 1251 - 1259.
- Dallmen, P.R. (1998). *Plant life in the world's Mediterranean climates*. University of California Press. Berkeley.
- Dansereau, P. & Lems, K. (1957). The grading of dispersal types in plant communities and their ecological significance. *Institut Botanique de L'Université de Montréal, Montréal* **71**: 1 - 52.
- Davis, P.H. (1971). Distribution patterns in Anatolia with particular reference to endemism. In Davis, P.H. Harper, P.C. and Hedge, I.C. (eds.): *Plant Life of South-West Asia*. University Press, Aberdeen.
- Drar, M. (1952). A report on *Kochia indica* wight in Egypt. *The Desert Institute Bulletin* **2**: 54 - 58.
- Draz, O. (1954). Some desert plants and their uses in animal feeding. *Publications de l'Institut du Désert d'Egypt* **2**: 1 - 95.
- Dymond, G.C. (1948). The water hyacinth- a cinderella of the plant world. In Vuren, J. and Van, P.J. (eds.): *Soil Fertility and Sewage*. Dover Publications, New York.
- Eid, E.M. (2002). Population ecology of *Ipomoea carnea* Jacq. In the Nile Delta region. Unpublished M.Sc. Thesis, Tanta University, Egypt.
- El- Bakry, A.A. (1982). Studies on plant life in the Cairo – Ismalia region. Unpublished M.Sc. Thesis, Fac. Sci., Cairo University, Egypt.
- El-Dairy, M. (1980). Hydrogeological studies in the eastern part of the Nile Delta Unpublished M.Sc. Thesis, Al Azhar University, Egypt.
- El-Demerdash, M.A. (1984). Ecological studies on *Juncus* plants. Unpublished Ph.D. Thesis, Mansoura University, Egypt.
- El-Demerdash, M.A., Ayyad, M.A. & Shaltotu, K.H. (1987) Correlation of the distribution of *Juncus* spp. With the prevalling
-

- environmental factors in Egypt. *Bulletin of the Faculty of Science, Mansoura University*. **14** (2): 129 - 156.
- El-Fahar, R.A. (1989). A phytosociological study on weed vegetation in the Nile Delta region. Unpublished M.Sc. Thesis, Tanta University, Egypt.
- El-Fahar, R.A. & Sheded, M.G. (2002). Weed flora in plantation of recently established tourist resorts in the Western Mediterranean coast of Egypt. *Egyptian Journal of Biotechnology* **11**: 330 - 343.
- El-Fayoumy, I.F. (1968). Geology of ground water supplies in the region east of the Nile Delta and extension in north Sinai. Unpublished Ph.D. Thesis, Fac. Sc. Cairo University, Egypt.
- El-Hadidi, M.N. & Kosinová, J. (1971). Studies on the weed flora of the cultivated land in Egypt: Preliminary Survey. *Mitt. Bot. Staatessamml. München* **10**: 354 - 367.
- El Hadidi, M.N. & Fayed, A. (1995). Materials for Excursion Flora of Egypt (EFE). *Taeckholmia* **15**: 1 -233.
- El Hady, A.F. (2002). Phytosociological study on San El-Hagar- area Sharkiya Province. *Proc. 2nd Conf. Biol. Fac. Sci. Tanta University. 27-28 April –2002* **2**: 19-30.
- El-Kady, H.F. & El-Shourbagy, M.N. (1994). Vgetation changes in North Sinai within three decades. *Journal of Coastal Research* **10**: 978- 986.
- El-Kady, H.F., Ayyad, M.A. and Bornkamm, R (1995). Vegetation and recent land use history in the desert of Maktala, Egypt. *GeoEcology* **28**:109-123.
- El-Komi, T.M. (2002). Evaluation of the range plants along the water courses in the Nile Delta. Unpublished Ph.D. Thesis, Tanta University, Egypt.
- El-Shayeb, F.M. (1984). Studies on reproductive capacity of major weeds in the cultivated land in Menoufia Governorate. Unpublished M.Sc. Thesis, Menoufia University, Egypt.
- El-Shayeb, F.M. (1989). Studies in the weeds flora of the Nile Delta. Unpublished Ph.D. Thesis, Menoufia University, Egypt.
- El-Shazly, E.M. (1975). Geological and Ground Water Potential studies of El-Ismailia master plane study area. Acedemy of Scientific Research and Technology, Egypt.
- El-Sheikh, M.A. (1989). A study of the vegetation environmental relationships of the canal banks of the Middle Delta region. Unpublished M.Sc. Thesis, Tanta University, Egypt.
-

- El-Sheikh, M.A. (1996). Ruderal plant communities of the Nile Delta region. Unpublished Ph.D. Thesis, Tanta University, Egypt.
- El-Sherif, A.F. & D.D. El-Badry (1977). Preliminary studies on the deposited suspended matter of the River Nile. 1. Micronutrient. *Bull Inst. Desert A. R. E.* **27**:141-148.
- Emberger, L. (1955). Une classification biogéographique des climats. Recueil Trav. *Labor. Bot., Geol. & Zool., Univ. Montpellier, Ser. Bot.* **7**:3- 44.
- Fahmy, A.G. (1997). Evaluation of the weed flora of Egypt from Predynastic to Graeco-Roman times. *Vegetation History and Archaeobotany* **6**: 241-247.
- Fayed, S.E. & Abd El-Shafy, H.I. (1985). Accumulation of Cu, Zn Cd and Pb by aquatic macrophytes. *Environment International* **11** (1): 77-88.
- Feinbrun-Dothan, N. (1978). *Flora Palaestina: part three; text (Ericaceae-Compositae)*. The Israel Academy of Science and Humanities, Israel Jerusalem Academic Press, Jerusalem.
- Feinbrun-Dothan, N. (1986). *Flora Palaestina: part three; text (Alismataceae-Orchidaceae)*. The Israel Academy of Science and Humanities, Israel Jerusalem Academic Press, Jerusalem.
- Freeman, D.C., Harper, K.T. and Ostler, W.K. (1980). Ecology of plant dioecy in the intermountain region of western north America and California. *Oecologia (Berl.)* **44**: 410- 417.
- Frenkel, R.E. (1970). *Ruderal vegetation along some California roadsides*. University of California Press, California.
- Ghali, N.N. (1984). A study of the phenological and phytosociological behaviour of common plant species in the western Mediterranean desert of Egypt. Unpublished M.Sc. Thesis, Alexandria University, Egypt.
- Gibali, M.A. (1988). Studies on the flora of northern Sinai. Unpublished M.Sc. Thesis, Cairo University, Egypt.
- Gowda, J.H., Albrechtsen, B.R., Ball, J.P., Sjöberg, M. & Palo, R.T. (2003). Spines as a mechanical defence: the effects of fertilizer treatment on juvenile *Acacia tortilis* plants. *Acta Oecologica* **24**: 1- 4.
- Grime, J.P. (1973). Competitive exclusion in herbaceous vegetation. *Nature* **242**: 344 -347.
- Grime, S.F., Macpherson-stewart, R.S. & Derman, R.S. (1968). An investigation of leaf palatability using the snail *cepaenemoralis*. *Journal of Ecology* **56** (2): 405- 420.
-

- Hamdan, G. (1961). Evolution of irrigation agriculture in Egypt. In Stamp, L.D. (ed.): *A History of Land Use in Arid Region. Arid Land Research, UNESCO* **17**: 119-142.
- Hass, H. & Streibig, J.C. (1982). Changing patterns of weed distribution as a result of herbicide use and other agronomic factors. In Lebaron, H.M. and Gressel, J. (eds.): *Herbicide Resistance in Plants*, New York.
- Hassan, L.M. (1987). Ecological and Floristic studied on the Eastern desert, Egypt. Unpublished Ph.D. Thesis, Cairo University, Egypt.
- Hassib, M. (1951). Distribution of plant communities in Egypt. *Bulletin of Faculty of Sciences, Fouad I University* **29**: 59- 261.
- Hawksworth, D.L. (1995). *Biodiversity: measurement and estimation*. Chapman and Hall, London.
- Hedberg, O. (1969). Evolution and speciation in a tropical high mountain flora. *Biological Journal of the Linnean Society* **1**: 135-148.
- Hefny, K. (1982). Land use and management problems in the Nile Delta. *Nature and Resources* **17 (2)**: 22-27.
- Hejny, S. & Kosinová, J. (1977). Contribution to synanthropic vegetation of Cairo. *Publications From Cairo University Herbarium* **7 & 8**: 273-286.
- Heneidy, S.Z. & Bidak, L.M. (1999). Physical defenses and aversion factor of some forage plant species in the Western Mediterranean costal region of Egypt. *Journal of Union of Arab Biologists* **9 (B)**: 15-30.
- Heneidy, S.Z. & Bidak, L.M. (2001). Multipurpose plant species in Bisha, Asir region, south western Saudi Arabia. *Journal of King Saudi University* **13 (Science: 1 & 2)**: 11-26.
- Heneidy, S.Z. & El-Darier, S.M. (1995). Some ecological and socio-economic aspects of Bedouins in Mariut rangelands, Egypt. *Journal of Union of Arab Biologists* **2 (B)**: 121-136.
- Hill, M.O. (1979 a). *DECORANA-A FORTRAN program for detrended correspondence analysis and reciprocal averaging*. Cornell University, Ithaca N.Y.
- Hill, M.O. (1979 b). *TWINSPAN-A FORTRAN program for arranging multivariate data in an ordered two-way table by classification of the individuals and attributes*. Cornell University, Ithaca. N.Y.
- Holzner, W. (1978). Weed species and weed communities. *Vegetatio* **38**: 13-20.
- Ibrahim, S.S. (1979). Physiography of soils of some destertct valleys of eastern desert of Egypt. Unpublished M.Sc. Thesis, Fac. Agric., Cairo University, Egypt.
-

- Jackson, M.L. (1962). Soil and Chemical analysis. Constable and Co. Ltd. London.
- Jamil, K., Madhavendra, S.S., Jamil, M.Z. & Rao, P.V.R. (1987). Studies on water hyacinth as a biological filter for treating contaminants from agricultural wastes and industrial effluents. *Journal of Environmental Science and Health* **22** (1): 103-112.
- Kassas, M. (1955). Rainfall and vegetation belts in arid North-East Africa. *Proceedings of Montpellier Symposium: Plant Ecology*. UNESCO, Paris.
- Kassas, M. & M. Imam (1957). Climate and microclimate in the Cairo desert. *Bulletin de La Société de Géographie D' Egypt* **30**: 25-52.
- Kassas, M. (1971). The River Nile ecological system: a study towards an international programme. *Biological Conservation* **4**: 19-25.
- Khadr, F.G. (1987). Ecological studies on the plant communities dominating in Sharkiya Province. Unpublished Ph.D. Thesis. Fac.Sci. Zagazig University, Egypt.
- Khattab, A.F. & El-Gharably, Z.A. (1984). *The problem of aquatic weeds in Egypt and methods of management*. Proceedings of WERS 3rd Symposium on Weed Problems in Mediterranean Area, Lisbon.
- Khattab, A.F. (1988). The problem of water hyacinth (*Eichhornia crassipes*) in Egypt and methods of management. *International Workshop on Water Hyacinth, Lagos*.
- Khedr, A.A. & El-Demerdash, M.A. (1997). Distribution of aquatic plants in relation to environmental factors in the Nile Delta. *Aquatic Botany* **56**: 75-86.
- Khedr, A., Cadotte, M.W., El-Kablawy, A. & Loveti-Doust, J. (2002). Phylogenetic diversity and ecological features in the Egyptian flora. *Biodiversity and Conservation* **11**:1809-1824.
- Kosinová, J. (1972). On the weed flora and vegetation in Egypt. *Egyptian Botanical Society*, Year book **2**: 1-6.
- Kosinová, J. (1975). Weed communities of winter crops in Egypt. *Preslia, Praha* **47**: 58-74.
- Kropáč, Z., Hadač, E. & Hejny, S. (1971). Some remarks on the synecological and syntaxonomic problems of weed plant communities. *Preslia, Praha* **43**: 139-153.
- Lakshman, G. (1979). An ecosystem approach to the treatment of waste waters. *Journal of Environmental Quality* **8** (3): 353- 364.
- Launchbaugh, K.L. & Provenza, F.D. (1993). Can plants practice mimicry to avoid grazing by mammalian herbivores? *Oikos* **66**: 501 – 504.
-

- Lavrentiades, G. (1980). On the grain-field weeds of the American farm school of Thessaloniki. *Phytocoenologia* **7**: 318 – 335.
- Lewis, D. (1941). The evolution of sex in flowering plants. Biological Review of Cambridge, *Philosophical Society* **17**: 46 – 67.
- Lloyd, D.G. (1980). Sexual strategies in plants. I: An hypothesis of serial adjustment of maternal investment during one reproductive session. *New Phytologist* **86**: 69-79.
- Lloyd, D.G. & Bawa (1984). Modification of the gender of seed plants in varying conditions. *Evolution Biology* **17**: 255 – 338.
- Mabrook, B. (1982). Water quality and fresh water storage in Pleistocene Holocene Aquifer. Tenth of Ramadan, East Nile Delta Area, Egypt Greece, Sep. 1982.
- Mashaly, I.A. (1987). Ecological and floristic studies of Dakahlia-Damietta region. Unpublished Ph.D. Thesis, Mansoura University, Egypt.
- Migahid, M.A. (1983). Vegetation and environmental variation along transects through coastal and inland ecosystems of the western Mediterranean desert of Egypt. Unpublished M.Sc. Thesis, Alexandria University, Egypt.
- Mohanty, B.P. & Mishra, P. (1963). Stomatal distribution in relation to xeromorphology in aquatic plants. *Nature* **200 (49)**: 909 - 910.
- Mousa. M.T. (1998). Weed communities of some common orchards in Middle Delta region. Unpublished M.Sc. Thesis, Tanta University, Egypt.
- Mueller- Dombois, D. & Ellenber, H. (1974). Aims and Methods of vegetation Ecology. John Wiley, New York.
- Nilsson, C. Ekblad, A., Gardfjell, M. & Carberg, B. (1991). Long-term effect of river regulation on river margin vegetation. *Journal of Applied Ecology* **28**: 963 – 987.
- Pielou, E.C. (1975). *Ecological..diversity*. Wiley-Interscience Publication, New York.
- Quézel, P. (1978). Analysis of the flora of Mediterranean and Saharan Africa. *Annals of the Missouri Botanic Garden* **65**: 479 – 534.
- Rabinowitz, D. (1981). Seven forms of rarity. In Synge, H. (ed.): *The Biological Aspects of Rare Plant Conservation*. Jhon Wiley & Sons Ltd, London.
- Raunkiaer, C. (1937). *Plant life forms*. Clarendon, Oxford.
- Reda, M. (1971). Pedological studies in agricultural expansion areas west of the Suez Canal, U.A.R. Unpublished M.Sc. Thesis, Fac. Agric. Cairo University, Egypt.
-

- Ricklefs, R.E. (1977). Environmental heterogeneity and plant species diversity, a hypothesis. *American Naturalist* **111**: 576 - 581.
- Rizk, A.M. (1986). *The phytochemistry of the flora of Qatar*. Scientific and Applied Research Center, Qatar University, Doha.
- Rizk, A.M. & Al-Nowaihy, A. (1989). *The phytochemistry of the horticultural plants of Qatar*. Scientific and Applied Research Center, Qatar University, Doha.
- Rodgers, W.A. & Homewood, K.M. (1982). Species richness and endemism in the Usambara mountain forests, Tanzania. *Biological Journal of Linnean Society* **18**: 197 – 242.
- Salem, B.B. (1989). Remote sensing of vegetation and land use in the North Western Desert of Egypt. Unpublished Ph.D. Thesis, Alexandria University, Egypt.
- Sculthorpe, C.D. (1985). *The biology of aquatic vascular plants*. Edward Arnold (Publishers) Ltd., London.
- Serag, M.M. (1986). Studies on the ecology of the Damietta coastal area. Unpublished M.Sc. Thesis, Mansoura University, Egypt.
- Serag, M.M. & Khedr, A.A. (1996). The shoreline and aquatic vegetation of El-Salam canal, Egypt. *Journal of Environmental Sciences* **11**: 141 – 163.
- Shaheen, A.M. (1987). Studies on the weed flora of Aswan area. Unpublished M.Sc. Thesis, Cairo University, Egypt.
- Shalaby, M.E. (1995). Studies on plant life at Kafr El-Sheikh Province – Egypt. Unpublished M.Sc. Thesis, Tanta University, Egypt.
- Shaltout, K.H. (1994). Post-agricultural succession in the Nile Delta region. *Journal of Arid Environments* **28**: 31 – 38.
- Shaltout, K.H. (1997). Current situation of flora and vegetation of southwest Egypt. In Abdel-Ghaffar, A.S., Marei, S.M. and Gaber, M.H. (eds.): *Integrated Land Development of Southern Egypt: Available Resources and Alternative Options*. Cairo Office of International Development Research Center (IDRC) and Soil and Water Science Department, Alexandria University.
- Shaltout, K.H. & Al-Sodany, Y.M. (2000). *Flora and vegetation of lake Burullus area*. MedWet Coast, Egyptian Environmental Affairs Agency, Cairo.
- Shaltout, K.H. & El-Beheiry, M.A. (1997). Phytomass and nutrient status of *Kochia indica*, a promising fodder plant in Egypt. *Flora* **192**: 39 - 45.
-

- Shaltout, K.H. & El-Beheriy, M.A. (2000). Demography of *Bassia indica* in the Nile Delta region, Egypt. *Flora* **195**: 392 - 397.
- Shaltout, K.H. & El-Fahar, R.A. (1991). Diversity and phenology of weed communities in Nile Delta region. *Journal of Vegetation Science* **2**: 385 - 390.
- Shaltout, K.H. & El-Halawany, E. (1993). Vegetation analysis of the irrigation and drainage canals in Eastern Saudi Arabia. *Journal of University of Kuwait (Science)* **20**: 261 - 273.
- Shaltout, K.H. & El-Sheikh, M.A. (1991). Gradient analysis of canal vegetation in Nile Delta region. *Feddes Repertorium* **102**: 639 - 645.
- Shaltout, K.H. & El-Sheikh, M.A. (1993). Vegetation-environmental relation along water courses in the Nile Delta region. *Journal of Vegetation Science* **4**: 567 - 570.
- Shaltout, K.H. & El-Sheikh, M.A. (2002). Vegetation of the urban habitats in the Nile Delta region, Egypt. *Urban Ecosystems* **6**: 205 - 221.
- Shaltout, K.H. & Sharaf El-Din, A. (1988). Habitat types and plant communities along transect in the Nile Delta region. *Feddes Repertorium* **99**: 153 - 162.
- Shaltout, K.H., Al-Sodany, Y.M. & El-Sheikh, M.A. (2002). *Management of common reed Phragmites australis in Lake Burullus, Egypt*. MedWet Coast, Egyptian Environmental Affairs Agency, Cairo.
- Shaltout, K.H., El-Kady, H.F. & El-Sheikh, M.A. (1999). Species diversity of the ruderal habitats in the Nile Delta. *Taekholmia* **19** (2): 203 - 225.
- Shaltout, K.H., Sharaf El-Din, A. & El-Fahar, R.A. (1992). Weed communities of the common crops in the Nile Delta region. *Flora* **187**: 324 - 339.
- Sheded, M.G. (1992). Environmental and vegetations in the South Eastern Desert Egypt. Unpublished Ph.D. thesis, Assuit University, Egypt.
- Sheded, M.G. & Shaltout, K.H. (1998). Weed flora in plantation of recently established tourist resorts along Red Sea coast- Egypt. *Journal Union Arab Biologists* **5 (B)**: 109 - 119.
- Shehata, M.N. & El-Fahar R.R.A. (2000). The vegetation of reclaimed areas in shalhya region. Pric. 1st Int. conf. Boil. (ICBS) fac. Sci., Tanta University. 7 - 8 vol. 1: 315 - 332.
-

- Simpson, N.D. (1932). *A report on the weed flora of the irrigation channels in Egypt*. Ministry of public works, Government Press, Cairo.
- Springuel, I. (1981). Studies on the natural vegetation of the islands of the first cataract at Aswan, Egypt. Unpublished Ph.D. Thesis, Assiut University, Egypt.
- Springuel, I. (1985). The shoreline vegetation of the area between the two Dams south of Aswan. *Proceedings of the Egyptian Botanical Society* **4**: 297 - 315.
- Springuel, I., El Hadidi, N.M. & Ali, M.M. (1991a). Vegetation gradient on the shores of Lake Nasser in Egypt. *Vegetatio* **94**: 15 - 23.
- Springuel, I., El Hadidi, N.M. & Sheded, M. (1991b). Plant communities in the southern part of the Eastern desert (Arabian Desert) of Egypt. *Journal of Arid Environments* **21**: 307 - 317.
- Streibig, J.C., Gottschau, A., Dannis, B., Hass, H. & Molgaard, P. (1984). Soil properties affecting weed distribution. *International Symposium on Weed Biology, Ecology and Systematics* **7**: 147 - 154.
- Strid, A. (1986). The mountain flora of Greece with special reference to Anatolian element. *Proceedings of Royal Society of Edinburgh* **89**: 59 - 68.
- Täckholm, V. & Drar, M. (1950). *Flora of Egypt: volume II*, Fuoad 1 University Press, Cairo.
- Täckholm, V. (1956). *Students' Flora of Egypt*. Anglo-Egyptian Bookshop, Cairo.
- Täckholm, V. (1974). *Students' Flora of Egypt*: second edition. Cairo University Press. Cairo.
- Täckholm, V. & Boulos, L. (1974). Supplementary notes to students' flora of Egypt. 2nd ed. *Publications of Cairo University Herbarium* **5**: 1-135.
- UNESCO (1979) Map of the World distribution of arid region. MAB Technical Note No. 7, Paris.
- Vivian-Smith, G. & Stiles, W.E. (1994). Dispersal of salt marsh seeds on the feet and feathers of waterfowl. *Wetlands* **14**: 316 - 319.
- Waisel, Y. (1972). *Biology of halophytes*. Academic Press, New York.
- Whittaker, H. (1972). Evolution and measurement of species diversity. *Taxon* **21**: 213 - 251.
- Wickens, G.E. (1976). *The Flora of Jebel Marra (Sudan Republic) and its geographical affinities*. *Kew Bulletin Additional Series* **5**.
-

- Wickens, G.E. (1980). Alternative uses of brows species. In Le Houèrou, H.N. (ed.): *Browse in Africa; the Current State of Knowledge*. The International Symposium on Browse in Africa, Addis Ababa.
- Wilson, M.V. & Shmida, A. (1984). Measuring Beta diversity with presence-absence data. *Journal of Ecology* **72**: 1055 – 1064.
- Yanni, Y.G. (1992). Contribution of inoculation with *Azolla* combined with nitrogen, phosphorus and zinc to rice in Nile Delta. *World Journal of Microbiology and Biotechnology* **8**: 579 - 584.
- Zahran, M.A. (1982). *Vegetation types of Saudi Arabia*. Publications of King Abdul Aziz University, Jeddah.
- Zahran, M.A. & Mashaly, I.A. (1991). Ecological notes on the flora of the Red Sea coastal land of Egypt. *Bulletin of the Faculty of Science, Mansoura University* **18 (2)**: 251 – 292.
- Zahran, M.A. & Willis, A.J. (1992). *The Vegetation of Egypt*. Chapman and Hall, London.
- Zahran, M.A. & Willis, A.J. (2003). *Plant life in the River Nile in Egypt*. Mars Publishing House, Riyadh.
- Zahran, M.A., El-Demerdash, M.A. & Mashaly, I.A. (1985). On the ecology of the deltaic coast of the Mediterranean Sea, 1-General survey. *Proceedings of Egyptian Botanical Society* **4**:1392-1406.
- Zohary, M. (1966). *Flora Palaestina: part one; text (Equisetaceae-Moringaceae)*. The Israel Academy of Science and Humanities, Israel Jerusalem Academic Press. Jerusalem.
- Zohary, M. (1972). *Flora Palaestina: part two; text (Platanaceae-Umbelliferae)*. The Israel Academy of Science and Humanities, Israel Jerusalem Academic Press, Jerusalem.
- Zohary, M. (1973). *Geobotanical Foundations of Middle East*. Gustav Fischer Verlag, Stuttgart.
-