

REFERENCES

REFERENCES

- 1- Encyclopaedia Britannica, 8, p. 33-60, Chicago, Encyclopaedia Britannica Inc. (1942).
- 2- Scholz, H.A., Ind. Eng. Chem., 45, p. 710, (1953).
- 3- Mott, E., Journal of Oil and Colour Chemists' Association, 49, p. 159, (1966).
- 4- Martens, Charles R., Emulsions & Water-Soluble Paints and Coating, Reinhold Publishing Corporation, N. Y., p. 131, (1964).
- 5- Tawn, A.R.H. and Berry, J.R. Journal of Oil and Colour Chemists' Association, 48, p. 790 (1965).
- 6- Allyn, G., Am. Paint J., 42, No. 36, p. 84, (1958),
- 7- Anon, Master, Design Eng., 47, No. 5, p. 100, (1958),
- 8- Ibid, 46, No. 5, p. 137, (1957).
- 9- Bress, J., et.al., Paint Ind. Mag., 75, No. 3, p. 13, (1960).
- 10- Broughton, J.G., Paint, Oil, Chem. Rev., 121, No. 4, p. 8, (1958).
- 11- Carpenter, M.C., Prod. Finishing, 23, No. 6, p. 28 (1959).
- 12- Carpenter, M.C., Offic.Dig.Federation Paint Varnish Prod. Clubs, 31, 99, (1959).
- 13- Carpenter, M.C., Cipriano, A.I., and Skorn, L.K., Offic. Dig. Federation Paint Varnish Prod. Clubs, 30, No. 403, p. 845, (1958).
- 14- Carpenter, M.C., Am. Paint J., 42, No. 4, p. 88, (1957).
- 15- Drubel, R.B., Paint Varnish Prod., 50, No. 9, p. 41, (1960).

- 16- Estrada, N.S., Offic. Dig. Federation Paint Varnish Prod. Clubs, 33, p. 417 (1961).
- 17- Farrow, E.L., Paint Technology, 24, No. 273, p. 19, (1960).
- 18- Hendrickson, Offic. Dig. Federation Paint Varnish Prod. Clubs, 31, No. 408, p. 101, (1959).
- 19- Marino, D.A., Metal Finishing, 56; No. 11, p. 70, (1958).
- 20- Meincke, E.R., Paint Ind. Mag., 75, No. 10, p. 9, (1960).
- 21- Price, R.N., Langland, H.W., and Boller, R.A., Offic. Dig. Federation Paint Varnish Prod., Clubs, 30 No. 405, p. 1096, (1958).
- 22- Robson, R.L., Prod. Finishing, 15, No. 10, p. 57, (1962).
- 23- Ropp, W.S., Offic. Dig., Federation Soc. Paint Technol., 34, No. 446, p. 336 (1962).
- 24- Sears, R.L., Offic. Dig. Federation Paint Varnish Prod. Clubs, 31, No. 408, p. 105, (1959).
- 25- Riese, W.A., Farbe und Lack, 72, Nr. 7, p. 632, (1966).
- 26- North, A.G., Journal of Oil and Colour Chemists' Association, 44, p. 119, (1961).
- 27- Tasker, L. and Taylor, J.R., Journal of Oil and Colour Chemists' Association, 48, No. 2, p. 121, (1965).
- 28- Beck, F., Farbe und Lack, 72, Nr. 3, p. 218, (1966).
- 29- Frangen, K.H., Farbe und Lack, 72, Nr. 1, p. 36, (1966).
- 30- Refr. 4, p. 137.
- 31- Fry, E.S. and Bunker, M.B., Journal of Oil and Colour Chemists' Association, 43, p. 640, (1960).

- 32- Refr. 4, p. 28.
- 33- Hopwood, J.J., Journal of Oil and Colour Chemists' Association, 48, p. 157, (1965).
- 34- Riese, W.A., Farbe und Lack, 72, Nr. 6, p. 542, (1966).
- 35- Bickford, W.G.; Hoffman, J.S.; Heinzelman, D.C. and Fore, S.P., J. Org. Chem., 22, p. 1080, (1957).
- 36- Danzig, M.J., O'Donnel, J. L., Bell, E.W., Cowan, J.C., and Teeter, H.M., J. Am. Oil Chemists' Soc., 34, p. 136, (1957).
- 37- Teeter, H.M., Scolfield, C.R., and Cowan, J.C., Oil and Soap, 23, p. 216, (1946).
- 38- Baily, Alton, Industrial Oil and Fat Products, Interscience Publishers Inc., N.Y., p. 48, (1951).
- 39- Kirschenbauer, H.G., Fats and Oils, An Outline of their Chemistry and Technology, Reinhold Publishing Corporation, N.Y., p. 152, 2ed (1960).
- 40- U.S. Patent 3, 094, 834.
- 41- Chatfield, H.W., The Science of Surface Coating, D. Van Nostrand Company, Inc. N.Y., p. 420 (1962).
- 42- Wexler, Herman, Chemical Review, p. 591, (1964).
- 43- Brett, R.A., Journal of Oil and Colour Chemists' Association, 47, p. 767, (1964).
- 44- Encyclopaedia of Polymer Science and Technology, 1, p. 70, John Wiley & Sons, Inc., N.Y., (1964).
- 45- Golding, Brage, Polymers & Resins, D. Van Nostrand Company, Inc. p. 16, (1959).
- 46- Harwood, H.J., Chemical Review, p. 99, (1962).

- 47- Tester, H.M.; O'Donnel, J.L.; Schneider, W.J.; Cast, L.E.
and Darzig, M.J., J. Org. Chem., p. 512,
(1957).
- 48- Sykes, P., A Guide Book to Mechanism in Organic Chem.,
Longmans, p. 137, (1962).
- 49- Diels & Alder, Ann., 460, 98, (1928).
- 50- Encyclopaedia of Chemical Technology, Kirk-Othmer, 7,
p. 415, (1965).
- 51- Weiss, J., J. Chem. Soc., p. 245, (1942).
- 52- Rudd, H.W., Paint Manufacture 13, p. 5, (1943).
- 53- Morrell, R.S.; Marks, S. and Samuels, H., Journal of the
Society of Chemical Industry, 52, Transactions,
p. 130 T, (1933).
- 54- Plimmer, H., Journal of Oil and Colour Chemists' Asso-
ciation, 32, p. 99, (1949).
- 55- Ross, J.; Geghart, A. and Gerecht, F., J. Amer. Chem.
Soc., 68, p. 1373, (1946).
- 56- Bickford, W.G., et.al., J. Amer. Oil Chemists' Soc.,
25, p. 254, (1948).
- 57- Bolley, D.S., Ind. Eng. Chem., 41, p. 287, (1949).
- 58- Bickford, W.G.; et.al., Oil and Soap, 19, p. 23, (1942).
- 59- Conant, J.; and Blatt, A.H.; The Chemistry of Organic
Compounds, The MacMillan Company, N.Y.,
p. 314, (1948).
- 60- British Patent, 921, 622.
- 61- Strickland, A., Paint and Varnish Production, 53, (12),
61, (1963).
- 62- U.S. Patent 2, 543, 211, (1951).

- 63- British Patent, 845,801 (1961).
- 64- U.S. Patent 2, 985,602, (1961).
- 65- Belg Patent 631, 513, (1963).
- 66- Schroeder, H.M., Paint and Varnish Production, 55, No.3, 31, (1965).
- 67- Neth.Patent, 283, 778, (1965).
- 68- U.S. Patent 3, 223, 658, (1965).
- 69- Bruggeman, C.E., Offic. Dig. J., Paint Technol, 32, No. 489, 1136 (1965).
- 70- British Patent, 1, 032, 364 (1966).
- 71- British Patent 1,039, 873, (1966).
- 72- Austrian Patent 236, 129, (1964).
- 73- British Patent 1,003, 326
- 74- Ibid, 1,048, 893, (1966).
- 75- Neth.Appl. Patent, 6,611,659, (1967).
- 76- Domide, C.T., Manin, G., Rom. 49, 112, (1967).
- 77- Belyaeva, K.P.; Briskina, O.M.; Durnova V.G.; (USSR) Iokokrasoch. Mater Ikh Primen,(4), 1, (1968).
- 78- Nieuwenhuis, W.H.M. and Visser, T.N.; Fette, Seifen, Austrichm., 70, No. 12, 945, (1968).
- 79- French Patent, 1,521, 385, (1968).
- 80- Japan Patent, 6902,000, (1969).
- 81- French Patent, 1,521, 387, (1968).
- 82- U.S. Patent, 3,434, 988, (1969).
- 83- Japan Patent, 6,928,320, (1969).

- 84- Armitage, F.; and Trace, L.O.; JOCCA, 40, 849, (1957).
- 85- Chadha, L.S., and Gupta, A.C., J. Oil Technologists' Assoc. (India) 17, Pt. 3-4, 1. (1962).
- 86- Japan Paten, 9861, (1965).
- 87- Ghisolfi, G., Mortara, E.; and Santero, G.; Pitture Vernici 38, No. 9, 313, (1962).
- 88- Ghisolfi, G.; Santero, Pitture Vernici, 39, No. 2, 53, (1963).
- 89- Neth.. Appl. Patent, 6, 412, 716, (1966).
- 90- U.S. Patent, 3, 357, 936, (1967).
- 91- British Patent, 1,117, 126, (1968).
- 92- Ibid, 921, 622, (1963).
- 93- Belg. Patent, 637, 097, (1963).
- 94- U.S. Patent 3, 298, 848, (1967).
- 95- U.S. Patent, 3,427, 266, (1969).
- 96- French Patent, 509, 301, (1968).
- 97- Ital. Patent, 439, 452, (1948).
- 98- British Patent, 1, 059, 912, (1967).
- 99- U.S. Patent, 2,915, 487, (1959).
- 100- Anon, Amer. Paint. J., 44, No. 41, 71, (1960).
- 101- Belg. Patent, 622, 245, (1962).
- 102- Wilkinson, R.F.; Offic. Dig., 35, No. 457, 129, (1963).
- 103- U.S. Patent, 3,133,032, (1964).
- 104- British Patent, 965,659, (1964).
- 105- French Patent 1,472, 286, (1967).

- 106- Gams, A.; Widmer, G.; and Fisch, W.; Helvetica Chimica Acta, 24, part 2, 302 E, (1941).
- 107- Stephens, J.R.; Offic. Dig. 35, 380, (1963).
- 108- U.S. Patent 2,188,882 (1940).
- 109- U.S. Patent, 2,201,927.
- 110- U.S. Patent, 2,774, 746.
- 111- "Cymel 300" Technical Data Sheet CRT-56, American Cyanamid Company.
- 112- Magson, Phenolic Resin Chemistry (Butherworths Scientific Publications, London, (1958).
- 113- British Patent, 665, 195.
- 114- Can. Patent, 657, 886.
- 115- Martin, R.W.; The Chemistry of Phenolic Resin, (John-Wiley & Sons), p. 204, (1956).
- 116- Aust. Patent, 203, 065.
- 117- Symposium on Thermosetting Acrylic Resins, Offic. Dig. 33, (6), (1961).
- 118- Symposium on Water Thinnable Coatings, Offic. Dig. 31, (2), (1959).
- 119- Carpenter, M.C.; Cipriano, A.L.; and Martin, P.H.; Offic. Dig. 29, 980, (1957), Carpenter, M.C.; Cipriano, A.L.; and Skory, L.E.; Offic. Dig. 30, 845, (1958).
- 120- Cheethan, H.C.; Offic. Dig. 31, 110, (1959).
- 121- British Patent, 854, 191.
- 122- Ibid 824, 340.

- 123- Strickland, A.; Water-Soluble Vehicles, Paint and Varnish Production, p. 61, (1963).
- 124- Frich, N.H.; Gerhart, H.L.; Gilbert, H.E.; and Parker, E.E.; Polymer Coating, Industrial and Engineering Chemistry, 61, No. 8, p. 60, (1959).
- 125- Mclean, A.; Paint Manufacture, (2) p. 27, (1967).
- 126- Wheeler, R.N., Journal of Oil and Colour Chemists' Assoc., 36, No. 396,305, (1953).
- 127- Van Westernen, W.J., and Tysall, L.A.; Journal of Oil and Colour Chemists' Assoc. 51, 108, (1968).
- 128- Sommerville, G.R.; and Herr, D.S.; Ind. Eng. Chem. 49, No. 7, 1080, (1957).
- 129- Price, C.C., Mechanical Reaction at C=C double bonds Interscience Publishing Co., N.Y. p. 49 (1946).
- 130- Sykes, P.; A Guide Book to Mechanism in Organic Chem., Longmans, p. 137, (1962).
- 131- Engelhardt, F.; Lendwoch, D.; and Schwengers, C. Kunststoffs Rundschau, 7, 433, (1960).
- 132- Bevan, E.A., Varnish Making, JOCCA, 34, p. 60, (1939).
- 133- Kaikariena, Z., (USSR), Polim. Mater. Ikh. Issled., Chem. Abstr. 81, 154635 v, (1974).
- 134- S. African Patent 6801, 892, (1968); Chem. Abstr. 70, 69340 Y, (1969).
- 135- S. African Patent 6707, 814, (1968); Chem. Abstr. 70, 48691 Y, (1969).
- 136- British Patent 870, 412, (1961); Chem. Abstr. 55, 26534 e, (1961).

- 137- U.S. Patent 3,730,926. (1973); Chem. Abstr. 79, 6913 c, (1967).
- 138- Neth. Appl. Patent, 302,315, (1965); Chem. Abstr. 64, 14419 b) (1966).
- 139- Belg. Patent, 637,097, (1963).
- 140- U.S. Patent, 3,305,501, (1967); Chem. Abstr. 66, 86739 v, (1967).
- 141- British Patent, 1,148,014, (1969); Chem. Abstr. 71, 4575 e, (1969).
- 142- British Patent, 1,156,444, (1969); Chem. Abstr. 71, 72021 w, (1969).
- 143- French Patent, 1,555,676, (1969); Chem. Abstr. 71, 72018 a, (1969).
- 144- Japan Patent, 7031,954, (1970); Chem. Abstr. 74, 23702 x, (1971).
- 145- USSR, Patent, 328,133 (1972); Chem. Abstr. 77, 21740 w, (1972).
- 146- U.S. Patent, 3,835,076, (1974); Chem. Abstr. 82, 28776 k, (1975).
- 147- Zuzmichev, V.I., et.al., V.A., (USSR), Sb. Nauch. Tr., Yaroslav. Tekhnol. Inst. 1972, Chem. Abstr. 81, 93154 p, (1974).
- 148- Gaschke, Marcel, Paint Varn. Prod., (1974); Chem. Abstr. 82, 126641 w, (1975).
- 149- Kaikariene, Z., et.al. I (USSR), Polim. Mater. Tekh. Issled., Mater Resp. Nauchno. Tekh. Konf. Chem. Abstr. 81, 154634u, (1974).

- 150- Giboz, Jean P.; Lahaye, Jacques; J. Paint Technol. (1971);
Chem. Abstr. 75, 22616 f, (1971).
- 151- German Offen Patent, 2,415,100, (1974); Chem. Abstr.
82, 60065 c, (1975).
- 152- Fullen W.J.; Paint Varn. Prod. (1973), Chem. Abstr,
78, 112735 k, (1973).
- 153- German Offen Patent, 2,142,449, (1972), Chem. Abstr. 77,
103430 j, (1972).
- 154- British Patent, 1,306,102, (1973); Chem. Abstr. 78,
112773 w, (1973).
- 155- German Offen. Patent, 2,248,836, (1973); Chem. Abstr.
78, 149066 u, (1973).
- 156- Japan Kakai Patent, 74, 114,634, (1974); Chem. Abstr,
83, 61969 h, (1975).
- 157- Swiss Patent, 498,187, (1970); Chem. Abstr. 74, 65683 x,
(1971).
- 158- German, Offen. Patent, 1,942,739, (1970); Chem. Abstr.
72, 134269 q, (1970).
- 159- French Patent, 1,554,031, (1969); Chem. Abstr, 71,
40330 e, (1969).
- 160- Neth. Appl. Patent, 70,00,333, (1970); Chem. Abstr. 73,
121614 u, (1970).
- 161- Japan Patent 74,04,290, (1974); Chem. Abstr. 81,
154683 j, (1974).
- 162- Bajoras, G., et.al., (Inst. Chem. Technol., Vinius,
USSR); Chem. Abstr. 78, 99151 v, (1972).
- 163- German Offen. Patent, 2,258,406, (1973); Chem Abstr.
79, 80447 v, (1973).

- 164- Ogg., C.L.; W.L., Porter, Ind. Eng. Chem., Anal. Ed.
17, 394, (1945).
- 165- ASTM Designation: D 555-58.
- 166- Kappelmeir, C.P.A., Chemical Analysis of Resin-Based
Coating Materials, Interscience Publishers,
Inc., p. 153, (1959).
- 167- American Oil Chemists' Society, Official Method, Ka 12-55.
- 168- Naser, A.M.; Ph.D. Thesis Submitted to Faculty of Science,
Ain Shams University, (1967).
- 169- Paint Technology Manuals, Part V, The Testing of Paints
p. 31, (1965).
- 170- Cardner, H.A., and Sward, G.G.; Physical and Chemical
Examination of Paints, Varnishes Lacquers
and Colours, 9 ed., p. 422, H.A. Gardner
Laboratory Inc., U.S.A. (1946).
- 171- Heaton, Noel, Outlines of Paint Technology, Charles
Griffin and Company Limited, London, p.
385, 3rd, Ed., (1956).
- 172- ASTM Designation: D 523-53 T.
- 173- Paint Technology Manuals, Part V, The Testing of Paints,
p. 7, (1965).
- 174- Ref. 170, p. 94.
- 175- ASTM Designation: D 1200 A 052.
- 176- ASTM Designation: D 1005-51
- 177- Egyptian Specification No. 824, (1966).
- 178- Ref. 170, p. 514.
- 179- ASTM Designation: D 870-54.

- 180- Indian Standard Specification Is.: 158, (1950).
- 181- Indian Standard Specification Is.: 159 (1950).
- 182- Coldblatt, L.A.; Hopper, L.L.; and Wood, D.L.; Ind. Eng. Chem. 49, 1099, (1957).
- 183- Naser, A.M., Lecture Notes on Fats & Oils (Al-Azhar University (1976).
- 184- Siegel, E.F.; and Moran, M.K.; J. Am. Chem. Soc., 69, p. 1457, (1947).
- 185- McGraw-Hill Year Book of Science and Technology, N.Y., p. 417, (1965).
- 186- Awadalla, S.S.; M.Sc. Thesis Submitted to Faculty of Science, Ain Shams University, (1976).
- 187- Ghanem, N.A.; and Naser, A.M.; Farbe und Lack, 75, 419, (1969).
- 188- Naser, et.al., Journal of Oil and Colour Chemists' Assoc., 57, 95, (1974).
- 189- Patton, T.C.; Alkyd Resin Technology Interscines Manule (8), N.Y., (1962).