

7. REFERENCES

- Abdallah. S. A (1981) Studies on hypersensitivity in French bean. Ph. D. thesis, University of London Baker, K.F., and Cook, R
- Abdallah. S. A. (1987a): Role of phytoalexins in the differential response of soybean (*Glycine max* L.) to infection by *Fusarium solani f.sp. phaseoli* at two different temperatures. 12th International congress for statistics, computer science social and Demographic Research, Cairo, Egypt. March 28 & April, 2,69-82.
- Abdallah. S. A. (1987b): Induction of hypersensitivity in soybean hypocotyls inoculated with *Fusarium solani f.sp.phaseoli*: A histological approach. Ann. Agric. Science, Moshtohor, 25(4): 2051-2062.
- Abdallah. S. A. , Shams Eldin, N. M. Elfouly, M. Z. and El-Abassi, F, (1987c): Effects f Gamma radiation on the induction of hypersensitive in soybean hypocotyls infected by *Fusarium solani f.sp.phaseoli*. at two different temperatures. 12th International Congress for Statistics, Computer Science, Social and Demographic Research, Cairo, Egypt, March 28-April 2, 83-96
- Abd El-Aziz, Ferial, M.R. (1970): Studies on damping off and root rot diseases of soybean and Lucerne in UAR. M.Sc. Thesis, Fac. of Agri. Alex. Univ.
- Abd-El-Moity, T.H., (1985) Effect of single and Mixture of *Trichoderma harzianum* isolate on controlling three different soil borne pathogens. Egypt. J. of Microi, Especial Issue 111-120
- Abd-El-Moity, T.H., Shatla M.N., El-Shenawy, Z. and El-Harrawi S. (1979): Antagonism of some bacterial isolates against *Sclerotium cepivorum* Berk, the pathogen of white rot disease of onion. 3rd. Egypt. Phytopathol. Congress 996-1017.
- Abd El- Rehim M.A., Michail S.M., and Hashem M., (1968): On the control or the infection of *Vicia fabae* by *Fusarium oxysporum f. fabae* through the application of β -alanene. Flora Abstract A. Rot., 159: 135-140.
- Abdou Kalil (1990): Studies on root rot and damping off disease of sunflower. M. Sc. Thesis, Fac. of Agric., Zag. Univ.
- Abdou, Y.A., Ragab M.M. and Olfat M. Mousa (1970): Microbial association in *Rhizoctonia* root-rot of beans U.A.R. J. Phytopathol., 2: 59-62.
- Abo EL- Dahab M.K., Tarhbeih A.M., and Mohamed S.E., (1980): Studies on sunflower disease in Egypt, 1-Studies on charcoal rot and its control. Egypt. J. Phytopatho., 12: 112-113.

- Bekhit M.R., (1957):** Diseases of leguminous and oleaginous crops (in Arabic). Ministry of Agri., Egypt. Plant Pathol. science Bull., 39:54.
- Bell, D. K., Wells, H. D., and Markham C.R. (1982):** *In vitro* antagonism of *Trichoderma* species against six fungal plant pathogens. Phytopathol., 72: 379-382
- Bergey's (1984):** Bergey's Manual of Determinative Bacteriology (Williams and wilkins Co.) Baltimore, London.
- Bergey's (1989):** Bergey's Manual of Determinative Bacteriology (Williams and wilkins Co.) Baltimore, London.
- Bernard R.L., Smith P.E., Kaufmann M.J., and Schmitthe N.F., (1957):** Inheritance of resistance to *Phytophthora* root and stem in soybean. Agronomy J., 49:391.
- Bhargava S. N., (1965):** Studies on charcoal rot of potato. Phytopatho. Zeitchrift, 53 (1): 35-44.
- Bhattacharyya M. K., (1988):** Some physiological aspects of the soybean *phytophthora megasperma f.sp. glucinea* interaction, with special reference to the phytoalexins glyceollin. Dissertation Abst. Internal., B-sciences and Engineering, 48(9): 2516 B.
- Bioley J.P., Jay M., and Fiasson J.L., (1987):** *Sclerotinia sclerotiorum* on sunflower : study of a biochemical method of investigating resistance. I-Biochemical mechanisms of the secondary metabolism in the reaction of cultivated plants to fungal pathogens. Information Techniques, Centre Technique. Interprofessionel des oleagineux Metropolitains, France, 4 (101): 7-19.
- Bochow H.,(1989):** Use of microbial antagonists to control soil borne pathogens in greenhouse crops. Acta Horticulturae, 255: 271-280.
- Bochow H., and Fritzsche S., (1991):** Induction of phytoalexin biosynthesis by culture filtrates of bacterial antagonists. Bulletin SROP., 14 (8): 158-161.
- Boewe G.H., (1942):** Charcoal rot on potatoes in Illinois. Plant Disease Reporter, 26: 142-143.
- Brask P., (1991):** Antibiotics from *Gliocladium* and *Trichoderma* and their influence on biological control of plant pathogens.
- Bridge M.A., and Klarman W.L., (1973):** Soybean phytoalexin hydroxy phaseoallin induced by U.V. irradiation. Phytopatho., 63:606-609.
- Broadbent P., Baker K.F., and Waterworth Y., (1971):** Bacteria and actinomycetes antagonistic to fungal root pathogens in Australian soils. Aust. J. Biol. Sci. 24,925.

- Abo EL-Gassim E.A., (1976):** Seed health testing of certain leguminous crops. M. Sc. thesis, Fac. of Agri., Alex, Univ.
- Acimovic M., (1963):** *Sclerotium bataticol* Taub., *Macrophomina phaseoli* as parasite of soybean in Yugoslavia. Referat. Zeitehrift Biology, 23:11
- Agrawel, D.K; Gangopadhyay; and Sarbhoy (1973):** Effect of temperature on the charcoal rot disease of soybean. Indian Phytopatho. 26: 587-589.
- Agarawal, S. C., Kare, N. M. and Agarawal S. P. (1977):** Biological control of *Sclerotium rolfsii* causing collar rot of lentil. Indian Phytopathol., 30 (2): 176-179.
- Agarawal D.K., and Sarbhoy A.K., (1978):** Physiological studies on four species of *Fusarium* pathogenic to soybean. Indian Phytopathol., 31: 24-31.
- Ahmed, N; and Ahmed, Q. A. (1969):** Physiologic specialization in *Macrophomina phaseoli* (Moubl). Ashby, causing stem rot of Jute, *Carchorus species*. Mycopath. Myco. appll., 39: 129-138.
- Ahmed, A. H. M; and Tribe H. T. (1977):** Biological control of white rot of onion (*Sclerotium cepivorum*) by *Coniothyrium minitans* Plant Pathol. 26: 75-78.
- Alabouvette C., and Bremeersch P., (1975):** *Macrophemina phaseolina*, a sunflower parasite : present state of our knowledge and direction of research. Information. Tec. CETIOM, No. 52:13-17
- Ammon, V.; Wyllie, T.D. and Brown, M.F. (1975):** Investigation of infection process of *Macrophomina phaseolina* on the surface of soybean roots using scanning electron Microscopy. Mycopathological. Mycology Applied 55: 77-81.
- Anonymous (1946):** Botany. Report Gerogia, Experimental station 1945-1946 PP 68-77.
- Armstrong G.M. and Armstrong J.K., (1963):** Lupin, another legume host of the *Fusarium* wilt from US. cotton. Netherlands J. plant Pathol., 69 (1): 3-75.
- Atlas, Degotuzzo E., (1970):** Microorganisms isolated from normal and spotted soybean seed, their effects on the percentage of germination. Revta Fac. of Agronomy, Vet Univ.
- Baker, K.F., and Cook, R.J (1974)** Biological control of plant pathogen s. W. H. Freedman, San Francisco, CA. 433 pp.
- Barak, R., Elad, U., Mirelmand, D., and Chet, J. (1985):** Lectins: A possible basis for specific recognition *Trichoderma* - *Sclerotium rolfsii* interaction. Phytopathol., 75: 458-462.
- Batson W.E., and Trevathan E.L., (1988):** Suitability and efficacy of ground corncobs as a carrier of *Fusarium solani* spores. Plant. dis., 72: 222-225.
- Bekesi P, Voros J., and Calvert O.H., (1970):** *Macrophomina phaseolina* in Hungary damaging sunflower. Plant Dis. Repr., 54: 280-287.

- Calssen D., and Ward E.W.B., (1985): Temperature-induced susceptibility of soybean to *phytophthora megasperma f.sp. glycinea*: production and activity of elicitors of glyceollin. *Physiol. Pl. Pathol.*, 26: 289
- Chambers, S. C., and Millington, J. R. (1974): Studies on *Fusarium species* associated with a field planting of pathogen- tested potatoes. *Austr. J. Agr. Res.*, 25: 293-297.
- Chan Y. H., and Sackston W.E., (1973): Nonspecificity of the necrosis inducing toxins of *Sclerotium bataticola*. *Can.J. Bot.*, 51: 690-692.
- Chan, I, and Kommedahl, T. (1968): Biological control of seedling blight of corn by coating kernels with antagonistic organisms. *Phytopatho.* 58: 1395-1401.
- Chao, W. L; Nelson, E. B; Harman, G. E and Hoch, H. C (1986): Colonization of the rhizosphere by biological control agents applied to seeds. *Phytopatho.* 76: 60-65.
- Cherif M., and Benhamou N., (1990): Cytochemical aspects of chitin breakdown during the parasitic action of a *Trichoderma sp.* on *Fusarium oxysporum f. sp. radicles-lycopersici*. *Phytopatho.*, 80 (12): 1406-1414.
- Chi C.C., and Hanson E.V., (1965): *In vitro* effects of *Stroptomyces rimosus* on some soil inhabiting fungi. *Pl. Dis. Repr.* 49,159-163.
- Cook, R. J (1985): Biological control of plant pathogens: theory to application *phytopath.* 75, 25-29.
- Cosio, E.G & McClure J.W (1984): Kampferol glucosides and enzymes of flavonol biosynthesis in leaves of soybean strain with low photosynthetic rates. *Plant Physio.* 74, 14-19.
- Cosio E.G., Frey T., and Ebel J., (1990): Solubilization of soybean membrane binding sites for fungal beta-glucans that elicit phytoalexin accumulation. *FEBS-letters*, 264 (2): 285-238.
- Cubeta M.A., Hartman G.L., and Sinclair J.B., (1985): Interaction between *Bacillus subtilis* and fungi associated with soybean seeds. *Plant Disease*, 69 (6): 506-509.
- Dennis, L. and Webster, J. (1971a): Antagonistic properties of specific-groups of *Trichoderma*. I- Production non-volatile antibiotics. *Trans. British Mycol. Soc.*, 57: 25-39
- Dennis, L. and Webster, J. (1971b): Antagonistic properties of specific-groups of *Trichoderma*. II. Production of volatile antibiotics. *Trans. British Mycol. Soc.*, 57: 41-48.
- Dennis, L. and Webster, J. (1971c): Antagonistic properties of specific-groups of *Trichoderma*. III. Hyphal interaction. *Trans. British Mycol. Soc.*, 57: 363-369.

- Fernandez M.R., (1992):** The effect of *Trichoderma harzianum* on fungal pathogens infesting soybean residues. *Soil Biology and Biochemistry*, 24 (10): 1027-1029.
- Fett, W. F. (1984):** Accumulation of isoflavonoids and isoflavones glucosides after inoculation of soybean leaves with *xanthomonas campestris* pv *campestris* and a study of their role in resistance. *Physio. plant Pathol.* 24, 303- 320.
- Fett, W. F. and Jones, S.B (1984):** Stress metabolic accumulation bacterial growth and bacterial immobilization during host and nonhost responses of soybean to bacteria. *Physiological plant Pathol.* 25, 277-196.
- Fokkema, N. J. (1973):** The role of saprophytic fungi in antagonism against *Drechslera sorokiniana* (*Helminthosporium sativum*) on agar plates and on dry leaves. *Physiol. Pl. Pathol.*, 3(1): 193.
- Ford, E. J; Gold, A. H. and Synder, W. C. (1970):** Bacterial induction of chlamydospore formation in *F.solani* f. *sp. phaseoli*. *Phytopatho.*, 60: 479-484.
- Frank J.A., and Paxton J.D., (1971):** An inducer of soybean phytoalexin and its role in the resistance of soybean to *Phytophthora* rot. *Phytopatho.*, 61: 954-958.
- French E.R., (1963):** Effects of soil temperature and moisture on the development of *Fusarium* root rot of soybean. *Phytopathol.*, 53: 875-
- Fuchs A., and VanAndel O.M., (1968):** Physiological and Biochemical Aspects of Host-pathogen Interactions. *Netherland J. plantpathol.* 74 (suppl 1): 177-179.
- Gamal EL-Din I.F., Eisa N.A., and Shaarwy M.A., (1984):** Resistance of sunflower to damping off and charcoal rot disease caused by *Fusarium oxysporum* and *Macrophomina phaseolina* in Egypt. *Egypt. J. Phytopatho.*, 16(1-2): 43-51.
- Gango Padhyay, S.; and Wyllie, T. D (1973):** Biochemical comparison of nine soybean varieties in relation to their susceptibility to *Macrophomina phaseolina*. *Indian J. Mycol. and Pl. pathol.* 3: 131-140.
- Gango Padhyay, S. and Wyllie, T. D (1974):** The role of peroxidase and polyphenoloxidase system in relation to charcoal rot disease of soybean. *India J. Mycol. and Pl. pathol.* 4: 132-137.
- Gauze, G.F, Preobrazhenskaja, T.P., Kudriua, N.S., Rgabova,J.D. and Sveschnikova, M.A.(1983).** Zur Klassifizierung der Actinomyce ten, VEB Gutav- Fischer Verlag. Jena.
- Georgey, N.I. (1977):** Studies on the fungus *Sclerotium cripivorum* Bark. causing white rot of onion and its control. Ph. D. Thesis. Fac. of Agric., Ain Shams Univ.
- Ghaffar A., (1977):** Interaction of actinomycetes with *Macrophomina phaseoli* (Maub.) Ashby, the cause of root rot of cotton, *Mycopath. Mycol. Appl.*, 43: 271-276.
- Goel, S.K. and Mehrotra R. S. (1975):** Biochemical nature of root exudates of *Abelmoschus esculentus* in relation to pathogenesis of root and collar rot caused by *Rhizoctonia bataticola*. *Acta Phytopath. Academic Science Hung*, 10:41-49.

- Gott P.K., Bhalta H.E., and Anderson H.W., (1951):** Endomycin a new antibiotic. *Phytopathol.*, 41(5), 393-400.
- Graham, T. L. (1991a):** Arapid high resolution high performance liquid chromatography profiling procedure for plant and microbial aromatic secondary metabolites. *Plant physio.* 95, 584-593.
- Graham T.L., (1991b):** Flavonoid and isoflavonoid distribution in developing soybean seedling tissue and in seed and root exudates. *Plant Physio.* 39,229-244.
- Graham, T. L., and Graham, M. Y., (1991):** Glyceollin elicitors induce major but distinctly different shifts in isoflavonoid metabolite in proximal and distal soybean cell population. *Mol. plant Microbe interact* (in press).
- Graham T.L., Kim, J. E. and Graham M. Y.(1990):** Role of constitutive isoflavone conjugates in the accumulation of glyceollin in soybean infected with *Phytophthora megasperma*. *Molecular plant Microbiology interaction.* 3, 157-166.
- Gray Q., Klarman W.L., and Bridge M., (1968):** *Can. J. Botany*, 46:285-
- Gupta S., Arora D.K., and Pandey A.K., (1992):** Effect of different abiotic factors on chemotaxis of bacteria towards fungal propagules. *Korean Mycol.*, 20: 109-117.
- Habereeder H., Schroder G., and Ebel J., (1989):** Rapid induction of phenylalanine ammonialyase and chalcone synthase mRNAs of soybean cell cultures at the onset of phytoalexin synthesis. *Planta*, 177(1): 58-65.
- Hadar Y. I., Chet I., and Henis Y., (1979):** Biological control of *Rhizoctonia* damping off with wheat brane culture of *Trichoderma harzianum*. *Phytopathol.*, 69: 64-68.
- Han Y.S., (1959):** Soybeans disease in Taiwan. *Agri. Association China (Taiwan) Journal*, 26: 31-38.
- Harman, G. E; Chet, I; and Baker, R (1980):** *Trichoderma hamatum* effects on seed and seedling disease induced in radish and pea by *pythium spp.* or *Rhizoctonia solani*. *Phytopatho.* 70: 1167-1172.
- Hasegawa S., Kondo N., and Kodama F. (1990):** Suppression of *Fusarium* wilt of adzukibean by rhizosphere microorganisms. *Pest. Alter.* 477-486.
- Hassanin A. H., (1985):** Pathological and physiological studies on some root disease of soybean. Ph. D. thesis, Fac. of Agri. Moshtohor, Zag. Univ. (Benha Branch).
- Hazen E., and Brown R., (1951):** Fungicidin, an antibiotic produced by a soil actinomycete. *Proc. Soc. Expt. Biol. and Med.* 76(1): 93-97.
- Hebber, P. O., Berge T. Heulin and Singh S.P. (1991):** Bacterial antagonists of sunflower (*Helianthus annuus*) Fungal pathogens. *Plant and Soil*, 133(1): 131-140.

- Henis, Y and Inbar, M. (1968):** Effect of *Bacillus subtilis* on growth and *Sclerotium* formation by *Rhizoctinia solani*.
- Henis, Y., Adams, P.B., Lewis, J. A. and Papavizas, G.C. (1983):** Penetration of sclerotia of *Sclerotium rolfsii* by *Trichoderma* spp. *Phytopathol.*, 73:1043-1046.
- Henis, Y., Lewis, J. A. and Papavizas, G.C. (1984):** Interactions between *Sclerotium rolfsii* and *Trichoderma* spp. relationship between antagonism and disease control. *Soil. Boil. Biochem.* 16 (4). 391-396.
- Hilal A.A., (1981):** Studies on charcoal stem rot disease on sunflower incited by *Macrophomina phaseolina* (*Sclerotium bataticola*) and method of control. M. Sc. thesis, Fac. Agric. EL-Azher Univ., Cairo.
- Hildebrand, E.M. (1938).** Techniques for the isolation of single microorganisms. *Botanical Review* 4:624-658.
- Hoffmaster, D. E., McLaughlin, J. H., Winfield, W. and Starrchester, K. (1943):** The problem of dry root caused by *Macrophomina phaseoli* (= *Sclerotium bataticola*). *Phytopathol.*, 33: 113-114.
- Huang, H.C(1979):** Biological control of sclerotinia wilt in sunflower. *Canada Agri.* 24(3): 12-14.
- Ibrahim, I. A; and Kamara, A. M. (1972):** A study on the fungi associated with stalk-rot of maize in Egypt. *Egypt. J. Phytopathol.* 4: 77-90.
- Ilyas M.B, and Sinclair, I.B., (1974):** Effects of plant age upon development of necrosis and occurrence of intraxylem sclerotia in soybean infected with *Macrophomina phaseolina*. *Phytopatho.*, 64 : 156-157.
- Imada, A.; Nazaki, Y.; Kintaka, K.; Okonogi, K; Kitano, K. and Harada, S. (1980):** C-19393 S2 and H2 new carbapdnem antibiotics. I. Taxonomy of the producing strain, fermentation and antibacterial properties. *J. antibiotic.* XXXIII (12, 1417-1424)
- Iocci, R. and Sharples, G. P. (1984):** Morphology. In: *The Biology of Actinomycetes.* Godfellow, Modarski and Williams (Eds.). Acad. Press. London. pp 165-199
- Isoa T., (1957):** An antifungal substance "flavacid". Studies on the antibiotic substances from actinomycetes. *J. Antibiotic* (Tokgs) 6(3): 117-121.
- Jensen D.F., Hockenhull J., Green, H., and Knudsen I.M.B., (1993):** Biological control of soil-borne diseases. 10th Danish Plant Protection Conference Pests and Diseases, 253-258. Lyngby, Denmark.
- Jimener-Diaz R.M., Blanco-Lopez M.A., and Sackston W.E., (1983):** Incidence and distribution of characoal rot of sunflower caused by *Macrophomira phaseolina* in spain. *Plant Disease*, 67(9): 1033-

- Johannes S.M., and Tschen., (1987): Control of *Rhizoctonia soloni* by *Bacillus subtilis*. Trans. Mycol. Soc. Japan, 28: 383-393.
- Johanson, G., Maag D. D. Johnson D. K. and Thomas S. D. (1976): The possible role of phytoalexins in the resistance of sugarbeet to *Cercospora beticola*. Physiological plant Pathol. 8, 225-230.
- Keen, N. T. (1970): Specific elicitors of plant phytoalexin production determinants of race specificity in pathogen. Science, 187: 74-75.
- Keen, N.T (1971): Hydroxyphaseollin production by soybean resistant and susceptible to *Phytophthora megasperma* var *sojae*. Physiological plant pathology. 1:265-272.
- Keen, N. T., and Paxton, J. D. (1975): Coordinate production of hydroxyphaseollin and the yellow fluorescent compound PAK in soybean resistance to *Phytophthora megasperma* var. *sojae*. Phytopathol., 65: 635-637.
- Keen, N.T. and Legrand, M. (1980): Surface glycoproteins: evidence that they may function as the race specific phytoalexin elicitors of *Phytophthora megasperma* f. *sp. glycinea*. Physiol. Pl. Path., 17: 175-192.
- Keen N.T., Ersek T., Long M., Bruegges B., and Holliday M., (1981): Inhibition of the hypersensitive reaction of soybean leaves to incompatible *Pseudomonas* sp by blasticidin s, streptomycin and elevated temperature. Physiol. plant pathol., 18: 325-337.
- Keen N.T., Sims J.J., Erwin DC., Rice E., and Partridge J.E., (1975): 6a-Hydroxyphaseollin : an antifungal chemical induced in soybean hypocotyles by *Phytophthora megasperma* var *sojae*. Phytopatho., 65: 635-637.
- Kempf H. J., and Wolf G., (1989): *Erwinia herbicola* as a biocontrol agent of *Fusarium culmorum* and *Puccinia recondite* f.sp. *tritici* on wheat. Phytopathol., 79: 990-994.
- Khalifa, E. Z. H (1987): Further studies on some soil-borne fungi affecting soybean and their control. Ph. D. thesis, Fac. of Agri. Minufiya University.
- Kim S.I., and Lee M.W., (1994): Establishment of rhizosphere microbes for plant protection on soil-borne diseases. Beneficial antagonist and its mode of action toward ginseng root rot pathogen. The Korean J. of Mycology Vol. 22, No1, P 50-61.
- Klarman W.L., and Gerdemann J.W., (1963): Resistance of soybeans to three *Phytophthora* species due to the production of a phytoalexin. Phytopatho., 53: 1317-1320.
- Klarman W.L., and Sanford J.B., (1968): Isolation and purification of an antifungal principle from infected soybeans. Life Science, 7: 1095-

- kleifield, O. and Chet, I (1980):** Enhanced nutrient uptake and induced resistance in plants by *Trichoderma spp.* Abst. 3rd Inter. Trichoderma and Gliocladium. Workshop. Aug. 1989. Ithaca, N.Y. p.3/
- kloepper, J. W, Schorth, M. N and Miller, T. D (1981):** Effect of rhizospher colonization by plant growth-promoting rhizobacteria on photo plant development and yield. *Phytopathol.* 71, 1020-1024.
- Korzybski, T., Kowszyk- Gindifer, Z., Kurylowicz, W. (1978):** Fungistain. In: Antibiotic: origin, nature and properties. Vol. I. American Society for Microbiology, Washington, DC. P 135.
- Krassilnikov N.A., (1950):** Actinomycetes antagonists and antibiotic substances. Jzd. Akad. Nauk. SSSR. Moscow. USSR.
- Krassilnikov N.A., (1960).** Taxonomic principles in the actinomycetes. *J. Bacteriol.*, 79: 65-71.
- Kundu P.K., and Nandi B., (1984):** Control of cauliflower damping-off by using antagonist coated seeds. *Pedobiologia*, 27: 43-48.
- Kurata H., (1960):** Studies on fungal disease of soybean in Japan. *Agri. Science (Tokyo) Bull.*, 12: 1-154.
- Kutzmer H.J., (1981):** The family streptomycetaceae. In Starr, Stolp, Truper, Balows and Schlegel (Eds.), *The prokaryotes : A Handbook on Habitats Isolation and Identification of Bacteria*, Vol. II, Sprigner-verlog, Berlin, Pp. 2028-2090.
- Lang, K. J. (1975):** Experiments with fungi causing damping off- I- Interrelation between *Trichoderma viride* Pers. and races of pathogenic fungi in the genera *Pithium*, *Fusarium* and *Rhizoctonia*. *Eurs for Pathol.*, 5(4): 225-240.
- Lazarovits G., Stossel P., and Ward E.W.B., (1981):** Age related changes in specificity and glyceollin production in the hypocotyls reaction of soybean to *Phytophthora megasperma* var *sojae*. *Phytopathol.*, 71: 94-97.
- Lele, V. C. and Phatak, H. C. (1965):** Leaf blight and dry stalk rot of strawberry caused by *Rhizoctonia bataticola*. *Ind. Phytopathol.*, 18: 38-42.
- Lim H.S., Kim Y.S., and Kim S.D., (1991):** *Pseudomonas stutzeri* YPL-1 genetic transformation and antifungal mechanism against *Fusarium solani*, an agent of plant root rot. *Applied and Environmental Microbiology*, 57(2): 510-516.
- Lloyd A.B., (1969):** Dispersal of streptomycetes in air. *J. Gen. Microbiol.*, 57: 35-40.
- Liu Z.L., and Sinclair J.B., (1993):** Colonization of soybean roots by *Bacillus megaterium* B153-2-2. *Soil Biology & Biochemistry*, 25(7): 849-855.

- Locci R., and Sharples G.P., (1984):** Morphology. In Goodfellow, Mordarski and Williams (Eds.), *The Biology of the Actinomycetes*, Acad. Priss, London, PP 165-199.
- Loeffler W., Tschen J.S.M., Vanithna Rom N., Kugler M., Knorpp E., Hsieh T.F., and Wu T.G., (1986):** Antifungal effects of bacilysin and fengymycin from *Bacillus Subtilis* F. 29-3, A comparison with activities of other *Bacillus* antibiotics. *J. Phytopatho.*, 115(3): 204-213.
- Logan, C., Little, M. G., and Cooke, I. R. (1984):** Preliminary experiments with biological control of diseases of potato caused by *Rhizoctonia solani* in Northern Island. Scottish Crop Research Institute Dundee. PP 120-125.
- Lorite M., Harman G.E., Hayes C.K., Broadway R.M., Tronsmo A., Woo S.L., and Pietro A., (1993):** Chitinolytic enzymes produced by *Trichoderma harzianum* : antifungal activity of purified endochitinase and chitobiosidase. *Phytopathol.*, 83(3): 302-307.
- Luciano A., and Davereux M., (1967):** Sunflower production in Argentina. Publ. Tec. Estac. Exp. Pergamino, 37:53.
- Mahmoud S.A.Z., Hamed A.S., Zaki M.M., and Amin S.I., (1980):** Soil and rhizosphere microflora of squash and broad bean control of root rot disease. *Egypt. J. Microbiol.*, 15(1-2): 41-52.
- Maklad F.M., (1978):** Studies on some fungal sunflower diseases and their control. M.Sc. thesis, Fac. of Agri., EL-Azhar Univ., Cairo.
- Majumdar, S.K., and Bose, S. K. (1977):** Mycobacillin, a new antifungal antibiotic produced by *Bacillus subtilis*. *Nature (London)*, 181: 134-135.
- Mall S., (1975):** Studies on microbial antagonism in rhizosphere of potato varieties differentially susceptible to black seuf and wilt. *Plant and Soil*, 39: 547-554.
- Marciano P., Fararon F., and Magro P., (1991):** Tolerance of *Sclerotinia sclerotiorum* to glyceollin I, a soybean phytoalexin. *Phytoparasitica*, 19(2): 157-160.
- Marengo L.V., (1942):** Fusariosis of the sunflower (*Helianthus annuus* L). *Rev-Fac. Agron., B. Aires*. PP 130-147.
- Mathur, R. L. and Singh, R. R. (1973):** Control of root rot of cotton caused by *Rhizoctonia bataticola* (Taub.) Butle with soil application of *Brassicol science* culture. *Rev. Pl. Pathol.*, 53: 962.
- Mayfield, C. I., Williams, S.T., Ruddick, S.M. and Hatfield H. L. (1972):** Studies on ecology of actinomycetes in soil. IV Observation on the form and growth of streptomycetes in soil. *Soil Biol. Biochem.*, 4: 79-91.

- Merriman, P. R; Price, R. D and Bake, K. P (1974a):** The effect of inoculation of seed with antagonists of *Rhizoctonia solani* on the growth of wheat. Aust. J. Agric. Res. 25, 213-218.
- Merriman, P. R; Price, R. D; Kollmorgan J. F, Pigott, T., and Ridge, E. H (1974b):** The effect of *Bacillus subtilis* and *Streptomyces griseus* on the growth of cereal and carrots. Austr. J. Agric. Res. 25, 219-226.
- Mesha A.M., (1978):** Studies on root rot disease of soybean in ARE. M.Sc. thesis, Fac. of Agri., Zag. Univ.
- Mihuta-Grim, L.; Rowe, R. C. (1986):** *Trichoderma* spp. as biocontrol agent of *Rhizoctonia* damping off of radish in organic soil and comparison of four delivery systems. Phytopatho. 76: 306-312.
- Mikolaeva S.I., Shteinberg M.E., Zavelishko I.A., Kharbur M.V., and Andronaki L.S., (1989):** Antagonistic and antibiotic activity of *Trichoderma viride* Pers. : Fr. and *Sclerotium* (Lib.) D. Mikologiya i Fitopatologiya, 23(2): 167-172.
- Miners J.P., (1950):** Bean disease in southern Idaho in 1949. Plant Disease Reporter, 34:44-
- Moesta P., and Grisebach H., (1980):** Effect of biotic and abiotic elicitors on phytoalexin metabolism in soybean. Nature, 286: 710-711.
- Moesta P., and Grisebach H., (1981):** Investigation of the mechanism of glyceollin accumulation in soybean infected by *Phytophthora megasperma f.sp. glycinea*. Arch. Bioch. and Biophys., 212: 462-
- Mohamed, M. A. A. (1993):** Studies on wilt and root rot diseases of sunflower (*Helianthus annuus* L). M.Sc. Thesis, Fac. Agr., Zag. Univ. (Moshtohor).
- Mohamed Z.K., (1985):** Physiological and antagonistic activities of Streptomycetes in rhizosphere of some plants. Egyptian J. Phytopathol., 14(1/2): 121-128.
- Morris, P. F., Savard M. E. and Ward E. W. B. (1991):** Identification and accumulation of isoflavonoids and isoflavone glycosides in soybean leaves and hypocotyls in resistance response to *Phytophthora megasperma f.sp. glycinea*. Physiological and Molecular plant Pathol. 39, 229-244.
- Mostafa M.M.M., (1982):** Studies on some rots of soybean plants. Ph.D. thesis, Fac. of Agri. Al- Azhar Univ., Cairo.
- Muller D., and Groll E., (1991):** *Macrophomina phaseolina* on sunflower in central Germany. Nachrichtenblatt des Deutschen, 43(3): 61-62.
- Murch R.S., and Paxton J.D., (1980a):** Temperature and glyceollin accumulation in soybean. Phytopathol. Z., 97: 282-285.

- Murch R.S., and Paxton J.D., (1980b):** Rhizospher anaerobiosis and glyceollin accumulation in soybean. *Phytopathol. Z.*, 96: 91-94.
- Musavi M.A., D'yakov Yu., T., and Egorov I.V., (1989):** Investigation of antibiotic substances in sunflower. *Zashchita Rastenii Moskva*, 11: 23-24.
- Narula, K. L. and Mehrotra, R. S. (1987):** Biocontrol potential of phytophthora leaf blight of colocasia by phylloplane microflora. *Indian Phytopatho.* 40 (3) 384-389.
- Neely R.D., (1957):** Study of *Fusarium* root rot and wilt of soybean. *Disease Abstract*, 17: 2131-2132.
- Neweigy. N. A., Eisa, N. A. and El-shewy L.A. (1982):** Biological control of damping-off in broad bean cultivars Giza 2 and Rebaya 40. *Ain Shams Univ. Fac. Agric. Res. Bull.*, 1778: 1-28.
- Nonaka Isoyama F.S., and Furukawa H., (1966):** On the phytoalexin produced by the results of the interaction between soybean pods and phytopathogens. *Agri. Bull. Sage Univ.*, 22: 51-63.
- Nou W., (1939):** Studies on foot and wilt disease in leguminasea. *Zeitchrift pflkrankh. Pflpath. Pflschulz.*, 49: 385-431.
- Norton, D.C. (1954):** Antagonism in soil between *Macrophomina phaseolina* and selected soil-inhibiting organisms. *PytoPathol.* 44,522-524
- Nuesch J., (1965):** Isolierung and selektionierung von Aktinomyceten. In: symposium (Anreicherungskultur und Mutantenauslese) Gottingen, April 1964; *Zentrol. Bakteriol, parasitenkd. Infektionskr. Hyg. Abt. I, Suppl.* 1, 234-252.
- Ordentlich A., Migheli Q., and Chet J., (1991):** Biological control activity of three *Trichoderma* isolates against *Fusarium*. *J. phytopathol.*, 133(3): 177-186.
- Orellana R.G., (1971):** *Fusarium* wilt sunflower (*Helianthus annus* L): first report. *Pl. Dis. Rept.*, 55(12): 1124-1125.
- Patil M.A., Ramtirthkar M.S., and Phad M.B., (1991):** Chemical control of sunflower downy mildew caused by *Plasmopara halstedii*. *Ind. Phytopathol.*, 44(3): 325-327.
- Pation, H. C(1967):** Disease of oleaginous annuals in Colombia. *Agr. Tropics*, 23: 532-539.
- Paul A.K., and Banerjee A.K., (1981):** A new antifungal antibiotic produced by *Streptomyces galbus*. *Folia Microbiol.*, 28(5): 386-
- Paxton J.D., and Chamberlain D.W., (1969):** Phytoalexin production and disease resistance in soybeans as affected by age. *Phytopathol.*, 59: 775-777.
- Peypoux, F., Michel, G., and Delcambe, L. (1976):** Structure de la mycosubtiline, antibiotique isolé de *Bacillus subtilis*. *Eur. J. Biochem.*, 63: 391-398.

- Thae, C. G., Shoda, M., Kita, N., Nokano, M. and Ushiyama, K. (1992): Biological control of crown and root rot and bacterial wilt of tomato by *Bacillus subtilis* NB22. *Annals of Phytopathol. Soc. Jap.*, 58 (3): 329-339.
- Pierre Davet., (1984): Charcoal rot of sunflower: Progress and predisposing factors. *Proc-6th Cong. Un. Phytopath. Medeterr., Cairo, Egypt.* 259:260.
- Piethewicy T.A., (1959): Some observations on the microflora of soybean seeds. *Rolinic Zeitchrilt ser A. Roslinna*, 79: 1077-1090.
- Pined, P. J. B. and Gonnella E. E. R. (1988): Evaluation of biological control & *Macrophomina phaseolina* in sesame (*Sesamum indicum* L). *Agronomia Tropical (Maracay)*, 38 (4-6): 43-48.
- Podil, A. R; Kumar, B. S. D. and Dube, H. C. (1988): Antibiosis of rhizobacteria against some plant pathogens. *Indian. J. of Micro.*, 28 (1-2: 108-111)
- Prauser, H (1978): consideration on taxonomic relations among Gram- positive branching bacteria: *Zentralbl. Bakteriol Parasitenkund, Infektionskr. Hyp (1 Abteilung) Supplement*, 6:3-12.
- Pridham, T.G (1970): A guide for the classification of streptomycetes according to selected groups. Placement of strains in morphological sections, Vol. 4, the Williams and Wilkins co., Baltimore. pp. 2483
- Purkayastha, R. P.; Menon, Chakroborty, B. N (1981): *Rhizobium-Macrophomina* interaction affecting phytoalexin production and disease resistance of soybean. *Indian Journal of Exp. Biology* 19: 462-465.
- Purkayastha, R. P; and Chakroborty, B. N (1983): Immuno-electrophoretic analysis of plant antigens in relation to biosynthesis of phytoalexin and disease resistance of soybean. *Tropical Plant Science Research*. 1: 89-96.
- Radha, K. (1960): The genus *Rhizoctonia* in relation to soil moisture II *Rhizoctonia bataticola*, cotton root rot organism. *Indian cotton Journal* 13, 137-144.
- Raut J.G., (1985): Effect of charcoal rot caused by *Macrophomina phaseolina* on sunflower plants. *Phytopathol.*, 38(2): 345-346.
- Reddi G. S., and Rao A.S., (1971): Antagonism of soil actinomycetes to some soil-borne plants pathogenic fungi. *Indian Phytopathol.*, 24: 649-657.
- Ridout, C. J, Coley-Smith, J. R and Lynch, J. M (1986): Enzyme activity and electrophoretic profile of extracellular protein induced in *Trichoderma spp.* by cell walls of *Rhizoctonia solani*. *J. Gen. Microbiol.* 132: 2345-2352.
- Ridout, C.J., Coley-smith J.R and lynch J.M. (1988): Fractionation of extracellular enzymes from a mycoparasitic strain of *Trichoderma harzianum*. *Enzyme and Microbial Technology* 10, 180-187

- ong, X. D. and Wang, C. A. (1983): Studies on biological control of damping-off pine seedling. J. of South China Agricultural Collage. 4 (4), 60-69
- Lothrock C.S., and Gottlieb K., (1984): Role of antibiotic in antagonism of *Streptomyces hygroscopicus* var *geldanus* to *Rhizoctonia solani* in soil. Can. J. Microbiol., 30: 1440-1447.
- Sackston W.E., (1967): Disease of sunflower in Uruguay. Plant Disease Rept., 41: 885-889.
- Sackston W.E., (1978): Sunflower disease mapping in Europe and Adjacent Mediterranean countries. Helia. Information Bull., of FAO. Research Network on Sunflower No.1 Dec. : 21-28.
- Sadashivaiah A.S., Rangathaiah K.G., and Gowda D.N., (1986): Seed health testing of *Helianthus annuus* with special reference to *Macrophomina phaseolina*. Ind. Phytopathol., 39(3): 445-447.
- Sahab A.F., (1978): Rhizosphere and physiological studies on the effect of some pesticides on some plant pathogens. Ph. D. thesis. Fac. Agric., Ain Shams Univ.
- Salama, A.M., Mansour, F.A and Mohamed Zeinat, K (1980): Studies on blue pigmented streptomycetes isolate from Egyptian soil. Egypt J. of Botany 3 (2), 78-88.
- Sallam, A. M., Abd-El Razik A.A. and Rushdi, H. (1978): Antagonistic effect of *Bacillus subtilis* against *Cephalosporium maydis*. Egypt. J. Phytopathol., 10(2): 97-105.
- Sarbhoy A.K., (1970): Rhizosphere and seed microflora of soybean. Plant Science, 2: 85-87.
- Sarhan A.R.T., (1989): Biological control of *Fusarium* root rot of broad bean. Acta phytopathol. et Entomol. Hungarica, 24(3-4): 271-275.
- Schmidt P.E., Parniske M., and Werner D., (1992): Production of the phytoalexin glyceollin-I by soybean roots in response to symbiotic and pathogenic infection. Botanica Acta, 105(1): 18-25.
- Schreiber, L. R., Garold, F. Gregory, Krause, C. R. and Ichida, J. M. (1988): Production, partial purification and antimicrobial activity of a novel antibiotic produced by *Bacillus subtilis* isolate from *Ulmus americana*. Can. J. Botany, 2338-2345.
- Schwochau, M, F and Hadwigar (1968): Stimulation of pistin production in *Pisum sativum* by actinomycein D and other compounds. Arc. Biochim. Biophysics. 134:34-41.
- Shaarhwy M.A., (1980): Studies on some diseases that attack the root of (*Helianthus annuus* L) plant. M.Sc. thesis, Fac. of Agric., Cairo Univ.
- Shanmugam, N. and Govindaswamy, C.V. (1971): Irregular leaf spot of groundnut caused by *Macrophomina phaseoli*. (Mauhl) Asha. Madras Agricul. J., 58:30-32.

- harma, S. K., and Gupta, J. S (1983): Role of *Streptomyces rochei* against some pathogenic fungi. Ind. J. Mycol. Plant Pathol. 12: 227-238.
- him J.Q., and Lee M.W., (1991): Identification of *Streptomyces species* antagonistic to *Fusarium solani* or *Cylindrocarpon destructans* causing ginseng root rot. Korean. J. of Mycol., 19(1): 66-73.
- hinobu, R. (1958) Physiological and cultural Study for the identification of soil actinomycetes species. Mem. Ooka Univ. B. Nat. Sc., 7:1-76.
- Short G.E., Wyllie T.D., and Ammon V.D., (1978): Quantitative enumeration of *Macrophomina phaseolina* in soybean tissues. Phytopathol., 68: 736-741.
- Simmonds J.H., (1956): Science Branch Plant Pathol. Section : Rep. Dept. Agric. Od., 1955-1956 : 65-66.
- Simon A., Dunlop R.W., Ghisalberli E.L., and Sivasithamparam K., (1988): *Trichoderma koningii* produces a pyrone compound with antibiotic properties. Soil Biology & bioch., 29(2): 263-264.
- Singh, B. K. and Dwivedi R. S. (1987): Studies on biological control of *Sclerotium rolfsii* Sacc. causing foot rot of barley. Acta Botanica Indica, 15 (2): 160-164.
- Singh, P. J. and Mehrotra, R. S. (1980): Biological control of *Rhizoctonia bataticola* on grain by coating seed with *Bacillus* and *Streptomyces species* and their influence on plant growth. Pl. Soil, 56: 475-483.
- Sirry A., R., Salem S.H., Zayd M.A., and Dawlat Anwar., (1981): Rhizosphere microflora of sesame plants infected with root rot disease and their activities in antagonizing the main pathogens. Egypt. J. Microbiol., 18(1-2): 65-78.
- Sivan A., and Chet I., (1989): Degradation of fungal cell walls by lytic enzymes of *Trichoderma harzianum*. J. General Microbiol., 135(3): 675-682.
- Sivan A.; Elad, Y. and Chet I. (1984): Biological control effect of a new isolate of *Trichoderma harzianum* on *Pythium aphanidermatum*, Phytopathol. 74, 498-501.
- Smis J.J., Keen N.T., and Honward V.K., (1972): Hydroxyphaseallin, an induced antifungal compound from soybean. Phytoch., 11: 827-
- Smith J., Putnam A., and Nair M., (1990): In vitro control of *Fusarium* diseases of *Asparagus officinalis* L. with a *Streptomyces* or its polyene antibiotic, faeriefungin. J. Agr. Food chem., 38(8): 1729-
- Sneh B., Dupler M., Elad Y., and Bakave R., (1984); Chlamydospore germination of *Fusarium oxysporum f.sp. cucumerinum* as affected by fluorescent and lytic bacterial from a fusarium- suppressive soil. Phytopathol., 74: 1115-1124.
- Spring O., Benz A., and Faust V., (1991): Impact of downy mildew (*Plasmopara halstedii*) infection on the development and metabolism of sunflower. Z. Pflanzenkrankheiten und Pflanzenschutz, 98(6): 597-604.

- urhan G., (1981a): Anew race of *Streptomyces ochracescleroticus* in the biological control of some soil-borne plant pathogens. I- Effect of the isolate C/2- 9 on some of the most important soil-borne fungi *in vitro*. J. Pl. Disease Ptotect., 88(6): 373-381.
- urhan G., (1981b): Anew race of *Streptomyces ochraceiscleroticus* in the biological control of some soil-borne plant pathogens II. In vivo studies on the possibilities of using C/2-9 against some important disease. J. Pl. Disease Protect., 88(7), 422-434.
- urhan, G. and Grossman, F. (1986): Investigation of a great number of actinomycete isolates on their antagonistic effects against soil- borne fungal plant pathogens by an improved method. J. Phytopathol., 116: 238-243.
- ehara, E. (1958): On the phytoalexin production of the soybean pod in reaction to *Fusarium spp.*, the causal fungus of podblight. I. some experiments on the phytoalexin production as affected by host plant conditions and on the nature of the phytoalexin produced. Ann phytopathol. Soc. Japan 24: 225-229.
- Itkhed, R. S., and Rahe, J. E (1983): Introduction of antagonist and pathogen in biological control of onion white rot. Phytopatho. 73, 890-893.
- Vardaniya L.Y.A., (1971): Disease of soybean in Abkhazia. Zachrilt Rast Mosk 16: 40-41.
- Vasudera, R. S. and Sikka, M. R. (1941): Effect of certain fungi on the growth of rot root fungi. Indian J. of Agri. Sci. 11, 422-431.
- Wade M., and Albersheim P., (1979): Race specific molecules that protect soybeans from *Phytophthora megasperma* var. *sojae*. Procceding National Acadimic of Science, USA. 76: 4433-4437.
- Waksman S.A., (1959): Strain specificity and production of antibiotic substances. X- Characterization and classification of species within the *Streptomyces griseus* group. Proc. Nat. Acad. Sci. USA, 45: 1043-1047.
- Waksman, S.A. (1961) The Actinomycetes. Vol. II. 1961. The Williams and Wilkins Co., Baltimore.
- Waksman S.A., and Lechevalier H.A., (1953): Guide to the classification and Identification of the Actimonymcetes and their Antibiotics. The cetes and their Antibiotics. The Williams and Wilkins Co., Baltimore.
- Waksman S.A., and Lechevalier H.A., (1962): The Actinomycetes. Vol. III. Antibiotics of Actinomycetes, Baltimore, the Williams and Wilkins co. USA, 430.
- Ward E.W.B., Lazarovits G., Unwin C.H., and Buzell R.L., (1979): Hypocotyl reactions and glyceollin production of soybean cultivars inoculated with zoospores of races of *Phytophthora megasperma* var *Sojae*. Phytophthol., 79: 951-955.
- Warren H.L., and Kommedahl T., (1973): *Fusarium species* in roots and soil associated with monoculture of soybean in Minnesota. Plant Disease Reporter, 1973. 59: 912-914.

- eigand, F., Koster, J., Weltzein, H.C and Barz, W (1986): Accumulation of phytoalexins and isoflavone glucosides in a resistant and a susceptible cultivar of *Cicer arietinum* during infection with *Ascochyta rabei*. J. of Phytopatho. 115,214-221.
- einstein L.I., Hahm M.G., and Albersheim P., (1981): Host-pathogen interaction. 18- Isolation and biological activity of glycinol, a pterocarpan phytoalexin synthesized by soybean. Pl. Physiol., 68: 358-363.
- elle, R. and Grisebach, H. (1989): Phytoalexin synthesis in soybean cells elicitor induction of reductase involved in biosynthesis of 6- deoxychakone. Arch. Biochem. and Biophys., 1: 97-102.
- vells, H. D., Bell, D. K., and Jawarski J. A. (1972): Efficacy of *Trichoderma harzianum* as a biological control for *Sclerotium rolfsii*. Phytopathol., 62: 442-447.
- Villiams, S.T., and Cross, T. (1971): Isolation, purification, cultivation and preservation of actinomycetes. Methods Microbiol., 4:295-334.
- Vindaham, M. T.; Elad, Y. and Baker, R. (1986): A mechanism for increased plant growth induced by *Trichoderma spp.* Phytopatho., 76: 518-521.
- Wu, W. S. (1976): Biological control of seed-and soil-borne fungi associated with wheat and oats. Botanical Bull. of Academia sinica 17: 161-168.
- Wu, W.S. (1980): Biological and chemical seed treatment of soybeans. Memories of the College of Agr. National Taiwan Univ., 20:1-16.
- Wu, W. S. (1982): Seed treatment by applying *Trichoderma spp* to increase the emergence of soybeans. Seed Sci. and Technol., 10:557-563.
- Wu L., Lin Y.S., and Chui K.Y., (1964): Seed borne disease of soybean in Taiwan, II. Survey of seed-borne pathogens from soybean seeds. Bot. Bull. Acad. Sin Taupe, 5: 105-112.
- Wyllie T.D., and Brown M.F., (1970): Ultrastructural formation of sclerotia of *Macrophomina phaseoli*. Phytopathol., 60: 524-528.
- Wyllie T.D., and Calvert O.H., (1969): Effect of flower removal and pod set on formation of sclerotia and infection of *Glycine max* by *Macrophomina phaseoli*. Phytopathol. 59: 1243-1245.
- Xu, G. W and Gross, D. C (1986): Selection of *Fluorescent pseudomonads* antagonistic to *Erwinia carotovora* and suppressive of potato seed piece decay. Phytopatho. 76: 414-422.
- Xu T., Zhong J.P., and Li D.B., (1993): Antagonism of *Trichoderma harzianum* Tg2 and *Trichoderma sp.* NF9 against soil-borne fungus pathogens. Acta Phytopathol. Sinica, 23(1): 63-67.

- mamoto, H. (1985):** Development of validamycin, its controlling effect on rice sheath blight. Japan Pesticide Information. 47: 17-22.
- ung S.M., Rogers C.F., and Luciani N.B., (1983):** Transmission of *Macrophomina phaseolina* in sunflower by *Cylindrocephoturus adpersus*. Phytopathol., 73(10): 1467-1469.
- hia A.H., EL-Hassan S.A., and EL-Bahadli A.H., (1982):** Biological seed treatment to control *Fusarium* root rot of broad bean . Egypt. J. Phytopathol., 14(112): 59-66.
- oshikawa M., Masago H., and Keen N.T., (1977):** Activated synthesis of poly (A)-containing messenger RNA in soybean hypocotyls inoculated with *Phytophthora megasperma* var. *sojae*. Physiol. Plant Pathol., 10: 125-138.
- oshikawa M., Yamauchi K., and Masago H., (1978):** Glyceollin: its role in restricting fungal growth in resistant soybean hypocotyls infected with *Phytophthora megasperma* var. *sojae*. Physiol. Plant Pathol., 12: 73-82.
- oshikawa M., Yamauchi K., and Masago H., (1979):** Biosynthesis and biodegradation of glyceollin by soybean hypocotyls infected with *Phytophthora megasperma* var. *Sojae*. Physiol. Plant Pathol., 14: 157-169.
- aher, Alffat; Barakat, F. M; Osman, A. R. and El-Khaluly, M. I. (1985):** Antagonism between phyllosphere bacteria and actinomycetes and *ulocladium botrytis* preuss, causing tomato leaf spots. Egypt. J. Phytopatho., 17: 15-22.
- lazzerini, A. and Tosil (1985):** Antagonistic activity of fungi isolated from sclerotia of *Sclerotinia sclerotiorum*. Plant Pathol., 34: 415-421.
- zhong Jingping, Chen Jishuang, Xu tong, and Li Debao (1990):** Hyperparasitism of *Trichoderma* spp. on *Rhizoctonia solani*. Acta Agri. univ. Zhejiangensis suppl 2: 73-77.