

References

- Abd El-Karim, M. S. (1999): Phytoplankton dynamics and its productivity in Damietta Branch. M. Sc. Thesis, Fac. of Girls, Ain Shams University, 202 pp.
- Abd EL-Monem, A. (1995): Spatial distribution of phytoplankton and primary production in Lake Nasser. Ph.D. Thesis, Fac. of Sci., College of Girls, Ain Shams Univ. 161 pp.
- Abdel-Hamid, M. I. (1986): Ecological studies on the algal populations of Damietta Branch and the possibility of their use as water pollution indicators. M. Sc. Thesis, Facul. of Sic ., Mansoura Univ ., 290 pp.
- Abdel-Hamid, M. I. (1991): Phytoplankton and water quality of the River Nile in Egypt. Ph. D. Thesis, Fac. Sci., El-Mansoura Univ., 346 pp.
- Abdin, G. (1948) : Physical and chemical investigations relating to algal growth in the River Nile, Cairo. Bull. Inst. Egypt, 29: 19-44.
- Ahmed, M. A. ; M. M. Haikal; A. A. Mohammed and M. A. Zidan (1986) : Field and laboratory studies on the Nile phytoplankton in Egypt. 1- Some physical and chemical Characteristics. Int. Revue ges. Hydrobiol. 71(1): 127-138.
- Ahmed, Z. A. (1983) : Studies on phytoplankton of the Nile system in Upper Egypt. M. Sc. Thesis, Botany Dep., fac. Of Sci., Assiut Univ., 144 pp.
- Ali, M. H. (2002) : Impact of agricultural and sewage effluents on the ecosystem of lake Qarun, Egypt. Ph.D. Thesis, Fac. of Science, Al-Azhar Univ., 307 pp.

- Amin, M. A. (1994) : Studies on rearing of some available species of Carp and Tilapia in ponds. Ph. D. Thesis, Fac. of Sci., Zagazig University, Benha Branch, 110 pp.
- Anderson, C. W. and K. D. Carpenter (1998) : Water quality and algal conditions in the north Umpqua river basin, Oregon, 1992-95, and implications for resource management. U. S. Department of the Interior, U.S. Geological Survey. Water Resources Investigations. Report 98 - 4125.
- APHA (American Public Health Association) (1992): Standard methods for the examination of water and wastewater. "18th" A.P.H.A. AWWA. WPCF. American Pulic Health Association, 1015 pp. 15th st. N.W. Washington D.C. 20005.
- APHA (American Public Health Association) (1995) : Standard methods for the examination of water and wastewater. "19th" A.P.H.A. AWWA. WPCF. American Public Health Association 1015 pp. 15th St. N.W. Washington D.C. 20005.
- Baka, Z. A. (1980): studies on the phytoplankton of Damietta Branch. M. Sc. thesis, Botany Depart. Fact .Sci. Mansoura University.
- Barak, Y. & J. V. Rijn (2000): Biological phosphate removal in a prototype recirculating aquaculture treatment system. *Aquacultural Engineering*, 22: 121-136.
- Benndorf, J. (1992): The control of the indirect effects of biomanipulation. *Freshwater biological association*, pp. 82 - 93.
- Bleiwas, A. H. and P. M. Stokes (1990): Filtering rates of *Diatomus minutus*, *Bosmina* spp., *Diaphnosoma* sp., *Holopedium gibberum* (crustaceae), and zooplankton community grazing rates in some acidic and circumneutral Ontario lakes. *Can. J. Fish Aquat. Sci.* 47: 495-504.

- Bourrelly (1968): Les algues d' eau douce. Algues Jaunes brunes. Boubee and Cie, Paris, 438 pp.
- Boyd, C. E. (1979): Water quality in warm water fish ponds, Audurn. Univ. Agricultural Experiment station Alabama, 359.
- Boyd, C. E. and C. S. Tucker (1979): Emergency aeration of fishponds. Trans. Am. fish. Soc. 108: 299-306.
- Brett, M. T. and C. R. Goldman (1996): A meta-analysis of the freshwater trophic cascade. Proc. Acad. Sci. USA, 93: 7723 - 7726
- Gophen, M. (1990): Summary of the workshop on perspectives of biomanipulation in inland waters, Hydrobiologia 191: 315 - 318.
- Burkhill, P. H.; R. F. C. Mantoura; C. A. Llewellyn; N. J. Owens (1987): Microzooplankton grazing and selectivity of phytoplankton in coastal waters. Mar. Biol. 93: 581-590.
- Canfield, T. J. and J. R. Jones (1996): Zooplankton, biomass, and size-distribution in selected midwestern waterbodies and relation with trophic state. J. freshwat. Ecol. 11: 171-181.
- Carlson, R. E. (1977): A trophic state index for lakes . limnol. Ocean. 22: 361-369.
- Carlson, R. E. (1992): Expanding trophic state concept to identify non-nutrient limited lakes and reservoirs. In Proceedings of a National conference on Enhancing the States lake Management Programs. Monitoring and Lake Impact Assessment. Chicago. pp. 59-71.
- Carpenter, S. R. and Mitchell (eds) (1993): The trophic cascade in lakes. Cambridge studies in ecology. Cambridge University Press, 358 pp.

- Chang, W. Y. B. and R. Rossmann (1988): Changes in the abundance of blue-green algae related to nutrient loading the near shore of Lake Michigan. *Hydrobiologia* 157: 271-278.
- Chow-Fraser, P. & R. Knoechel (1985): Factors regulating in situ filtering rates of Cladocera. *Can. J. Fish. Aquat. Sci.* 42: 567-576.
- Chow-Fraser, P. (1986): An empirical model to predict in situ grazing rates of *Diaptomus minutus* Lilljeborg on small algal particles. *Can. J. Fish. Aquat. Sci.* 43 : 1065-1070.
- Chow-Fraser, P.; D. O. Trew ; D. Findlay and M. Stainton (1994): A test of hypotheses to explain the sigmoidal relationship between total phosphorus and chlorophyll a concentrations in Canadian Lakes, *Can. J. Fish. Aquat. Sci.* vol. 51 (9): 2052-2065.
- Culver, D. A. (1999): Ecological modeling of Lake Erie trophic dynamics . Department of Evolution, Ecology, and Organismal Biology The Ohio State University Columbus, OH 43210 U.S.A.
- Cyr, H. and M. L. Pace (1992): Grazing by zooplankton and its relationship to community structure. *Can. J. Fish. Aquat. Sci.*, 49: 1455-1464.
- De Bernardi, R.; G. Giussani and E. Lasso Pedretti (1982): Selective feeding of zooplankton with special reference to blue green algae in enclosure experiment. Paper presented at: Plankton Ecology Group Annual Meeting. Trondheim (Norway): 23-28.
- De Bernardi, R. and G. Giussani (1990): Are blue green algae a suitable food for zooplankton? An overview. *Hydrobiologia*. 200/201: 29-41.
- DeMott, W. R. (1986): The role of taste in food selection by freshwater zooplankton. *Oecologia* 69: 334-340.

- DeMott, W. R. and F. Moxter (1991): Foraging cyanobacteria by copepods: responses to chemical defenses and resource abundance. *Ecology* 72: 1820-1834.
- Descy, J. P. (1993): Ecology of the phytoplankton of the River Moselle: effects of disturbances on community structure and diversity. *Hydrobiologia* 289: 111-116.
- Diana, J. S.; D. Dettweiler and C. K. Lin (1990): Effect of Nile tilapia (*Oreochromis niloticus*) on the ecosystem of aquaculture ponds, and its significance to the trophic cascade hypothesis. *Can. J. Fish. Aquate. Sci.*, 48: 183-190.
- Draper, N. R. and H. Smith. (1981): Applied regression analysis. 2nd ed. Wiley, New York, NY. 709 p.
- Edmondson, W. T. (1966): Rotifera: In fresh water biology (2nd ed.), Edmondson (editor), New York, London, John Wiley & Sons, Inc , 74 pp. .
- Einsle, U. (1993): Crustacea: Copepoda: Calanoida and Cyclopoida. *Suwasserfauna von Mitteleuropa*, V. 8, Gustav Fischer Verlag.
- El-Ayouty, E. Y. and E. A. Ibrahim (1980): Distribution of phytoplankton along the River Nile. *Water supply & management*, 4: 35-44.
- Elber, F. and F. Schanz (1989): The causes of change in the diversity and stability of phytoplankton communities in small lakes. *Freshwater Biology* 21: 237-251.
- Elewa, A. A. and H. Mahdi (1988): Some limnological studies on the Nile water at Cairo. *Egypt. Bull. Nat. Inst. Oceanogr. & Fish, A. R. E.*, 14 (2): 141-152.
- Elhigazi, F. A. R.; S. A. Haider and P. larsson (1995): Interactions between Nile tilapia (*Oreochromis niloticus*) and cladocerans in

- ponds (Khartoum, Sudan): *Hydrobiologia*, 307: 263-272.
- Ellis, K.V. (1989): Surface water pollution and its control. Env. Heal. Eng. Univ., 366 pp.
- El-Otify, A. M. (1985): Studies on phytoplankton of Aswan High dam Lake. M. Sc. Thesis. Fac. Of Sci., Assuit Univ., 140 pp.
- El-Otify, A. M. (1991): Studies on phytoplankton of the Nile system at Aswan (Egypt): M. Sc. Thesis. Fac. Of Sci., Assuit Univ., 330 pp.
- Elser, J. J. & N. A. Mackay (1989): Experimental evaluation of effects of zooplankton biomass and size distribution on algal biomass and productivity in three nutrient-limited lakes. *Arch. Hydrobiol.* 114: 481- 496.
- El-Shabrawy, G. M. and O. E. Taha (1999): Effects of grazing pressure of zooplankton on phytoplankton assemblage in Lake Qarun, El- Fayoum, Egypt. *J. Aquat. Biol&Fish* 3 (3): 81-92.
- Elster, H. J. and R. A. Vollenweider (1961): Beitrage zur. *Limnologia Agyptens Arch. Hydrobiol.* 57: 241- 343.
- Esjmont-Karabin , P. R. C. Lathrop and S. R. Carpenter (1989): Influence of different sized *Daphnia* species on chlorophyll concentration and summer phytoplankton community structure in eutrophic Wisconsin Lakes. *J. Plankton Res.* 21(11): 2161-2174.
- Eppley, R. W.; J. N. Rogers and J. J. McCarthy (1969): Half-saturation concentrations for uptake of nitrate and ammonium by marine phytoplankton. *Limnology and Oceanography*, 14: 912-920.
- Findlay, D. L.; S. E. Kasian; L. L. Hendzel Rgehr, G.W. Schindler and E. U. Shearer (1994): Biomanipulation of lake 221 in the experimental lake area (ELA): Effects on phytoplankton and

- nutrients. Can. J. Fish. Aquat. Sci. Vol. 51 (12): 2794 - 2807.
- Fossan Kirjapaino Oy (1986): Kasviplanktonopas. ISBN 951-9481-16-3.
- Frost, B.W. (1972): Effects of size and concentration of food particles on the feeding behaviour of the marine planktonic copepod *Calanus pacificus*. Limnol. Oceanogr., 17: 805- 815.
- Fulton, R. S. and H. W. Paerl (1987a): Effects of colonial morphology on zooplankton utilization of algal resources during blue-green algal (*Microcystis aeruginosa*) blooms. Limnol. Oceanogr. 32: 634 - 644.
- Fulton, R. S. and H. W. Paerl (1987b): Toxic and inhibitory effects of the blue-green algae *Microcystis aeruginosa* on herbivorous zooplankton. J. Plankton. Res. 9: 837-855.
- Fulton, R. S and C. Jones (1991): Growth and reproductive responses of daphnia to cyanobacterial blooms on the Potomac River. Int. Revue. Ges. Hydrobiol. 76 : 5 - 19.
- Gallegos, C. L. (1989): Microzooplankton grazing on phytoplankton in the Rhode River, Maryland: non linear feeding kinetics, Mar. Ecol. Prog. Ser. 57: 23-33.
- Gliwicz, Z. M. (1977): Food size selection and seasonal succession of filter feeding zooplankton in an eutrophic lake. Ekol. Pol. 25: 179 - 225.
- Gophen, M. (1990a): Bimanipulation: retrospective and future development, Hydrobiologia 200/201: 1- 11.
- Gophen, M. (1990b): Summary of the workshop on perspectives of biomanipulation in inland waters. Hydrobiologia. 191: 315-318.
- Gosselain, V.; J. Descy; L. Viroux; C. Joaquim-Justo; A. Hammer; A. Metens and S. Schwetzer (1998): Grazing by large river zooplankton; a key to summer potamoplankton decline? The

- case of the Meuse and Moselle rivers in 1994 and 1995. *Hydrobiologia*, 369/370: 199 - 216.
- Grell, K. G. (1973): Protozoology. Springer Verlag, New York, 467 pp.
- Gulati, R. D. (1983): Zooplankton and its grazing as indicators of trophic status in Dutch Lakes. *Envir. Monitor. Assessm.* 3 : 343 - 354.
- Gulati, R. D.; E. H. Lammens; R. R. Meijer; M. L. Donk and E. Van-eds. (1990): Bimanipulation tool for water management, vol. 200/201: 251 - 261.
- Hambright K. D.; T. Zohary, J. Easton, B. Azoulay and T. Fishbein (2001): Effects of zooplankton grazing and nutrients on the bloom-forming, N₂-fixing cyanobacterium *Aphanizomenon* in Lake Kinnert. *Journal of Plankton Research* 23 (2): 165 - 174.
- Hamza, W.; G. Giussani and D. Ruggiu (1991): Observations on zooplankton grazing in a small biomanipulation lake (Lago di Candia, N-Italy) with the use of a simple in situ technique. *Mem Ist. Ital. Idrobiol.*, 48: 149 - 161.
- Haney, J. F. (1973): An in situ examination of the grazing activities of natural zooplankton communities. *Arch. Hydrobiol.* 72: 87-132.
- Haney, J. F. (1987): Field studies on zooplankton-cyanobacteria interactions. *N. Zeland J. Mar. Fresh. Wat. Res.* 21: 467-475.
- Harris, R. P. and A. Malej (1986): Diel patterns of ammonium excretion and grazing rhythms in *Calanus helgolandicus* in surface waters. *Marine Ecology Progress Series* 31.
- Harris, E. (1959): The nitrogen cycle in Long Island Sound. *Bull. Bingham Oceanog. Collection*, 17: 31- 65.
- Hendey, N. I. (1964): An introductory account of the smaller algae of British Coastal water. V. Bacillariophyceae, 318 pp. HMSO,

London.

- Hrbacek , J. ; M. Dvorakova; V. Klorinek and L. Pzrochazkova (1961): Demonstration of the effect of the fish stock on the species composition of zooplankton and the intensity of metabolism of the whole plankton association. Verh. Int. Ver. Limnol. . 14: 192-195.
- Hutchison, G. E. (1957): A treatise on Limnology, vol, 1. Geography, Physics, and chemistry. John Wiley& Sons. New York.1015 pp.
- Ibrahim, E. A. (1978): Effects of some pollutants on some freshwater planktonic organisms. Ph. D., Bot. Dep. Cairo Univ., 173 pp.
- Jaffries, M. and D. Mills (1990): Freshwater ecology. Principles and applications. Belhaven Press, London and New York. 285.
- James F. and J. Haney (1987): Field studies on zooplankton-cyanobacteria interactions. New Zealand Journal of Marine and Freshwater Research. vol. 21: 467-475.
- Jeppesen, E.; M. Sondergaard; O. Sotkkjaer; E. Mortensen & P. Kristensen (1996): Interactions between phytoplankton, zooplankton and fish in a shallow, hypertonic lake: a study on phytoplankton collapse in lake Sobyard, Denmark, Hydrobiologia 191: 139-148.
- Khalifa, N. (2000): Study on the import of industrial wastes at Helwan on River Nile zooplankton. ph. D. Thesis, Cairo Univ., 165 pp.
- Khalifa, N. (2004): Short-term effects of planktonic rotifers and cladocerans on phytoplankton of the River Nile, Intern. J. Environ. Studies, August, vol. 61 (4): 403-412.
- Kiefer, F. (1978): Zur Kenntnis der Copepoenfauna ägyptischer Binnengewässer. Arch. Hydrobiol., 84 (4): 480-499.
- Kling, M.; M. P. Grimm and S. H. Hosper (1995): Integrated Water

- Resources Management, Eutrophication and ecological rehabilitation of Dutch lakes 31(8): 207-218.
- Knoechel, R. and L. B. Holtby (1986): Construction and validation of a Body-length-based model for the prediction of cladoceran community filtering rates. *Limnol. Oceanogr.* 31: 1-16.
- Kofiod, C. A. (1911): On *Ceratium eugrammum* and its related species. *Zool. Anz. Leipzig Bd. xxx11 No.1.*
- Kofiod, C. A. and E. S. Swez (1921): The free living unarmoured dianoflagellates. *Mem, of the Univ. of California.*
- Konsowa, A. H. and O. E. Taha (2002): Physicochemical characteristics and species composition of phytoplankton at the fresh water and estuary of Rosetta Branch of the Nile (Egypt): *J. Egypt. Acad. Soc. Environ. Develop.* vol. 3 (1): 85-105.
- Landry, M. R.; C. J. Lorenzen and W. K. Peterson (1994): Mesozooplankton grazing in the southern California Bight.2. Grazing impact and particulate flux, *MAR.-Ecol.-PROG.-SER.* vol. 115 (1-2): 73-85.
- Lebour, F. Z. S. and V. Marie (1930): The Dinoflagellates of Northern Seas. Published by Marine Biological Association of the United Kingdom. 250 pp.
- Lebour, M. V (1966): The Dinoflagellates of Northern Seas. Naturalist at the laboratory of the marine biological association of the United Kingdom, Plymouth.
- Lehman, J. T. (1980): Release and cycling of nutrients between planktonic algae and herbivores. *Limnol. Oceanogr.* 25 (4): 620 - 632.
- Lund, J. W. G. (1964): Primary production and periodicity of phytoplankton (Edgardo Baldi Momorial lecture): *Verh. Int.*

- Verein. Theor. Angew. Limnol. 15: 37-56.
- Mageed, A. A. and A. H. Konsowa (2002): Relationship between phytoplankton, zooplankton, and fish cultures in a freshwater fish farm, Egypt. J. Aquat. Biol. & Fish., 6 (2): 183 - 206.
- Mallin, M. A.; L. B. Cahoon; M. R. McIver; D. C. Parsons and G. C. Shank (1999): Alternation of factors limiting phytoplankton production in the Cape Fear Estuary. Estuaries 22: 985 - 996.
- Margaritora, F. G.; (1985): Cladocera. Ed. Calderini, Bologna: 399 pp.
- McQueen, D. J. & D. R. S. Lean (1987): Influence of water temperature and nitrogen to phosphorus ratios on the dominance of the blue-green algae in Kakest. George, Ontario. Can. J. Fish Aquatic Sci. 44: 598 - 605.
- McCarthy, J. J. and R. W. Eppley (1972): A comparison of chemical, isotopic and enzymatic methods for measuring nitrogen assimilation of marine phytoplankton. Limnol. Oceanogr. 17: 371 - 382.
- McCauley, E. (1984): Zooplankton grazing and phytoplankton species richness: field tests of the predation hypothesis. Limnol. Oceanogr. 24: 243 - 252.
- McKenzie, H. A. and H. S. Wallace (1954): The Kjeldahl determination of nitrogen: A critical study of digestion conditions. Aust. J. Chem. 7: 55 -70.
- Meade, J. W. (1985): Allowable ammonia for fish culture. Prog. Fish-Cult., 47: 135 - 145.
- Miquelis, A.; C. Rougier & R. Pourriot (1998): Impact of turbulence and turbidity on the grazing rate of the rotifer *Brachionus calyciflorus* (Pallas), Hydrobiologia 386: 203 - 211.
- Mizuno, T. (1990): Illustration of the Freshwater plankton of Japan. 9th

- printing, Hoikush publishing Co., LOT., Japan, 353 pp.
- Munawar, M. (1970): Limnological studies on freshwater ponds of Hyderabad India, I. The biotype. *Hydrobiol*, 35: 127-162.
- Negrea, S. (1983): Fauna Republicii Socialiste Romania. Crustacea, Cladocera. Vol. IV (12): 395 pp.
- Parsons, T. R; B. Takahashi and M. Hargrave (1977): Biological Oceanographic Processes. 2nd edition. Pergumon press, 332 pp.
- Pascher, A. (1976): Fie susswasser-flora mitteleuropas. Otto Koeltz Science publishers P.O. Box 1380. D-6240 Koenigstein/ W-Germany.
- Patil, H. S.; G. B. Dodakundi; and S. S. Rodgi (1975): Succession in zooplankton and phytoplankton in a sewage stabilization pond. *Hydrobiologia*, 47: 253 - 264.
- Patrick , R. (1969): Some effects of temperature on fresh water algae in P.A. Kernel and E. L. parker, eds. Biological Aspects of thermal pollution. Vanderbilt University Press, pp. 161 - 185.
- Patterson, D. J. (2000): Free-Living Freshwater Protozoa. CRC Press, Inc. Boca Raton, Florida. 230 pp.
- Pennak, R. W. (1978): Annual limnological cycles in some Colorado reservoir lakes. *Ecol. Monogr.*, 19: 233 - 267.
- Perez-Fuentetaja, A.; D. J. McQueen & C. W. Rmcharan (1996): Predator- induced bottom-up effects in oligotrophic systems, Department of Biology, State University of New York, College of Environmental Science and Frestry, Syracuse New York 13210, USA, *Hydrobiologia* 317: 163 - 176.
- Perez-Martinez, C.; L. Cruz-Pizarro, Granada 18071, Spain (1995): Species-specific phytoplankton responses to nutrients and zooplankton manipulations in enclosure experiments, 33 (2):

193 - 203.

- Peter, J. S. F. (2001): Phytoplankton blooms in a fluctuating environment: the roles of plankton response time scales and grazing. *Journal of Plankton Research* 23: 1433 – 1441.
- Peters, R. H. (1983): The ecological implications of body size. Cambridge University Press, Cambridge. 329 pp.
- Porter, K. G. (1973): A method for the in situ study of zooplankton grazing effects on algal species composition and standing crop. *Limnology and oceanography* 17: 913 - 917.
- Porter, K. G. (1977): The plant-animal interface in freshwater ecosystems. *Am. Sci.* 65: 159 - 170.
- Prescott, A. G. W. (1978): Temperature and manganese as determining factor in the presence of diatoms or blue green algal flora in stream. *Proc. Nat. Acad.*, 64: 472 - 478.
- Radke, L. C.; C. S. Smith; D. A. Ryan; B. Brooke, D. Heggie & Contributors (2003): Coastal indicator knowledge and information system I: biophysical indicators, Geoscience Australia, Canberra.
- Rakocy, J. (1999): Aquaculture engineering: the status of aquaponics, Part 1. *Aquaculture Magazine*, 25: 82 - 88.
- Ravera, O. and S. Scotto (1999): A Sampler-incubator for studying zooplankton grazing and phytoplankton production. *J. Limnol.*, 58 (1): 49 - 57.
- Reinertsen, H; A. Jensen; A. Langeland; and Y. Olsen (1986): Algal competition for phosphorus: The influence of zooplankton and Fish. *Can. J. Fish. Aquat. Sci.*, 43: 1135 - 1141
- Reynolds, C. S. (1980): Phytoplankton assemblages and their periodicity in stratifying lake system. *Holarctic Ecol.* 3: 141-159.

- Reynolds, C. S. (1984): The ecology of freshwater phytoplankton. Cambridge University Press, 384 pp.
- Reynolds, C. S. and J. W. Lund (1988): The phytoplankton of an enriched, soft-water lake subject to intermittent hydraulic flushing. *Freshwater Biology* 19: 379 - 404.
- Richardson, W. B. ; S. A. Wickham and S. T. Threlkeld (1990): Foodweb response to the experimental manipulation of abentivore (*Cyprinus carpio*), zooplankton (*Menidia heryllina*) and benthic insects. *Arch. Hydrobiol*, 119: 143 - 165.
- Rosen, G. (1981): Phytoplankton indicators and their relations to certain chemical and physical factors. *Limnologica* 13: 263 - 290.
- Ruttner-Kolisko, A. (1972): Rotatoria Das zooplankton der Binnengewässer. Band 16, 1. Teil. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart: 99 - 234.
- Ruttner-Kolisko, A. (1974): Planktonic rotifers. Biology and Taxonomy. *Binnengewässer. Suppl.*, 26: 146 pp.
- Saad, M. A. H. (1980): A limnological studies on Lake Nasser and the Nilein Egypt. *Water supply and Management*, 4 : 81- 92.
- Scavia, D. and G. L. Fahnenstiel (1984): Dynamics of Lake Michigan phytoplankton: mechanism controlling epilimnetic communities. *J. Great Lakes Res.* 13 : 103 - 120.
- Scheffer, M. (1998): Ecology of shallow lakes. Chapman & Hall. ISBN0-412- 74920-3, 357pp.
- Schwartz, M. F. and C. E. Boyd (1996): Suggested management to improve quality and reduce quantity of channel catfish pond effluents. Alabama Agricultural Experiment Station Auburn University, 3: 1- 4.
- Seenayya, G. (1971): Ecological studies in the plankton of certain

- freshwater ponds of Hydrabad, India. I. Physico-chemical complexes. *Hydrobiol.* 37: 7 - 31.
- Sellner, K. G.; D. C. Brownlee; M. H. Bundy; S. Brownlee and G. Braun (1993): Zooplankton grazing in a Potomac River cyanobacteria bloom, *Estuaries.* 16 (4): 859 - 872.
- Shaaban Dessouki , S. A. and Z. A. Baka (1985 a): Seasonal changes in the phytoplankton standing crop relating to some physical and chemical factors in Damietta Branch of the River Nile . *Bull . Fac. Sci., Mansoura Univ.*, 12 (1): 85 - 115 .
- Shaaban Dessouki , S. A. and Z. A. Baka (1985 b): Dynamics of phytoplankton abundance, chlorophyll content and their population diversity in Damietta Branch of the River Nile . *Bull. Fac. Sci., Mansoura Univ.*, Vol. 12: 49 - 84.
- Shaprio, J. ;V. Lamarra and M. Lynch (1975): Biomanipulation: An approach to lake restoration. In ZP): L. Brezonik and J. L. Fox, eds. *Water Quality Management through Biological Control.* Univ. Florida, Gainesville. pp. 85 - 96.
- Sobhy, E. H. (1999): Effects of industrial waste of Iron and steel Factories on Nile phytoplankton communities and productivity at Helwan. *M. sc. , Fac. Sci., Men. Univ.*, 231 pp.
- Sommer U.; F. Sommer; B. Santer; E. Zollner; K. Jurgens; C. Jamieson; M. Boersma and K. Gocke (2003): *Daphnia* versus copepod impact on summer phytoplankton functional composition at both trophic levels. *Oecologia* 135: 639 - 647
- Sommer, U. (1988): Phytoplankton succession in microcosm experiments under simultaneous grazing pressure and resource limitation. *Limnol. Oceanogr.* 33: 1037- 1054.
- Sondergaard, M. ; E. Jeppesen; P .Kristensen, and O . Sortkjaer (1990):

- Interaction between sediment and water in shallow and hypertrophic lake: a study on phytoplankton collapses in Lake Sobygard. Denmark. *Htdrobiologia*, 191: 129 - 138.
- Stickney, R. R.; J. H. Hesby; R. B. McGeachin and W. A. Isbell (1979): Growth of *Tilapia nilotica* in ponds with differing histories of organic fertilization. *Aquaculture*, 17: 189 - 194.
- Storm, S. L. and N. A. Welschmeyer (1991): Pigment specific rates of phytoplankton growth and microzooplankton grazing on the open subarctic Pacific Ocean. *Limnol. Oceanogr.* 36: 50 - 63.
- Stumm, W. and J. J. Morgan (1981): *Aquatic chemistry. An introduction emphasizing chemical equilibria in natural waters.* 2nd Ed. John Wiley and Sons. NY., 780pp.
- Sverdrup, H. U.; M. D. Johnson and R. H. Fleming (1955): *The oceans, their physics and chemistry and general biology.* Prentic Hall., N. Y., 1087 pp.
- Tan, S. H.; W. Q. Cao; Y. S. Lin; G. Z. Wang and S. J. Li. (2004): Advances in the molecular systematic studies of marine planktonic crustaceans [In Chinese with English abstract]. *Marine Science Bulletin* 22 (5): 71 - 76.
- Tilman, D.; R. Kiesling; R. Sterner; S. S. Kilham and F. A. Johnson (1986): Green, blue-green and diatoms algae; Taxonomic differences in competitive ability for phosphorus, silicon and nitrogen. *Arch. Hydrobiol.* 104 (4): 473 - 485.
- Touliabah, H. S. (1992): Relations between fertilization and phytoplankton position and productivity in Serw Fish farms. M. Sc., Girl coll. Ain shams Univ. 213 pp.
- Touliabah H. E. (1996): Ecological studies on the Nile River phytoplankton in relation to physico-chemical characters at the

- area between Esna and Delta Barrage. Ph. D. Thesis. Fac. Sci. Girls. Ain Shams Univ.
- Tremel, B. (1996): Autecology of chlorophyta in a gravel pit near Cologene, Germany, Arch. Hydrobiol. 135 (3): 361 - 376.
- Urabe, J. (1993): N and P cycling coupled by grazers' activities: Food quality and nutrient release by zooplankton, Ecology. Vol. 74 (8): 2337 - 2350.
- Vanderploeg, H. A. (1981): Seasonal particle-size selection by *Diaptomus sicilis* in offshore Lake Michigan. Can. J. Fish. Aquat. Sci. 38: 504 - 517.
- Vanderploeg, H. A.; G. A. Paffnhofer and J. R. Liebig (1988): *Diaptomus* vs. net phytoplankton; effects of algal size and morphology on selectivity of a behaviorally flexible, omnivorous copepod. Bull. Mar. Sci. 43 : 377 - 394.
- Van-Donk, E.; R. D Gulati and M. P. Grimmer (1990): Restoration by biomanipulation in small hypertrophic lake: First year results, Trophic relationships in inland waters, 191: 285 - 295.
- Van-Donk, E. and D. O. Hessen (1993): Grazing resistance in nutrient-stressed phytoplankton, Oecologia 93 (4): 508 - 511.
- Vanni, M. J. and J. Temte (1990): Seasonal patterns of grazing and nutrient limitation of phytoplankton in a eutrophic lake, Limnol. Oceanogr., 35 (3): 697 - 709.
- Vanni, M. J. (1987 a): Effects of nutrients and zooplankton size on the structure of a phytoplankton community. Ecology 68 (3): 624 - 635.
- Vanni, M. J. (1987 b): Indirect effect of predators on age - structured prey populations: planktivorous fish and zooplankton In. W.C. Kerfoot & Asih (eds), predation: direct and indirect impacts on

- aquatic communities. The University press of New England, Hanover (N.H.); Lond: 149 - 160.
- Verheye, H. M. and H J. Dumont (1984): The calanoid copepods of the Nile system. *Hydrobiologia*, 110: 191 - 212.
- Wetzel G. Rebert (1983): limnology. C.B.S. Collage. Michigan Uni.
- Wetzel, R. G. (2001): Limnology. Lake and Rivers ecosystems. 3rd edition. Academic Press, New york.1006 pp.
- Yamamoto, K. (1960): Plankton rotatorian Japanese Inland. *Hydrobiologia*. Vol . XVI (4): 364 – 411.
- Zankai, N. P. and J. E. Ponyi (1986): Composition, density and feeding of crustacean zooplankton community in a shallow, temporal lake (Loake, Balaton, Hungary), *Hydrobiologia* 135: 131 - 148.