REFERENCES

- **Abd El-Kader, Z.D.** (1991): Physiological studies on the interaction between salinity and some growth regulators in *Cucurbita pepo* seeds during their germination. M.Sc. Thesis Fac of Sci., Suez Canal Univ., Egypt.
- **Abd El-Rahim, H.M.; Abdalla, F.H.; Abdalla, M.M. and Galal, A.H.** (1985): Yield and Chemical Composition of soybean as affected by soil salinity and growth regulators. Assiut J. of Agric Sci. 16(1), 123-132.
- **Abd El-Samed, H.M. (1987):** Response of some plants to the interactive effects of salinity and amino acids. M.Sc. Thesis, Minia Univ., Minia, Egypt.
- **Abd El-Samed, H.M. (1991):** Physiological studies of some plants in relation to salinity injury. Ph.D. Thesis, Minia Univ, Minia, Egypt.
- **Abd El-Samed, H.M.; Shaddad, M.A. and Doaa, M.M.** (2004): Mechanisms of salt tolerance and interactive effects of *Azospirllum brasilense* inoculation on maize cultivars grown under salt stress conditions Plant Growth Regulation, 44: 165-174.
- **Aberg, P. (1961):** Vitamin as growth factors in higher plants. In: Encyclopaedia of plant physiology (ed.) Rhland, W. Springer-Verlag, Berlin, 14: 418-499.
- **Ackerson, R.C.** (1985): Osmoregulation of cotton in response to water stress III. Effects of phosphorus fertility. Plant Physiol., 77: 309-312.

- **Aebi, H. (1983):** Catalase *in vitro*. Meth. Enzymol. 105: 121-126.
- Ahmed, A.M; Ismail, A.M. and Azooz, M.M. (2001): Protein Patterns in germinating seeds of *Vicia faba* lines in response to interactive effects of salinity and vitamins treatments. Phyton, 41 (1), 97-110.
- Ahmed, A.M.; Monsaly, H.M. and Garab, O. (1998): Seed soaking pre-sowing in vitamins versus the adverse effects of NaCl salinity on photosynthesis and some related activities of maize and sunflower plants. Photosynthesis mechanism and effects. Vol. IV proceeding of the XI the international congress on photosynthesis, Budapest, Hungary, 17-22 Aug 617-2620.
- Ahmed, A.M.; Heikal, M.M. and Shaddad, M.A. (1977): Photosynthesis of some economic plants as affected by salinization treatments. 11-Safflower and maize, J. Bot. 20: 17-27.
- Ahmed, A.M.; Shaddad, M.A.; Abdel-Rahman, A.M. and Faheed, F.A. (1989): Alleviation of NaCl toxicity on *Hibiscus esculentus* and *Corohorus olitorius* by Phytohormones. 3-Effects on photosynthetic pigments, carbohydrate and amino acids contents. Sohag Pure. Appl. Sci. Bull. Fac. Sci. Egypt 5: 24-47.
- **Al-Bahrany, A.M.** (1994): Influence of salinity on free proline accumulation, total RNA content and some minerals (K, Na, Ca, Mg and N) in pepper (*Cpasicum Annuum* L.) Annals. Agric. Sci., Ain Shams Univ., Cairo, 39(2), 699-707.

- Alfocea, F.P.; Estan, M.T; Caro, M. and Bolarin, M.C. (1993): Responses of tomato cultivars to salinity, Plant and Soil, 150: 203-211.
- Ali, H.E. M. (2000): Effect of salinity on absorption and assimilation of some ions by sunflower and cotton plants. Ph.D. Thesis, Fac. Sci. Alexandria Univ., Alexandria, Egypt.
- Alislail, N.Y. and Bartels, P.G. (1990): Effect of sodium chloride on tepary bean. In: Ocker, N-F. and Bantlin, M. (eds): Vegetable Report Univ. Artiz. Agric. Exeferences P. 90. Tucson, AZ, pp.110-111.
- **Alpaslan, A. and Gune, H. (2001):** Interactive effects of boron and salinity stress on the growth, membrane permeability and mineral composition of tomato and cucumber plants. Plant and Soil, 236: 123-126.
- **Ansari, S.A.** (1986): Physiomorphological response of *Lens climaris* L. Medic. And *Vigna radiate* L. whilczek to pyridoxine application. Ph.D. thesis, Algiarh, Muslim Univ. Aligarh.
- **Arad, S. and Richmond, A.E. (1976):** Leaf cell water and enzyme activity. Plant Physiol. 57: 656-658.
- **Arad, S. and Richmond, A.R. (1973):** RNAase activity in barley leaves in relation to leaf water content. 15r J. Bot. 22: 208.
- **Artimonov, V.I.** (1966): The synthesis and the destruction of chlorophyll in plants induced gibberellin and vitamin B2, Soviet plant Physiol. 13: 379-383.
- **Asada, K. (1994):** Production and action of active oxygen species in Photosyntehtic tissues. In: Foyer C.H. and Mullineaux P.M.

- (eds), Causes of photooxidative stress and Amelioration of defence sysem in plants. CRC Press, Boca Raton, Ann. Arbor, London, Tokyo, PP. 77-104.
- **Asada, K., Kiso, K. (1973):** Initation of aerobic oxidation of sulfite by illuminated spinach chloroplast. Eur. J. Biochem. 33: 53-257.
- **Ashfaq, N.M.M.; Afridi, R.K. and Ansari, S.A. (1983):** Effect of pyridoxine treatment of grain on yield of triticale. Ann Conf. Soc. Adv. Bot. Hisar, May: 28-29.
- **Ashraf, M.** (1989): The effect of NaCl on water relations, chlorophyll, protein and proline contents of two cultivars of blackgram *Vigna mungo* L. Plant and Soil. 119: 205-210.
- Aspinall, D. and Paleg, L.G. (1981): Proline accumulation: Physiological aspects in "Physiology and Biochemical of Drought Resistance in Plants". Ed L.G. Paleg & D Aspinall, PP. 05-40. Academic Press, New York.
- **Azooz, M.M.** (1990): Physiological studies on the interactive effects of salinity and vitamins on some crop plants M.Sc. Thesis, Assiut Univ., Assiut, Egypt.
- **Azooz, M.M.** (1997): Interactive effects of some vitamins and salinity on some bean line Ph.D. Thesis, South Valley Univ, Qena, Egypt.
- **Azooz, M.M.** (2004): Proteins, sugars and ion leakage as a selection criterion for the salt tolerance of three sorghum cultivars at seedling stage grow under NaCl and nicotinamide. Int. J. Agri. Biol. 6(1): 27-35.

- Azooz, M.M.; Hassanein, A.M. and Faheed, F.A. (2002): Riboflavin (vitamin B₂) treatments counteract the adverse effects of salinity on growth and some relevant physiological responses of *Hibiscus sabdariffa* L seedlings. Bull. Fac. Sci., Assiut Univ. 31 (2-D), PP.395-303.
- Balki, A. S. and Padole, U. R. (1982): Effect of presoaking seed treatments with plant hormones of wheat under condition of soil salinity. J. Indian. Soc. Soil Sci., 30: 361-369.
- **Ball, M.C.; Chow, W.S. and Anderson, J.M. (1987):** Salinity induced potassium deficiency causes loss of functional photosystem II. In leaves of grey mangrove. *Aviciennia marina*. Aust J. Plant Physiol., 14: 1351-1361.
- **Barakat, H.** (2003): Interactive effects of salinity and certain vitamin, on gene experession and cell division Int. J. Agric. Biol. 3, 219-225.
- **Barbieri, G. (1959):** Effect of Vit. B, and B6 on pea, broad bean, beet and wheat plants. Nuovo G. Bot. Ital. 66: 14-22.
- Bates, L.S.; Wladren, R.P. and Tear, L.D. (1973): Rapid determination of free proline for water-stress studies Plant and Soil. 39: 205-207.
- **Bejaoui, M.** (1985): Interaction between NaCl and some phytohormones on soybean growth, J. Plant Physiol. 120: 95-110.
- Bekheta M.A. and El-Bassiouny H.M.S. (2005): Response of two wheat cultivars grown under salinity stress to putrescine treatment J. Agric. Sci. Mansoura Univ., 30, 8: 4505-4521.

- Ben-Hayyin, G.; Vaadia, Y. and Williams, G.B. (1989): Protein associated with salt adaptation in citrus and tomato cells: Involvement of 6 KDa polypeptide. Physiol. Plant. 77: 332-340.
- Berglund, T.; Ohlsson, A.B. and Rydstron, J. (1993): Nicotinamide increases glutathione and anthocyanine in tissue culture of *Catharanthus roseus*. J. Plant. Physiol. 141: 596-600.
- **Bernstein, L. (1961):** Osmotic adjustment of plants to saline media. I-Steady state. Amer. J. Bot. 48: 909-918.
- Bernstein, L. and Hayward, H.E. (1958): Physiology of salt tolerance. Ann. Rev. Plant Physiol. 9: 25-46.
- **Black, C.C. and Sanpietro, A. (1968):** Vitamin B6 activity in photosynthetic reactions Arch. Biochem. Biophys. 128: 482-487.
- **Blomberg, A. and Adler, L. (1992):** Physiology of osmotolerance in fungi. Adv. Microbial Physiol. 33: 145-212.
- **Bonner, J. and Green, J. (1939):** Further experiments on the relation of vitamin B_1 to the growth of green plants. Bot. Gaz. 101: 491-500.
- **Brugnoli, E. and Lauteri, M. (1991):** Effect of salinity on stomatal conductance, photosynthetic capacity, and carbon isotope discrimination of salt-tolerant *Gossypium hirsutum* L. and salt-sensitive *Phaseolus vulgaris* L. C3 non-halophytes. Plant physiol. 95:628-635.
- Buschamann, C. and Lichtenthaler, H.K. (1979): The influence of phytohormones on prenyllipid composition and

- photosynthetic activities of thylakoids. In: Appelgvist L.A. and Lilj Enberg, C. (eds.) Advances in Biochemistry and Physiology of plant lipids. 145-150, Elsevier, Amserdam.
- **CAEMA** (2003): Central Adminstration of Economic, Ministry of Agriculture, Egypt.
- **Cavalieri, A.J. and Huang, A.H.C.** (1979): Evaluation of proline accumulation in the adaptation of diverse species of marsh halophytes to the saline environment. Amer J. Bot., 66(3): 307-312.
- **Chapin, F.S.** (1991): Integrated responses of plants to stress. Bioscience, 41: 29-36.
- Chapman, H.D. and Pratt, F.P. (1978): Methods of analysis for soils, plants and water, Univ. of Clifornia, Division of Agric. Sci. priced Publication, 4034: 50-169.
- **Chavan, P.D. and Karadge, B.A. (1980):** Influence of salinity on mineral nutrition of peanut (*Arachis hypogaea* L) plant and soil, 54: 5-13.
- Chavan, P.D. and Kavadge, B.A. (1986): Growth, Mineral nutrition, organic constituents and rate of photosynthesis in *Sesbania grandiflora* L. grown under saline condition. Plant and Soil. 93, 395.
- **Chazen, O. and Neumann, P.M. (1994):** Hydrolic signals from the roots and rapid cell-wall hardening in growing maize *Zea mays* L. leaves are primary responses to polyethylene glycolinduced water deficits. Plant physiol. 104: 1385-1392.
- **Cheeseman, J.M. (1988):** Mechanism of salinity tolerance in plant. Plant physiol., 87: 547-550.

- Chibnall, A.C.; Rees, M.W. and Williams, E.F. (1943): Biochem.
 J. 37, 354 Quoted from vogel inorganic chemistry.
- Choudhury, N.K.; Choe, H.T. and Huffaker, R.C. (1993): Ascorbate induced zeaxanthin formation in wheat leaves and photoprotection of pigment and photochemical activities during aging of chloroplasts in light. J. Plant Physiol. 141: 551-556.
- Chundra, P.; Singh, S.K.; Jagdish, S.; Single, S.B. and Singh, J. (1993): Influence of salt stress on photosynthetic pigments and dry weight of sugar cane shoot culture in vitro. Cooperative sugars, 24: 611-612.
- Close T.J. and Lammers P.J. (1993): An osmotic stress protein of cyanobacteria is immunologically related to plant dehydrins. Plant Physiol., 101: 773-779.
- Cordovilla, M.P.; Ligero F. And Liuch, C. (1994): The effect of salinity on N-Fixation and assimilation in *Vicia faba* J. Exp. Bot., 45: 1483-1488.
- Cramer, G.R. (1992): Kinetics of maize leaf elongation II. Response of a Na-excluding cultivar and a Na-including cultivar to varying Na/Ca salinities. J. exp. Bot. 43, 854-864.
- Cramer, G.R. (1994): Response of maize (*Zea mays* L.) to salinity. In Handbook of plant and crop stress (ed. M. pessaki), pp. 459. Marcel Dekker, New York.
- Cramer, G.R.; Epstein, E. and Lanchli, A. (1989): Na⁺-Ca⁺⁺ interactions in barely seedlings relationships to ion transport and growth. Plant cell Environ. 12: 551-558.

- Cusido, R.M.; Palazen, J.; Altabella, T. and Morales, C. (1987): Effect of salinity on soluble protein, free amino acids and nicotine contents in *Nicotina rustica* L. Plant and Soil, 102: 55-60.
- Dat, J.F.; Lopez, Delgado, H.; Foyer, C.H. and Scott, I.M.(1998):

 Parallel changes in H₂O₂ and catalase during thermotolerance induced by salicylic acid or heat acclimation in mustard seedlings, Plants Physiol. 116: 1351-1357.
- De La Rosa-Ibarra, M.M. and Maiti, R.K. (1995): Biochemical mechanism in glossy sorghum lines for resistance to salinity stress, J. Plant Physiol. 146: 515-519.
- **Deyab, M.A.** (1989): Studies on some enzymic and hormonal activities in germinating grains and seeds of some graimaceous and leguminous plants Ph.D. Thesis, Fac. Sci., Tanta Univ. Egypt.
- Dhindsa, R.S.; Plumb-Dhinsda, P. and Thorne, P.A. (1981): Leaf senescence: correlated with increased levels of membrane permeability and lipid peroxidation and decreased levels of superoxide dismutase and catalase J. Exp Bot: 32: 93-101.
- **Dhingra, H.R. and Varghese, T.M. (1985):** Effect of salt stress on viability, germination and endogenous levels of some metabolites and ions in maize (*Zea mays* L.) Pollen. Ann. Bot. 55, 415.
- **Dionisiases, M.L. and Tobita, S. (1998):** Antioxidant responses of rice seedlings to salinity stress. Plant Sci. 135: 1-9.
- **Doheem, M. and Sharaf, A. (1983):** The biochemical changes in protein and carbohydrate in wheat under different levels of

- NaCl and MgCl₂. 1st Hin Con. Agric. Bot Sci., 1982, Fac of Agric. Univ. of Mams.
- Dohlert, D.C.; Stanley, H. Duke, and Anderson, L. (1982): Betaamylases from alfalfa roots, Plant Physiol. 69: 1096-1102.
- **Drew, M.C.; Guenther, J. and Lauchll, A. (1988):** The combined effect of salinity and root anoxia on growth and net Na+ and K+ accumulation in *Zea mays* grown in solution culture, J. Exp. Bot., 61, 41.
- **Duraisundar, B. Perianayaguy and Ranachandra Reddy, A.** (2004): Localization of antioxidant enzymes in the cellular compartments of sorghum leaves. Plant Growth Regulator. 44: 157-163.
- **Dubey, R.S.** (1982): Biochemical changes in germinating rice seeds under saline stress. Biochemic Und. Physiologic der. Pflonzen 177, 523-535.
- **Dubey, R.S.** (1983): Hydrolytic enzymes of rice seeds differing in salt tolerance. Plant physiol and Biochem. 10(5), 168-175.
- **Dubey, R.S. (1985):** Effect of salinity on nucleic acid metabolism of germinating rice seeds differing in salt tolerance. Plant Physiol. Biochem. 12, 9-16.
- **Dubey, R.S. and Rani, M. (1987):** Proteases and proteins in germination rice seeds in relation to salt tolerance. Plant Physiol. Biochem. 14: 174-182.
- **Dubey, R.S. and Rani, M. (1990):** Influence of NaCl salinity on the behaviour of protease, Amino peptidase and carboxypeptidase in rice seedlings in relation to salt tolerance. Aust. J. Plant Physiol. 17: 215-221.

- **Durand, M. and Lacan, D. (1994):** Sodium partitioning within the shoot of soybean. Physiol. Plant., 91: 65-71.
- **Dure L. (1993):** Structural motifs in LEA Proteins in: Close T.J., Bray E.A. (eds.): Current topics in plant physiology, Vol.10 Rockville, MD, Amer, Soci. Plant Physiol., pp.91-103.
- Dure, L.; Crouch, M.; Harada, J.; Ho, T.H.; Mundy, J.; Quatrano, R.; Thomas, T. and Sung Z.R. (1989): C-amino acid sequence domains among the LEA proteins of higher plants. Plant Mol. Biol., 12: 475-486.
- **Easley, L.W. (1969):** Modification of protein synthesis by vitamin B12 in the marine algal flagellate *Neochloris*. J. Protozool. 16: 286-289.
- **El-Bassiony, H.M. (2005):** Physiological responses of wheat to salinity alleviation by nicotinamide and tryptophan. Internationa, Journal of Agriculture and Biology 1560-8530/4. 653-659.
- **El-Bassiouny, H.M.S. and Bekheta, M.A. (2001):** Role of putresince on growth, regulation of stomatal aperture, ionic contents and yield by two wheat cultivars under salinity stress. Egyptian J. Physiol. Sci., 2-3: 239-258.
- El-Bassiouny, H.M.S. and Bekheta, M.A. (2005): Effect of salt stress on relative water content, Lipid peroxidation, polyamines, amino acids and ethylene of two wheat cultivars. Int. J. Agric. Biol., 7(3), 363-368.
- El-Fouly, M.M. and Jung, J. (1972): Enzyme activity in wheat seedlings grown under different NaCl salinity levels and their

- interaction with growth regulators. Biochem. Physiol. Pflanz., 163: 492-498.
- **El-Khawas S.A.M.** (1999): Phsyiological responses of *Trigonella foenum graecum* to salinity and heat hardening. Ph.D. Thesis, Fac. Sci., Ain Shams Univ., Cairo, Egypt.
- El-Shahaby, O.A. (1978): Metabolic change in response to water stress in cotton seedlings, M.Sc. Thesis, Mansoura Univ. Mansoura, Egypt.
- **El-Shahaby, O.A.** (1981): Studies on growth and metabolism of certain plants. Ph.D. Thesis, Mansoura Univ. Mansoura, Egypt.
- **El-Tayeb, M.A.** (1991): Effects of ascorbic acid, pyridoxine or methionine application on some drought stressed crop plants Ph.D. Thesis, Assiut Univ, Assiut, Egypt.
- **Epstein, E. (1985):** Salt-tolerance crops: Origins, development and prospects of the concept. Plant and Soil.89: 187-198.
- Erdei, L.; Szegletes, Z.; Barabas, K. and Pestenaez, A. (1996): Responses in polyamine titer under osmotic and salt stress in sorghum and maize seedlings, J. Plant Physiol. 147: 599-603.
- Ericson, M.C. and Alfinito, S.H. (1984): Proteins produced during salt stress in tobacco cell culture. Plant physiol. 74: 506-509.
- **Evlagon, D.; Ravina, I. and Neumann, P.M. (1990):** Interactive effects of salinity and calcium on hydraulic conductivity, osmotic adjustment and growth in primary roots of maize seedlings, Israel. J. Bot. 39, 239-247.

- **Fayez, K.A.** (1984): Combined effect of sodium chloride and some nitrogen sources on growth and chemical composition of some plants. M.Sc. Thesis, Assiut Univ. Sohag, Egypt.
- **Feierabend, J. and Dehne, S. (1996):** Fate of the porphyrin cofactors during the light-dependent turnover of catalase and of the photosysem II reaction center protein DI in mature rye leaves. Planta, 198: 413-422.
- Feierabend, J.; Schaan, C. and Hertwing, B. (1992): Photoinactivation of catalase occurs under both high and low temperature stress conditions and accompanies photo inhibition of photosystem II. Plant Physiol. 110: 1554-1561.
- **Fisher, M.; Pick, U. and Zamir, A.** (1994): A salt-induced 60-Kilodalton Plasma membrane protein plays a potential role in the extreme halotoleance of the alga *Dunaliella*, Plant Physiol. 106: 1359-1365.
- Foda, H.A.; Hassanein, A.A.; Ali, A.A. and Khattab, H.I.(1991): Effect of sodium chloride and sodium carbonate on the contents of gibberellin and cytokinins of *Lupinus termis* during seed germination and plant growth. Women's collage Ann. Rev., 16: 356-376.
- **Foda, E.A.A.** (1987): Growth dynamics of *Triticum vulgare*, M.Sc. Thesis, Fac. Sci., Tanta Univ., Egypt.
- Ford, C.W. and Wilson, J.R. (1981): Change in levels of solutes during osmotic adjustment to water stress in leaves of four tropical pasture species; Aust J. Physiol. 8, 77.

- **Foyer, C.H. (1993):** Ascorbic acid in: Alscher R.G. Hess J.L. (eds) Antioxidants in higher plants. CRC Press, Boco Raton, FL PP31-58.
- Foyer, C.H.; Lelandais, M.; Edwards, E.A. and Mullineaux, P.M. (1991): The role of ascorbate in plants, interactions with photosynthesis, and regulatory significance. In: Pell, E., Steffen, K. (eds.) Active oxygen/oxidative stress and plant metabolism. Current Topics in Plant Physiology 6, American Society of Plant Physiologists Series, 131-144.
- Frederick, J.R.; Below, F.E. and Hesketh, J.D. (1990): Carbohydrate, nitrogen and dry matter accumulation and partitioning of maize hybrids under drought stress. Ann. Bot, 66, 407.
- **Fridovich, I. (1986):** Biological effects of the superoxide radical Arch Biochem. Biophys. 247: 1-11.
- **Fukutaku, Y. and Yamada, Y. (1984):** Sources of proline nitrogen in water-stressed soybean *GLycine max*.II-Fate of ¹⁵N-labelled protein, Physiol. Plant. 61: 622-628.
- Gaber, A.M. (1981): Studies on nitrogen metabolism in certain plant tissues. M.Sc. Thesis, Mansoura, Univ. Mansoura, Egypt.
- Garcia-Legaz, M.F.; Ortiz, J.M.; Garicia-Lidon, A. And Cerda, A. (1993): Effect of salinity on growth, ion content and CO₂ assimilation rate in Lemon varieties on different root stocks. Physiol. Plant., 89: 427-432.

- **Genkel, K.P.** (1970): Effect of pre-sowing treatment of wheat seeds with vitamin PP or sodium fluoride on protein change in seeds. Fiziol Rast. 17: 605-609.
- George, T.; Singleton, P.W. and Bihlool, B.B. (1988): Yield, soil nitrogen uptake and nitrogen fixation by soybean from maturity groups grown at three elevations, Agron J. 80: 563-567.
- **Gill, K.S.** (1992): Some physiological parameters of salt tolerance in husked and huskless barely (*Hordeum vulgare* L.) varieties, Indian. J. Plant Physiol. 35: 7-15.
- Gomez, J.; Martinez, S.; Siefel, V.; Rigau, J.; Puigdomenech, P. And Pages M., (1988): A gene induced by plant hormone abscisic acid in response to water stress encodes a glycinerich protein, Nature, 334: 262-264.
- Gossett, D.R.; Millhollon, E.P. and Lucas, M.C. (1994):
 Antioxidant response to NaCl stress in salt tolerant and salt sensitive cultivars of cotton. Crop Sci. 34: 706-714.
- Graham, D. and Patterson, B.D. (1982): Responses of plants to low non-freezing temperature, Proteins, metabolism and acclimation Annu. Rev. Plant Physiol. 33: 347-372.
- **Greenway, H. and Osmond, C.B. (1972):** Salt response of enzymes from species differing in salt tolerance. Plant Physiol. 49: 256-259.
- **Greulach, V.A. and Adams, J.E. (1963):** In An Introduction to Modern Botany, 327-328. John Wiley and Sons, New York.
- Guan, L. and Scandalios, J.G. (1998): Two structurally similar maize cytosolic superoxide dismutase genes, Sod4 and

- Sod4A, respond differentially to abscisic acid and high osmoticum. Plant Physiol. 117: 217-224.
- Guan, L.; Zhao, J. and Scandalios, J.G. (2000): Cis-elements and trans-factors that regulate expression of the maize Cat I antioxidant gene in response to ABA and osmotic stress: H₂O₂ is the likely intermediary signaling molecule for the response. Plant J. 22: 87-95.
- Guerrier, G. (1998): Proline accumulation in salt-treated tomato, different proline precursors in *Lycoperison esculentum* and *Lycoperison pennellii*. J. Plant Nutr., 21: 505-513.
- **Hamed, A.A. and Al Wakeel, S.A.M. (1994):** Physiological response of *Zea mays* exposed to salinity and to exogenous proline Egypt. J. Bot. 34: 93-105.
- Haro, R.; Bannuelos, M.A.; Quintero, F.J.; Rubio, F. And Rodriguez-Navarro, A. (1993): Genetic basis of sodium exclusion and sodium tolerance in yeast. A model for plants Physiol. Plant. 89: 868-874.
- **Haroun, S.A.** (1985): Studies on adaptation of plants to water stress. Ph.D. Thesis, Mansoura Univ., Mansoura, Egypt.
- **Hashem, H.A.** (2000): Molecular physiological studies on heat shock protein expression in a stressed plant. M.Sc. Thesis, Fac. Sci. Ain Shams Univ., Cairo, Egypt.
- **Hashem, H. A.** (2006): Physiological and molecular actions of jasmonic acid on soybean plant. Ph. D. Thesis. Fac. Sci. Ain Shams Univ., Cairo, Egypt.

- **Hassanein, A.A.** (1999): The protective effect of garlic extract and vitamin C on drough stressed *Zea mays* L. and *Vigna Sinensis* L. Plants. Az. J. Pharm. Sci. 23: 63-83.
- **Hassanein, A.A.** (2000): Physiological responses induced by shock and gradual salinization in rice (*Oryza sativa* L.) seedlings and the possible roles played by glutathione treatment. Acta Botanica Hungarica 42 (1-4): 139-159.
- Hassanein, A.A. and Amin, G.H. (1999): Gibberellic acid induced drought tolerance in *Medicago sativa* L. Callus cultivers subjected to water stress imposed by polyethylene glycol (PEG 6000). Journal of union Arab Biologists 6th Internal conference 8-11, Nov, 1999, Cairo, Egypt, 7(B): 289-308.
- Hassanein, A.A., Ali, A.A. and Khattab, H.I. (1988): Effect of sodium chloride and sodium carbonate on growth, nitrogen and nucleic acid metabolism of *Lupinus termis* plants. J. Fac. Education, Ain Shams Univ. 13: 365-391.
- **Hassanein, A.M. (1999):** Alterations in protein and esterase patterns of peanut plants in response to salinity stress, Biol. Planta, 42: 241-248.
- Hassanein, R.A. and El-Telwany, K.A. (1989): Effect of different levels of soil moisture on certain physiological aspects of two varieties of radish III-Contents of free amino acids, nucleic acids and activities of certain oxidative enzymes J. Fac. Educ. Ain Shams Univ., 14: 55-65.
- Hathout, T.A.; Shetawi, S.A. and Khalla, S.M. (1993): Effect of mode of application of some growth regulators on the physiology of tomato metabolism and productivity. Egypt. J. Phsyiol. Sci., 17: 183-200.

- **Havir, E.A. and Mellate, N.A.** (1987): Biochemical and developmental characterization of multiple forms of catalase in tobacco leaves, Plant Physiol. 84: 450-455.
- **Hawker, J.S. and Walker, R.R. (1978):** Effect of sodium chloride on expansion rates and invertase activity of leaves. Aust. J. Plant Physiol, 5: 73-80.
- Heikal, M.M.; Ismail, A.M. and Azooz, M.M. (2000): Interactive effects of salinity and some vitamins B6 on some metabolic processes in two broad bean lines. Acta Agronomica Hungarica, 48: 327-336.
- **Henkel, P.A.** (1970): Role of protein synthesis in drought resistance. Can. J. Bot. 48: 1235-1242.
- Hernandez, J.A., Campillo, A., Jimenez, A. Alacon, J.J. and Sevilla, F. (1999): Response of antioxidant systems and leaf water relations to NaCl stress in pea plants, New Phytol. 141: 241-251.
- Hernandez, J.A.; Jimenez, A.; Mullineaux, P. and Sevilla, I (2000): Tolerance of pea plants (*Pisum sativum*) to long term salt stress is associated with induction of antioxidant defences, Plant cell Environ. 23: 853-862.
- Hernandez, J.A.; Olmos, E.; Corpas, F.J.; Sevilla, F. and del Rio L.A. (1995): Salt-induced oxidative stress in chloroplasts of pea plants, Plant. Sci, 151-167.
- Hodges, D.M.; Delong, J.M.; Forney, C. and Prange P.K. (1999): Improving the thiobarbituric acid. Reactive substances assay for estimating lipid peroxidation in plant tissues containing

- anthocyanin and other interfering compound. Planta, 207: 604-611.
- **Homme, P.M.; Conalez, B. and Billard, J. (1992):** Carbohydrate content, fructose and sucrose, enzyme activities in roots, stubble and leaves of rye grass (*Lolium perenne* L.) as affected by source / sink modification after cutting J. Plant Physiol., 140: 282-291.
- **Hsiao, T.C.A.** (1973): Plant response to water stress. An. Rev. Plant Physiol. 24: 519-570.
- Hsiao, T.C.A.; Avevedo, E.; Fereres, E. and Handerson, D.W. (1976): Water stress, growth and osmotic adjustment Phi. Trans. R. Soc. Lond. 273: 479-500.
- Irigoyen, J.J.; Emerich, D.W. and Snachez-Diaz, M. (1992): Water stress induced changes in concentration of proline and total soluble sugars in nodulated alfalfa (*Medicago sativa*) plants. Physiol. Plant 84, 55.
- **Ismail, A.M.** (2003): Response of maize and sorghum to excess boron and salinity. Biol. Plant, 47: 313-316.
- **Jefferies, R.L.** (1981): Osmotic adjustment and the response of halophytic plants to salinity. Biosci. 31: 42-46.
- **Jeschke, W.D.** (1984): K⁺-Na⁺ exchange at cellular membranes, intercellular compartmentation of cations and salt tolerance in salinity tolerance in plants. In: Strategies for crop improvement (eds. R.C. Staples and G.H. Toemiessen), pp. 37-66. John Wiley and Sons, New York.
- Jones, H.G. and Jones, M.B. (1989): Some terminology and common mechanism in: Plant under stress, Eds. H.G. Jones,

- T.J. Flowers and M.B. Jones, Cambridge University Press, pp. 1-10.
- **Kaddah, M.T. and Ghowail, S.I.** (1964): Salinity effects on the growth of corn at different stages of development. Agronomy. J. 56, 214-17.
- Kamel, N.H.; Sharaky, M.M.; Salama, A.M. and Mokable, S.M. (1987): Effect of salinity and growth substances on rice plant, IV. Yield and Chemical composition of grains. Egypt. J Appl. Sci. Second Issue, (2): 707-717.
- Kaminaka, H.; Morita, S.; Tokumoto, M.; Masumura, T. and Tanaka, K. (1999): Differential gene expression of rice superoxide dismutase isoforms to oxidative and environmental stresses. Free Radic. Res. 31, 219-225.
- **Khan, M.I. and Begum, F. (1972):** Effect of salts on phosphomonesterases of wheat seedlings Pakistan J. Biochem. 5: 15-18.
- **Kandpal R.P. and Rao, N. (1985):** Alteration in the biosyntehsis of proteins and nucleic acids in finger millet Eleucine Coracane seedlings during water stress and the effect of proline on protein synthesis. Plant Sci., 40: 73-79.
- **Karadge, B.A. and Joshin, G.V. (1983):** Mineral composition organic constitutions and some enzyme systems of salt stressed *Portulaca oleracea* L. Biovigyanam, 9: 125-132.
- **Kasim, W.A. and Dowidar, S. (2006):** Amino acids and soluble protein profile of radish seedlings under salt stress as affected by GA3 priming, Indian J. Plant Physiol., 11(1): 75-82.

- **Kasim, W.A. and Hamada, A. A. M. (2003):** Effect of salinity stress of some metabolits, *⊗* β, amylase activities and protein patternes in *Eruca sativa* seedlings. Egypt. J. Biotechnol., 14: 126-141.
- **Kermode, A.R.** (1997): Approaches to elucidate the basic of desiccation tolerance in seeds. Seed Science Research 7: 75-95.
- Kessler, B.; Engelbor, N.; Chen, D. and Greenspan, H. (1964):
 Studies on physiological and biochemical problems of stress in higher plants, Agriculture Research Special Bulletin No.64.
- **Khan, M.A.; Seemi-Aziz; Aziz. S. (1998):** Some aspects of salinity, plant density, and nutrient effects on *Cressa cretica* L. J. Plant. Nutri. 21: 4, 769-784.
- **Klapheck, S.; Zimmer, I. and Cosse, H. (1990):** Scavenging of hydrogen peroxide in endosperm of *Ricinus communis* by ascorbate peroxidase, plant cell physiol., 31: 1005-1013.
- Knight, S.L.; Rogrers, R.B.; Smith, M.A. L and Spomer, L.A. (1992): Effect of sodium chloride salinity on minitature dwarf tomato (Micro-Tom). I. Growth analysis and nutritent composition, J. Plant. Nutri.15: 2315-2327.
- **Kodandaramaiah, J. (1983):** Physiological studies on the influence of B-vitamins on leaf and fruit metabolism in cluster beans *Cyamopsis tetragonoloba* L. Tanb. Ph.D. Thesis submitted to Srivenkateswera Univ. Tirupati, India.
- Kodandaramaiah, J. and Gopala Rao, P. (1985): Influence of B-vitamins on stomatal index, frequency and diurnal rhythms in

- stomatal opening in *Cyamopsis tetragonoloba* L. Taub J. Biol. Res. 5: 68-73.
- Kodandaramaiah, J.; Ven Katoramaiah, C.; Gopala Rao, P. and Rao, K.N. (1984): Effect of B-group vitamins on the endogenous cytokinin levels of clusterbeans *Cyamopsis tetragonoloba* L. Taub. Proc. Nati. Acad. Sci. (India). 54: 95-98.
- Kriem, H.A.; Bosila, H.A. and Refaey, K.A. (1986): Effect of NaCl levels on the growth and chemical constituents of guar. Al-Azhar, J. Agric. Res. VI: 101-113.
- **Kudrev, T. and Pandev, S. (1967):** The physiology of nitrogen nutrition of wheat. 1-The nitrogen upake changes, leaf area and the content of total and protein nitrogen in leaves. Rast. Nauki 4: 19-28.
- **Laemmli, U.K.** (1970): Cleavage of structural head of bacteriophage. Nature 722: 680-685.
- Lee, D.H.; Kim, Y.S. and Lee, C.B. (2001): The inductive responses of the antioxidant enzymes by salt stress in the rice (*Ovyza sativa* L.) J. Plant Physiol. 158: 737-745.
- **Leopold, A.C. and Willing, R.P.** (1984): Evidence for toxicity effects of salt on membranes. In: Salinity tolerance in plants. (staples, R.C. and Toenniessen, G.H. eds), pp. 67-76. John Wiley and Sons. New York, Ny, 15BN (0.47)-89674-8.
- Lerner H.R. and Amazallag G.N. (1994): The response of plants to salinity: In: Cherry J.H. (ed): Cell Biology, Biochemical and Cellular Mechanisms of Stress Tolerance in Plant,

- Salinity Stress (Chapter 3), NATO AST Series, Springer Verlag (Pub.)., pp. 443-463.
- Lewis, O.A.M.; Leidi, E. O. and Lips, S.H. (1989): Effect of nitrogen source on growth response to salinity stress in maize and wheat. New Phytol. 111, 155.
- **Line, C.C. and Kao, C.H. (1996):** Proline accumulation is associated with inhibition of rice seedlings root growth caused by NaCl. Plant Sci. 114: 121-128.
- **Liu-Wei; Pan-TG, Ke-YQ (1998):** Effect of salt stress on nitrogen metabolism in the leaves of sweet potato. Journal of Fujian-Agricultural University, 27: 4, 490-494.
- Lloyed, A.; Kriedomann, P.E. and Aspinall, D. (1990): Contrast between citrus species in response to salinization: An analysis of photosynthesis and water relations for different root stocks /scion combinations, Physiol. Plant, 78: 236-246.
- Longstreth, D.J.; Bolanos, J.A. and Smith, J.E. (1984): Salinity effects on photosynthesis and growth in *Alternanthera philoxeroides* (Mart.) Griseb. Plant Physiol. 75, 1044.
- **Lutts, S., Kinet, J.M. and Bouharmount, J. (1996):** Changes in plant response to NaCl during development of rice (*Oryza sativa* L) varieties differing in salinity resistance, J. Exp Bot. 46: 1843-1852.
- Lynch, J. and Lauchli, A. (1984): Potassium transport in saltstressed barely roots. Planta 161, 295-301.
- Mass E.V. and Grive, C.M. (1987): Sodium induced calcium deficiency in salt stressed corn-plant. Cell and Environment. 10, 559-564.

- **Mass, E.V. and Hoffman, G.J. (1977):** Crop salt tolerance current assessment. Journal of the irrigation and draignage Division ASCE, 103 (1R₂), 115-134.
- Mass, E.V. and Hoffman, G.J. (1983): Salt sensitivity of corn at various growth stages. California Agriculture 37, 14-15.
- Mass, E.V.; Poss, J.A. and Hoffman, G.J. (1986): Salinity sensitivity of sorghum at three growth stages. Irrigation Science, 7: 1, 1-11.
- Mass, E.V.; Hoffman, G.J.; Ghaba, G.D.; Poss J.A. and Shanon, M.C. (1983): Salt sensitivity of corn at various growth stages. Irrigation science 4, 45-57.
- Malik, C.P. and Singh, M.B. (1980): In plant enzymology and histoenzymology Kalyani Publishers, New Delhi: 53.
- Mansour, M.O.; Lee-Stadelmann, E. Stadelmann (1993): Salinity stress and cytoplasmic factor. A comparison of cell permeability and lipid partiality in salt sensitive and salt resistant cultivars of *Triticum aestirum* and *Hordeum vulgar*. Physiol. Plant, 88: 141-148.
- **Marshner, H. (1986):** Mineral nutrition of higher plants, Academic Press, London, 477-542.
- **Mengel, K. and Arneke, W. (1982):** Effect of potassium on the water potential, the osmotic potential and cell elongation in leaves of *Phaseolus vulgaris*, Physiol.Plant 54: 402-408.
- Metzner, H.; Rau, H. and Senger, H. (1965): Untersuchungen Zur Synchronisier barkeit einzelner Pigmentmangel-Mutanten Von Chlorella Planta, 65, 186-194.

- **Mikkonnen, A.** (1986): Activities of some peptidases and proteinases in germinating kidney bean, *Phaseolus vulgaris*, Physiol. Plant. 65, 282-286.
- Mishra, P.K.; Mehta, A.S. and Srivastava, A.K. (1994): Effect of salt stress on the physiology of 15-day old seedlings of maize. Neo-Botanica 2(1): 49-51. (c.f. field-crop abstracts, 1995, 048-04130).
- Moons A.; Bauw G.; Prinsen E.; Montagu M.V. and Straeten D.V.D. (1995): Moleuclar and physiological responses to abscisic acid and salts in roots of salt-sensitive and salt tolerant indica rice varieties. Plant Physiol., 107: 177-186.
- Morales, F.; Abadia, A.; Gamez, A.J. and Abadisa, J. (1992): Differences in the physiological responses of two clones of *Eucalyptus microtheca* selected for their salt tolerance. Plant Sci. (Limerik) 114: 129-139.
- Moran, J.F.; Becana, M.; Iturbe-Ormaetxe, I.; Frechilla, S.; Klucas, R.V. and Aparicio-Tejo, P. (1994): Drought induces oxidative stress in pea plants. Planta. 194: 346-352.
- **Mukherjee, S.P. and Choudhurri, M.A.** (1983): Implications of water stress-induced changes in the levels of endogenous ascorbic acid and hydrogen peroxide in *Vigna* seedlings, Plant Physiol., 58: 166-170.
- **Munns, R. (1993):** Physiological process limiting plant growth in saline soils: Some damage and hypotheses. Plant Cell Environ. 16: 15-24.
- Muthuchelian, K.; Murugan, C.; Harigovindan, R.;Nedunchezhian, N.; Premkumar, A. and Kulandaivelu,G. (1996): Ameliorating effect of triacontonol on salt

- stressed *Erythia variegate* seedlings changes in composition and acivities of chloroplasts, Biol. Plant 38, 45-251.
- **Muting, D. and Kaiser, E. (1963):** Spectrophotometric methods of determining of amino –N in biological materials by means of the ninhydrin reaction. Syela: S.Z. Physiol. Chem., 332, 276-289.
- **Nabil, M. and Coudret, A. (1995):** Effect of sodium chloride on growth, tissue elasticity and solute adjustment in two *Acacia nilotica* subspecies. Physiol. Plant 93: 217-224.
- Nakano, Y. and Asada, K. (1981): Hydrogen peroxide is scavenged by ascorbae-specific peroxidase in spinach chloroplasts. Plant Cell Physiol. 22: 867-880.
- Nieman, R.H., and Poulsen, L.L. (1964): Separation of salt and water stress effects on plant growth, Plant Physiol. 39(5), LV: II.
- **Nikolopoulos, D. and Manetase, Y. (1991):** Compatible solutes and *in vitro* stability of *Salsola soda* enzymes: Proline incopatility. Phytochem. 30: 411-413.
- **Noctor, G. and Foyer, C.H. (1998):** Ascorbate and glutathione: Keeping active oxygen under Control. Annu Rev. of plant physiol and Plant Mol. Biol. 42: 249-279.
- Ong, P.S. and Gaucher, G.M. (1973): Protease production by thermophilic fungi Can. J. microbial. 19, 129-133.
- Osawa, T. (1963): Studies on the salt tolerance of vegetable crop with special reference to osmotic effects and specific ion effects. J. Japan. Soc. Hort. Sci. 32: 211-223.

- **Ovcharov, K.E. and Kulieva, (1968):** Effect of vitamins B6 and pp on seed germination Chlorpkovodstvo, 3: 41-42.
- Palfi, G.; Koves, E.B. and Sebenstyen, R. (1974): The role of amino acids during water stress in species accumulating proline. Phyton Rev. Int. Bot. Exp. 32: 121-128.
- Paolacci, A.R.; Badlani, M.D.; Annibale, A.; Fusari, A. B and Mutteucci, G. (1997): Antioxidants and photosynthesis in the leaves of *Triticum durum*. Des F. seedling acclimated to no-stressing high temperature J. Plant Physiol. 150: 481-487.
- Pasternak, D.; DeMalachy, Y. and Borovic, I. (1985): Irrigation with brackish water under desert conditions. II Physiological and yield response of maize (*Zea mays*) to continuous irrigation with brackish water to altering brackish-Freshbrackish water irrigation. Agricultural Water Management 10, 47-60.
- Patricia, A.; Thomas, J.C.; Vernon, D.M.; Bohnert, H.J. and Jensen, R.G (1992): Distinct cellular and organismic responses to salt stress, Plant Cell Physiol. 33: 1215-1223.
- Pei, Z.M.; Murata, N.; Benning, G.; Thomine, S.; Klusener, B.; Allen, G.J.; Gill, E. and Schroeder, J.I. (2000): Calcium channels activated by hydrogen peroxide mediated abscisic acid signaling in guard cells. Naure 406: 731-734.
- **Pessaraki, M. (1991):** Dry matter yield, ¹⁵N absorption and water uptake by green bean under sodium chloride stress. Crop Sci. 31: 1633-1640.
- **Pessaraki, M., Huber, T. and Tuker, T.C. (1989):** Dry matter yield, nitrogen absorption, and water uptake by sweet corn under salt stress, J of Plant Nutr.12(3): 279-290.

- **Pirie, N.W. (1955):** Proteins. In : Modern methods of plant analysis (K. Peach and M.V. Tracey, eds) IV: 23-28 Springer Verlar, Berlin.
- **Pitman, M.G. (1977):** Ion transport into the xylem, Ann. Rev. Plant Physiol. 28: 71-88.
- **Plaut, Z. (1974):** Nitrate reductase activity of wheat seedlings, during exposure of recovery from water stress and salinity. Physiol. Plant. 30: 212-217.
- Plaut, Z.; Grieve, C.M. and Mass, E.V. (1990): Salinity effects on CO₂ assimilation and diffusive conductance of cowpea leaves, Physiol. Plant 79: 31-38.
- Polimbetova, F.A.; Omarova, E.I. and Bogdanova, E.D. (1969): Effect of nicotinic acid and its analogues on certain physiological processes and productivity of spring wheat Soviet plant physiol, 16: 603-606.
- Polimbetova, F.A.; Sovorov, B.V.; Raficov, S.R.; Karalitskii, A.A.D. and Bogdanova, E.D. (1964): Progress of studies on the synthesis and testing of growth substances. Nikazan Vesknik Nauk Kazakh, SSR 7: 3-9.
- **Polle, A. (1995):** Mehler reaction: friend or foe in photosynthesis, Bot. Acta 109: 84-89.
- Polle, A. (1997): Defense against photooxidative damage in plants. In: Scendalios J. (ed): Oxidative Stress and the Molecular Biology of Antioxidant Defenses. Cold Spring Harbor laboratory Press, Ny, PP. 785-813.
- **Pregi, F. (1945):** Quantitative organic micro analysis 4th ed. J. & A Churchill, Ltd London.

- Premachandra, G.S.; Saneoha, H.; Fujita, K. and Ogata, S. (1992): Leaf water relations osmotic adjustment, cell membrane stability equicuticular wax load and growth as affected by increasing water deficits in sorghum, J. Exp. Bot. 43: 1569-1576.
- **Prisco, J.T. and O'Leary, J.W. (1972):** Enhancement of intact bean leaf senescence by NaCl salinity Physiol. Plant, 27, 95-99.
- Qing, K.Y. and Guo, P.T. (1999): Effect of salt stress on the ultrastructure of chloroplast and the activities of some protective enzymes in leaves of sweet potats. Acta Phytophysiologica-Sinica, 25(3): 229-233.
- Quartacci, M.E. and Navari-Izzo, F. (1992): Water stress and free radical mediaed changes in sunflower seedlings, J. Plant. Physiol. 139: 621-625.
- Radi, A.F.; Shaddad, M.A.; Abdel-Rahman and Azooz, M.M. (1989): Physiological effect of ascorbic acid and pyridoxine on *Lupinus termis* and *Vicia faba* plants grown in salinized soils. Sohag, Pure, Appl. Sci. Bull. Fac. Sci. Egypt, 5: 161-181.
- Ragab, M.A.; El-Gizawy, A.M. and Abdalla, A.A. (1985): Effect of soil salinity on growth yield and yield components of pea plants (*Pisum sativum* L). Egypt, J. Agron. 10 (1-2): 139-151.
- Rains, D.W. (1979): Salt tolerance of plants: strategies of biological systems (In: Hollaender, A.; Aller, J.C.; Epstein, E.; San Pietro, A. and Zaborsky, O.R., 1979. The biosaline concept.

- An approach to the utilization of underexploited resources. Plenum Press, New York and London, pp.47-75.
- Ranganna, S. (1977): Manual Analysis of Fruit and Vegetable Products. Tata MC craw-Hill publishing company Limited New York.
- Rao, G.G. and Rao, G.R. (1981): Pigment composition and chlorophylase activity in pigeon pea (*Cajanus indicus Sperng*) and gingelley (*Sesamum indicum* L) under NaCl salinity, Indian, J. Exp. Biol. 19: 768-770.
- **Rather, G. and Doering, H.W.** (1984): Influence of extreme potassium to sodium ratio and high substrate salinity on plant metabolism of crops differing in salt tolerance J. Plant Nutr. 6(7), 583-595.
- **Rathert, G. (1983):** Effects of high salinity stress on mineral and carbohydrates metabolism of two cotton varieties, Plant and Soil 73, 247.
- Rauser, W.E. and Hanson, J.B. (1966): The metabolic status of RNA in soyabean roots exposed to saline media. Can. J. Bot. 44: 754-776.
- Reda, F.; Kamel, A.S.; Foda, H.A. and Talaat, I.M. (1998):

 Exposure of *Nicotina tabacum* L. to sodium chloride salinity, gibberellic acid, Indole acetic acid and boric acid. I-Seed germination and Leaf growth. Annals Agric Sci. Proceedings Seventh Conference of Agricultural Development Research 15-17 December, 1998, Cairo Published by Fac. Agric Ain Shams Univ., Cairo, Egypt.

- **Reddy, M.P. and Vora, A.B. (1985):** Effect of salinity on protein metabolism in bajra (*Pennisetum typhoides* S. and H.) leaves. Indian J. Plant Physiol. 28: 190-195.
- Rodriguez,H.G.; Roberts, J.K.; Jordan, W.R. and Drew, M.C. (1997): Growth, water relations, and accumulation of organic and inorganic solutes in roots of maize. Plant Physiol, 113: 881-893.
- Rubio, M.C.; Gonzalez, E.M.; Minchin F.R.; Webb, K.J.; Arrese, Lgor, C.; Ramos, J. and Becana, M. (2002): Effects of water stress on antioxidant enzymes of leaves and nodules of transgenic alfalfa overexpressing superoxide dismutase. Physiol Plant, 115: 531-540.
- Sadka, A.; Himmelhoch, S. and Zomir, A. (1991): A150 Kilodalton cell surface protein is induced by salt in the halotolerant green alga *Dunaliella Salina*. Plant Physiol. 95: 822-831.
- **Saha, K. and Gupta, K. (1998):** Effects of triazoles and CCC on growth, yield and metabolism of mungbean plants under salinity stress. Indian J. Plant Physiol., 3.(2): 107-111.
- Sakamoto, A.; Okumura, T.; Kaminata, H.; Sumi, K and Tanaka, K. (1995): Structure and differential response to abscisic acid of two promoters for the cytosolic copper/zinc, Superoxide dismutase genes, Sod CCl and Sod CC2, in rice protoplasts. FEBS Lett. 358: 62-66.
- **Saker, M.T., (1996):** Effect of presoaking treatments of some important growth substances on wheat germination and development under salinity stress, J. Agric. Sci., 22: 203-13.

- **SAS Program (1982):** SAS User's Guide: Statistics, SAS Institute, In., Raleigh, NC, PP. 584.
- **Savitskaya, N.N.** (1976): In the physiological role of proline in plants. Biol. Nauki. (Moscow), 19: 49-61.
- Scandalios, J.G.; Guan, L. and Polidords, A.N. (1997): Catalases in plants; gene structure, properties and expression, J.G. Scandalios (Ed), Oxidative Stress and the Molecular Biology of Antioxidant Defences, Cold Spring Harbor Laboratory Press, Cold Spring Habor, Ny, pp.343-406.
- Schroppel-Meier, G. and Kaiser, W.M. (1988): Ion homeostasis in chloroplast under salinity and mineral deficiency, 1-solute concentrations in leaves and chloroplasts from spinach plant under NaCl or NaNO₃ salinity. Plant physiol., 87: 822-827.
- **Serrano, R. and Gaxiola, R. (1994):** Microbial models and salt stress tolerance in plants, Crit. Rev. Plant. Sci.13: 121-138.
- Shaddad, M.A.; Radi, A.F.; Abdel-Rahman, A.M. and Azooz, M.M. (1989): Effect of ascorbic acid and pyridoxine on some salt stressed crop plants 1-changes in plant-water relations, growth, photosynthetic pigments and mineral composition. Sohag-pure, Appl. Sci. Bull. Fac. Sci. Egypt 5: 101-123.
- Shaddad, M.A.; Radi, A.F.; Abdel-Rahman, A.M. and Azooz, M.M. (1990): Response of seeds of *Lupinus termis* and *Vicia faba* to the interactive effect of salinity and ascorbic acid or pyridoxine. Plant and Soil. 12, 177-183.
- Shakirova, F.M.; Sakhabutdinova, A.R.; Bezrukova, M.V.; Fatkhutdinova, R.A. and Fatkhutinova, D.R. (2003):

- Changes in the hormonal status of wheat seedlings induced by salicylic acid and salinity, Plant Sci., 164: 317-322.
- **Sharaf, A. and Youssef, A. (1987):** Effects of salinity on some biochemical constituents of *Vicia faba*. Annals of Agric. Sci. Moshtohor, Vol.25(1): 877-891.
- **Sheoran, I.S. and Garg, O.P.** (1978): Effect of salinity on the activities of RNAase, DNAase and protease during germination and early seedlings growth of mung bean. Physiol. Plant, 44: 171-174.
- Shi, H.; Xiong, L.; Stevenson, B.; Lu, T. and Shu, J. (2002): The Arabidopsis salt overly sensitive 4 mutants uncover a critical role for vitamin B6 in plant salt tolerance the plant cell 14: 575-588.
- **Singh, A.K. and Dubey, R.S. (1995):** Chanes in chlorophyll a and b contents and activities of photosystems 1 and 2 in rice seedling induced by NaCl. Photosnthetica, 31: 489-499.
- Singh, N.K.; Handa, A.K.; Hasegawa, P.M. and Bressan, R.A. (1985): Protein associated with adaptation of cultured tobacco cells to NaCl. Plant Physiol. 79: 126-137.
- Singh, S.P.; Singh, B.B. and Singh, M. (1994): Effect of kinetin on chlorophyll, nitrogen and proline in mungbenn *Vigna radiata* under saline conditions, Indian J, Plant Physiol,. 1: 37-39.
- **Smirnoff, N. and Cumbers, Q.J. (1989):** Hydroxyl radical scavenging activity of compatible solutes. Phytochem. 28: 1057-1060.

- **Soltanapour, P.N.** (1985): Use of ammonium bicarbonate DTPA soil test to evaluate elemental availability and toxicity soil Sci., Plant Anal., 16: 333-338.
- Soussi, M.; Santamoria, M.; Ocana, A. and Liuch, C. (2001): Effect of salinity on protein and lipopolysaccharide pattern in salt-tolerant strain of *Mesorhizobium Circeri*, J. Appl. Microbiol, 90: 476-481.
- **Spyropoulose, C.G.** (**1986**): Osmoregulation, growth and sucrose accumulation in germinated *Trigonella foenum-graecum* (Fenugreek) seeds treated with polyethylene glycol Physiol. Plant.68, 129.
- Sreenivasulu, N.,;Grimm, B.; Wobus, U. and Weschke, W. (2000): Differential response of antioxidant compounds to salinity stress in salt-tolerant and salt-sensitive seedlings of fox-tail millet (*Setaria italica*) Physiol. Plant, 109: 435-442.
- Srivastava, D.K.; Gupta, V.K. and Sharma, D.R. (1995): *In vitro* selection and characterization of water stress tolerance callus cultures of tomato (*Lycopersicum esculentum* L) Indian J. Plant Physiol., 2: 99-104.
- Stewart, C.R. and Lee, J.A. (1974): The role of proline accumulation in halophytes: Planta, 120: 279-289.
- **Studeir, F.W. (1973):** Analysis of bacteriophage T4, early RNAs and proteins on slab gels, J. Mol. Biol. 79: 237-248. Substropical fruits Adv.F d. Res., 10: 293-354.
- Sudhakar, C.; Lakshmi, A. and Giridarakumar, S. (2001): Changes in the antioxidant enzyme efficacy in two high

- yielding genotypes of mulberry (*Morus alba* L.) under NaCl salinity, Plant Sci. 161: 613-619.
- Sudhakar, C.; Reddy, P.S. and Veeranjaneyulu, K. (1993): Effect of salt stress on the enzymes of proline synthesis and oxidation in greengram *Phaseolus aureus* seedlings. J. Plant Physiol. 141: 612-623.
- Sultana, N.; Ikeda, T. and Kashem, A.M. (2002): Effect of seawater on photosynthesis and dry matter accumulation in developing rice grains, Photosynthetic, 40: 115-119.
- **Taiz, L. and Zeiger, E. (1998):** Plant Physiology Sinaur Associates Inc. Publishers Sunderland, Massachetts, USA.
- Tanaka, K.; Suda, Y.; Kondo, N. and Sugahara, K. (1985): O₃ tolerance and ascorbate dependent H₂O₂ decomposing systems in chloroplasts. Plant Cell Physiol., 26: 1425-1431.
- **Thimann, K.V.** (1965): Towards an endocrinology of higher plants. Recent progress in Hormone Research, 1: 579-596.
- **Todd, G.W. and Basler, E. (1965):** Fate of various protoplasmic constituents in droughted wheat plants. Phyton. 22: 79-85.
- **Treichel, S. (1975):** The effect of NaCl concentration on proline in different halophytes Z. pflanzen Physiol. 76: 56-68.
- **Uperty, D.C. and Sarin, M.N. (1975):** Physiological studies on salt tolerance in *Pisum sativu* L. 2-Mechanism of salt action during germination. Acta Agronomica Academiae Scientiarum Hungaricae, 4, 1/2: 188-191.

- Van Volkenburgh, E. and Boyer, J.S. (1985): Inhibitory effects of water deficit on maize leaf elongation. Plant Physiol. 77, 190-194.
- Varsheny, K.A.; Sanwal, N. and Agarwal, N. (1998): Salinity induced changes in ion uptake and chemical composition in chick pea (*Cicer arietmum* L.) Indian J. Plant Physiol., 3 (2) :140-142.
- **Venkatesan, A. and Chellappan, K.P. (1998):** Accumulation of proline and glycine betaine in *Ipomoea Pea-Caprae* induced by NaCl. Biol. Plant., 41: 271-276.
- Verma, S.K.; Taneja, R. and Datta, K.S. (1991): Effect of kinetin on the endogenous levels of carbohydrates, proteins, amino acids and proline of wheat *Triticum aestivum* L. under different saline conditions, Proc. Int. Conf. Plant Physiol. B.H.U. Varanasi, 291-294.
- **Villafane, R. (1997):** Effect of soil salinity on growth of sweet potatoes. Agronomia-Tropical-Maracay 47: 2. 131-139.
- Vyas, S.P.; Kothju, S.; Gorg. B.K. and Lahirl, A.N. (1985):
 Performance and metabolic alternation in *Sesamum indicum*L. under different intensities of water stress. Ann. Bot. 56, 323.
- Walker, M.A. and Dumbroff E.B. (1981): Effect of salt stress on abscisic acid and cytokinin levels in tomato. Z. Pflanzen physiol. Bd. 101: 461-470.
- Wasfy, W. Shindy, W.W. and Orrin, E. Smith (1974): Identification of plant hormones from cotton ovules; Plant Physiol. 55: 550-554.

- Weimberg, R. (1970): Enzyme levels in pea seedlings grown on highly saline media. Plant Physiol, 46: 466-470.
- Weimberg, R.; Lerner, H.R. and Polja-Koff-Mayber, A. (1982):
 A relationship between potassium and proline accumulation in salt stressed *Sorghum bicolor* physiol. 55: 5-10.
- Wener, J.E. and Finkelstein, R.R. (1995): Arabidopsis mutants with reduced response to NaCl and osmotic stress, Physiol. Plant. 93: 659-666.
- Whistler, R.L.; Wolform, M.L.; Be Miller, J.N. and Shafizadeh, F. (1962): Anthrone colourimetric method. In: Methods in carbohydrate chemistry Academic Press, New York, London, Vol. 1, p.384.
- Winicov, I. (1993): Gene expression in relation to salt stress. In : stress-induced gene expression in plant, edited by Basara, A.S., pp.61-85.
- Yemm, E.W. and Wilis, A.J. (1956): The respiration of barley plant IX. The metabolism of roots during the assimilation of nitrogen. New Phytol. 55, 229.
- Younis, M.E.; Abbas, M.A. and Shukry, W.M. (1994): Salinity and hormone interactions in affecting growth, transpiration and ionic relations of *Phaseolus vulgaris* Biol. Plant, 36: 83-89.
- **Zaki, F.M.** (2005): Physiological responses to salinity stress in *Zea mays L.* M. Sc. Thesis. Fac. Sci. Ain Shams Univ., Cairo, Egypt.
- **Zhang, B. and Archbold, D.D. (1993):** Solute accumulation in leaves of *Afraguria chiloensis* and *Af. virginiana* selection responds to water deficit stress J. Amer. Soc. Hor. Sci. 118: 280-285.