

Bibliography

- [1] Baddar, M. R., (1992), Viral Hepatitis In ; Update Hepatology and Gastroenterology By Egyption Gastroenterology Group.: Cairo, Egypt, Chapter 19, 184-200.
- [2] Bailey, N. T. J., (1975), The Mathematical Theory of Infectious Diseases and Its Applications.: Griffin, London.
- [3] Borrelli, R. L., Coleman, C. S., (1987), Differential Equations A Modeling Approach.: Brentice Hall, New Gersei.
- [4] Capasso, V.,(1993), Lecture Notes in Biomathematics; Mathematical Structures of Epidemic Systems.: Springer, Berlin.
- [5] Das, P., Mukherjee, D. and Sarakar, J., (2005), Analysis of a disease transmission model of hepatitis C.: Journal of Biological Systems, Vol. 13, No. 4, 331-339.
- [6] Edward, D. and Hamson, M. J., (1989), Guide to Mathematical Modelling.:Macmilan, London
- [7] El-Zayadi, A., Abaza, H., Shawky, S., Mohamed, M. K., Selim, O. and Badran, H. M., (2001), Prevalence and epidemiological features of hepatocellular carcinoma in Egypt a single centre experience.: Hepatology Research, 19, 170-179.

- [8] Erker, J. C., Simons, J. N. , Muerhoff, A. S. , Leary, T. P. , Chalmers, M. L. , Desai, S. M. , and Mushahwar, I. K., (1996), Molecular cloning and characterization of a GB virus C isolate from a patient with non-A-E hepatitis.: J. Gen. Virol. 77, 2713-2720.
- [9] Francis, N., (1991), Computer Simulation and Modelling.: John Wiley and Sons, New York.
- [10] Gieseck, J., Scalia, T. G. and Furucrona, A., (1988), HIV Infectivity ,The Hepatitis B Lesson.: Scandinavian Journal of Infectious diseases, 20, 385-387.
- [11] Greenhalgh, D. and Moneim, I.A.,(2003), SIRS epidemic model and simulations using different types of seasonal contact rate.: Systems Analysis -Modelling -Simulation, Vol.43, No. 5, 573-600.
- [12] Hartman, P., (1964), Ordinary Differential Equations.: John Wiley and Sons, New York.
- [13] <http://hepatitis-central.com/hcv/genotype/explained.html>
- [14] <http://www.hepatitis-c.de/allhep.htm>
- [15] <http://www.hepnet.com/boca/willems.html>
- [16] Isham, V. S. and Chan, M. S., (1998), A Stochastic Model of Schistosomiasis Immuno-Epidemiology.: Mathematical Biosciences, 151, 179-198.
- [17] Jacoby, L. S. and Skowalik J., (1981), Mathematical Modelling with Computers.: Prentice Hall, New Jersey.
- [18] Kapur, J. N., (1988), Mathematical Modelling.: Wiley Eastern Limited, New Delhi.

- [19] Kapur, J. N., (1992), Mathematical Models in Biology and Medicine.: Affiliated East-Weast Press, New Delhi.
- [20] Maynard, J. E., (1990), Hepatitis B ;Global Importance and Need for Control.: Vaccine, 8, 18-20
- [21] Moneim, I. A., (1994), Mathematical Modelling in Public Health with Special Emphasis on Infectious Hepatitis (and ' or) Schistosomiasis in Egypt.: MSc., Benha, Egypt.
- [22] Moneim, I. A. and Mosa, G. A., (2006), Modelling the hepatitis C with different types of virus genome.:Computational and Mathematical Methods in Medicine, Taylor & Francis, Vol. 7, No. 1, 3-13.
- [23] Murthy, D. N. P. , Page, N. W. and Rodin, E. Y. , (1990), Mathematical Modelling; A Tool for Problem Solving in Engineering, Physical, Biological and Social Sciences.: Pergamon Press, Oxford.
- [24] Nagle, K. R. and Saff, E. B., (1989), Fundamentals of Differential Equations.:Banjamin Cummings, California.
- [25] Okubo, A., (1980), Diffusion and Ecological Problems; Mathematical Models.: Springer-Verlag.
- [26] Oliver G. P., Michael A. C., Sunetra, G., Andrew, R., Edward C. H., Paul H. H., (2001), The Epidemic Behavior of the Hepatitis C Virus.: Science, Vol. 292, 2323-2325.
- [27] Pielou, E. C., (1969), An introduction to Mathematical Ecology.: Wiley, New York.

-
- [28] Ray, S. C., Arthur, R. R., Carella, A., Bukh, J. and Thomas, D. L., (2000), Genetic epidemiology of hepatitis C virus throughout Egypt.: J. Inf. Dis. 182, 698-707.
- [29] Rocchi, P., (2003), The Structural Theory of Probability; New Ideas from Computer Science on the Ancient Problem of Probability Interpretation.: Springer.
- [30] Struve, J., (1992), Hepatitis B Virus Infection Among Suedish Adults ; Aspects in Seroepdemiology, Transmission and Vaccine Response.: Scandinavian Journal of Infectious diseases, vol. 24, 82-90.
- [31] Weiner, A., Brauer, M., Rosenblatt, J., (1991), Variable and hypervariable domains are found in the regions of HCV corresponding to the flavivirus envelope and NS1 proteins and the pestivirus envelope glycoproteins.: Virology, 180, 842-848.
- [32] WHO., (1993), The control of schistosomiasis.: World Health Organization, Geneva.