

Contents

Contents

Content	Page
Acknowledgement	I
Abstract	II
Chapter (1) Introduction and aim of the work	
1.1.Introduction	1
1.2.Aim of the work	4
Chapter (2) Theoretical considerations	
2.1. Causes of Color	5
2.1.1. Color Centers	5
2.1.2. Band gaps	5
2.1.3. Inclusions	5
2.2. Process of cooling	5
2.3. Post irradiation annealing	6
2.4. Radioactivity in topaz	6
2.5. Colors of radiation treated Topaz	6
2.6. Neutron Activation Analysis	7
2.6.1.Principle	10
2.6.2.Procedure	11

2.6.3. Errors in Analysis	12
2.6.4. Detection Limits	13
2.6.5. Concentrations calculation methods	15
2.6.5.1. Relative Method	15
2.6.5.2. Non-Relative Methods	16
2.6.5.2.1. Absolute method	16
2.7. Inductively Coupled Plasma Mass Spectrometer(ICP-MS)	18
2.7.1. Plasma Sources	20
2.8. Raman Spectroscopy	23
2.8.1.Raman Instrumentation	25

Chapter (3) Apparatus and experimental conditions

3.1. Egyptian Second Research Reactor (ETRR-2)	28
3.2. Neutron Activation Analysis (NAA) Facilities at ETRR-2	30
3.2.1. Short Irradiation	31
3.2.2. Long Irradiation	32
3.2.3. ETRR-2 Counting system laboratory	32
3.2.4. Measurement of Gamma Rays	33
3.2.5. Sample preparation	34
3.2.6. Counting system Calibration	35
3.2.7. Single Comparator Method	39
3.2.8. The relative method	40

3.2.9. The non-relative method	41
3.3. Inductively Coupled Plasma Mass Spectrometer (ICP-MS)	43
3.3.1. General Features of the ICP-MS	43
3.4. Fourier Transform Raman Spectroscopy (FTRS)	46
3.5. Radiation Protection	48
3.5.1. Residual Radioactivity in Gemstones	48

Chapter (4)Experimental Results and Discussion

4.1. (ICP-MS) and (EDS) analyses	51
4.2. Neutron irradiation and Neutron Activation Analysis in (ETRR-2)	53
4.2.1.Comparator method	57
4.2.2.Relative method	58
4.3. Radiation Protection	61
4.3.1. Condition of transport of previously irradiated topaz to abroad	61
4.3.2. External exposure	61
4.4. Radioactivity Decay in Topaz	63
4.5. Raman Spectroscopy	67

List of Figures

Figure	Title	Page
(2-1)	Neutron Activation Analysis process	11
(2-2)	Schematic diagram of an inductively coupled plasma torch	19
(2-3)	Formation of inductively coupled plasma	19
(2-4)	diagram of an inductively coupled plasma	22
(2-5)	Part of the Raman Spectrum of pure Topaz	26
(3-1)	Reactor building and reactor tank	29
(3-2)	Reactor core	32
(3-3)	Gamma ray spectrum of neutron irradiated topaz sample	34
(3-4)	Energy calibration spectrum	36
(3-5)	Energy calibration curve for HPGe spectrometer system	37
(3-6)	FWHM calibration curve for HPGe spectrometer system	37
(3-8)	Efficiency calibration curves for the HPGe	39
(4-1)	Energy calibration curve for HPGe detector	53
(4-2)	Energy Calibration (using Co 60-Cs 137 and Ba 133 isotopes)	54
(4-3)	Gamma spectrum of neutron long irradiated topaz	54
