

REFERENCES

- Abo-El-Nasser, M.; Salah, H.A. and Salah, S.E. (1992):** Haematological and histopathological studies of cadmium chloride on the fresh water fish *Tilapia Nilotica*, Proc. 5th Conj, Fac. Vet. Med. Assiut Univ, Nov. 8-10, Egypt.
- Abo-Hegab, S.; Marie, M.A. and Kandil, A. (1990):** Changes in the plasma lipid and total protein of grass carp *Cytopharyngodon idella* during environmental pollutant toxicity. Bull. Zool Soc. Egypt, 39: 211-222.
- Abo-Salem, E.M., Edress, A.M., El-Shawarby, M.R. and Ashoub, M.M. (1992):** Water pollution and implication in the accumulation of heavy metals in fish, Alex, J. Vet. Sci., 8(1): 13-16.
- Akcha, F.; Vincent, F. H and Pfhof, A. E (2003):** Potential value of the comet assay and DNA adduct measurement in clab (*Limanda limanda*) for assessment of in situ exposure to genotoxic compounds. Mutation Research (Genetic Toxicology and Environmental Mutagenesis), 534: 21-32.
- Alberts, B.; Bray, D.; Lewis, J.; Raff, M.; Roberts, K. and Watson, J.D. (1994):** Molecular Biology of the cell, 3rd edition, New York, Garland Publishing.
- Alink, G.M.; Frederix-Walters, E.M.; Vander Gaag, M.A., Vasderkerkhoff, J.F.J. and Poels, C.L. M. (1980):** Induction of sister-chromatid exchanges in fish exposed to Rhine water. Mut. Res. 78: 369-374.
- Allcroft, R. (1951):** Lead poisoning in cattle and sheep, Vet. Res., 63: 583.
- Allendorf, F.W. and Utter, F.M. (1979):** Population genetics In. Fish Physiology (W.S. Hoar; D.J. Randall and J.R. Brett, Eds), Vol. III, PP.407-454. London: Academic Press.
- Al-Sabti, K. (1985):** Frequency of chromosomal aberration in the rainbow trout, *Salmo gairdneri* Rich, exposed to five pollutants., J. Fish, Biol., 26: 13-16.

- Al-Sabti, K. (1986):** Clastogenic effects of five carcinogenic-mutagenic chemicals on the cells of the common carp. *Cyprinus carpiol. Biochem. Physiol.*, 85 C, 5-9.
- Al-Sabti, K. (1991):** Handbook of Genotoxic Effects and Fish Chromosomes. Kristoff, Ljubljana, Slovenia.
- Al-Sabti, K. and Harding, J. (1990):** Micronucleus test in fish monitoring the genotoxic effects of industrial waste products in the Baltic sea, Sweden *Comp. Biochem. Physiol.*, 97c: 179-182.
- Al-Sabti, K. and Kurelec, B. (1985):** Induction of chromosomal aberration in the muscle *Mytilus gallprovincialis* watch. *Bull. Environ. Contam Toxicol.*, 35: 660-665.
- Al-Sabti, K., Fijan, N. & Kurelec, B. (1983):** A simple and fast technique for chromosome preparation in the fish., *Vet. Arch.*, 53, 283-290.
- Al-Sabti, K., Fijan, N. & Kurelec, B. (1984):** Frequency of chromosomal aberrations in the rainbow trout, (*Salmo gairdneri*, Rich) exposed to detergent and benzene, *Vet. Arch.* 54, 83-89.
- Amer S.M. and Farah, O.R. (1968):** Cytological effects of pesticides II. Meiotic effects of N-methyl-1-naphthyl carbamate "sevin". *Cytologia*, 33: 337-344.
- Amer, S.M. (1965):** Cytological effects of pesticides I Meiotic effects of N-methyl-1-naphthyl carbamate "sevin". *Cytologia*, 30: 175-181.
- Amer, S.M. and Farah, O.R. (1980):** Cytological effects of pesticides X. Meiotic effects of "phosvel". *Cytologia*, 45: 241-245.
- Ames, B.B.; Durston, W.E.; Yamasaki, E. and Lee, F.D. (1973):** Carcinogens are mutagens; A simple system combining liver homogenates for activation and bacteria for detection, *proc. Natl. Acad.*, (N.S.A.), 70: 2281-2285.
- Andrade VM, Silva J, Yoneama ML, and Freitas TR (2004):** Fish as bioindicators to assess the effects of pollution in two southern brazilian rivers using the comet assay and

- micronucleus test. Environ Mol Mutagen. 2004; 44(5): 459-468.
- Anees, M. (1974):** Changes in starch gel electrophoresis pattern of serum protein of fresh water teleost, *Channa punctatus* (Block), exposed to sublethal and chronic levels of three organophosphorus insecticides. Ceylon J. Sci., 11: 53-58.
- Ashton, G.C. and Braden, A.W. (1961):** Serum β -globulins polymorphism in mice. Aust. J. Exp. Biol. Med. Sci., 14: 248-253.
- Avers, C.J. (1980):** Genetics, chapter 11, P. 477-478, D. Van Nastrand and Company, New York.
- Avise, J.C. and Smith, M.H. (1974):** Biochemical genetics of sunfish: Genetic similarity between hybridizing species Am. Nat., 108: 458-472.
- Avtalion, R.R., Pruginin, Y. and Roth-Bard, S. (1975a):** Determination of allogenic and xenogenic markers in the genus *Tilapia*. II. Identification of *T. aurea*, *T. Vulcani* and *T. nilotica* by electrophoretic analysis of their serum proteins. Aquaculture 7: 255-265.
- Avtalion, R.R.; Pruginin, Y. and Roth-Bard; S. (1975b):** Determination of allogenic and Xenogenic markers in the genus *Tilapia*: Identification of sex and hybrids in *Tilapia* by electrophoretic analysis of serum proteins. Bamidgeh 27: 8-13.
- Awwad, A.M. (1991):** Effect of pollution on haemopoietic cells of fresh water fishes in qalyobia province. M.Sc. Thesis Zoology, Zagazig University, Faculty of Science, Benha Branch, 129.
- Ayala, F.J. and Kiger, J.A. (1984):** Modern Genetics. 2nd Edition, the Benjamin/Cummings, London. Chapter 21, pp. 688-729.
- Badaway, E.A. and El-Serafy, S.S. (1998):** Comparative biochemical genetic studies on *Claris gariepinus* from different polluted localities, Menofiya J. Agric. Res., 23(6): 1705-1715.

- Badr, E.A. and El-Dib, S., I. (1978):** Effect of water pollution on the cell division cycle and chromosome behavior in tilapia spp., Egypt J. Genet. Cytol., 7: 193-200.
- Barker, C.J. and Rackman, B.D. (1979):** The Induction of sister-chromatid exchanges in cultured fish cells (*Ameiobas plendens*) by carcinogenic mutagens. Mutat. Res. 68, 381-387.
- Barret, G.W. (1969):** Ecology, 49, 1019-1035.
- Basaglia, F. (1992):** Comparative examination of soluble red muscle proteins of fifteen sparidae species J. Fish Biol., 40: 557-566.
- Basaglia, F. and Marchetti, A. G. (1990):** A comparative study of some soluble proteins of the genus *diplodus* (sparidae, teleostei) comp. Biochem. Physiol., 94B: 653-656.
- Basu, N.; Todgham, A.E.; Ackerman, P.A.; Bibeau, M.R.; Nakano, K.; Schulte, P.M. and Iwama, G.K. (2002):** Heat shock protein genes and their functional significance in fish Gene, 295:173-183.
- Belpaeme, K.; Delbeke, K.; Zhu, L. and Kirsch-Volders, M. (1996):** Cytogenetic studies of PCB77 on brown trout (*Salmo trutta fario*) using the micronucleus test and alkaline comet assay. Mutagenesis, Vol.11, 485-492.
- Bertello, L.A.C. (1978):** Estudo citogenetico negenero Hoplias Grill, 1903 (*Pisces Erythrinidae*). Tese de doutorado., Universidade de sao Paulo, Faculdade demedicina de Ribedeivao perto., 164p.
- Booth, N.H. and Mc Donald (1982):** Veterinary pharmacology and therapeutics, 5th Ed., P. 1106, The Iowa state Univ. Press Anes.
- Bouck, G.R. (1972):** Effects of diurnal hypoxia on electrophoretic protein on electrophoretic protein fraction and other health parameters of rocbass (*Ambloplies ruptestris*). Trans. Amer. Fish Soc. 3: 488-493.
- Bovero, S.; Hankeln, T.; Michailova, P.; Schmidt, E.; Sella, G. (2002):** Nonrandom chromosomal distribution of spontaneous breakpoints and satellite DNA clusters in two

- geographically distant populations of *chironomus riparius*. *Genetica*, 115 (3): 273-281.
- Breitag, G. (1966):** Zur. Notwendigkeit. Der standarisierung von toxicitatesteten. *Verh. Int. Ver. Limnol.*, 16; 979-984.
- Brogger, A. (1974):** Chromosome damage in human mitotic cells after in vivo and in vitro exposure to mutagens. *Mutation Res.* 23: 353.
- Brookes, P. and Lowley, P.D. (1971):** Chemical mutagens, principles and methods for their detection 1: 121 Ed. A. Aollacander, Plenum Press, New York
- Bulow, F.J. (1970):** RNA-DNA ratios as Indicators of recent growth rates of a Fish. *J. Fish. Res. Bd. Can.*, 27, 2343-2349.
- Bulow, F.J. (1971):** Selection of suitable tissues for use in the RNA-DNA ratio technique of assessing recent growth rate of a fish. *Iowa st. J. Sci.*, 46; 71-78.
- CAP SURVEY Report EC-07 (1991):** The results of the surveys program are copyrighted publications of the College of American Pathologists and are referenced in the manuscript with the permission of the college.
- Carpene, E.; Hakim, C. and Cortesi, P. (1983):** Isoelectric focusing of lateral muscle myogen and hemoglobins of two species of mugillidae-Comp. *Biochem. Physiol.*, 74B (3): 487-491.
- Chandra, P.; Khuda-Bukhsh, A.R. (2004):** Genotoxic effects of cadmium chloride and azadirachtin treated singly and in combination in fish, *Ectotoxicology and Environmental Safety*, 58(2): 194-201.
- Chen, F.Y. and Tusyuki, H. (1970):** Zone electrophoretic studies on the proteins of *Tilapia mossambic* and *T. hornorum* and their F1 Hybrids, *T. zillii*, and *T. nelanopleura* *Res. Bd. Canada* 27: 2167-2177.
- Clark, J.M. (1989):** Marine pollution. Oxford Science, Publication, 2nd Ed. Clarendon Press. Oxford.
- Coles, E.H. (1986):** Veterinary clinical pathology, 4th Ed, W.B. Saunders Company, Philadelphia, London.

- Commission of the European communities (1978):** Criteria (dose effects relationships) for cadmium, Oxford, Pergmon Press.
- Connell, J.J. (1953):** Studies on the proteins of fish skeletal muscle 2. Electrophoretic analysis of low ionic strength extracts of several species of fish. *Biochem. J.*, 55: 378-388.
- Cushing, J.E. (1986):** Comparative examination of the soluble muscle proteins of two species angler-fish (Lopiidae) *Lophius piscatorius* and *L. budegassa* (Spinola) *Comp. Biochem. Physiol.* 83B: 371-374.
- Darlington, C.D. and Mcleish, L. (1951):** Action of maleic hydrazide on the cell. *Nature*, 167: 407-408.
- Darrance, D.L.; Taniger O. and Teplitz, R.L. (1975):** Effect of peyote on human chromosomes. Cytogenetic study on the Huichol Indians of Northern Mexico. *JAMA* 234: 299-302.
- De Flora, S.; Bagnasco, M. and Zanicchi (1993):** Genotoxic, Carcinogenic and teratogenic hazards in the marine environment, with special reference to the Mediterranean sea, *Mutation Res.* 258: 285-320.
- Devaux, A.; Flammarion, P.; Bernardon, V.; Garric, J. and G. Monod (1999):** Monitoring of the chemical pollution of the river Rhone through measurement of DNA damage and Cytochrome P4501a induction in Chub (*Leuciscus Cephalus*). *Marine Environmental Research* Volume 46, 2572-262.
- Dieter, M.P. and Finely, M.T. (1979):** Delta aminolevulinic acid dehydratase enzyme activity in blood, brain and liver of lead dosed ducks. *Environ. Res.*, 19: 127-135.
- Dobrovolova, S.V. (1978):** Polymorphism of the muscle proteins of *Clupeanella delicatula* (Nordmann), *Proc. Inst. Fish, Resour.*, 16: 129-133.
- Draper, W.M. and Street J.C. (1981):** Drift from a commercial aerial application of methyl and ethyl parathion: an estimation of potential human exposure, *Bull. Environ. Contam. Toxicol.*, 26, 530-536.
- Drilhon, A. and Fine, J. (1971):** Les groupes de transferrines dans le genre *Anguilla*. *Rapp. Pr. V Reun*, 161: 122-125.

- Dutta, H.M.; Dogra, J. V.V.; Singh, N.K.; Roy, P.K.; Nasar, S.S.T.; Adhikari, S.; Munshi, J.S.D. and Richmonds, C. (1992):** Malathion induced changes in serum proteins and hematological parameters of an Indian Catfish *Heteropneustes Fossilis* (Bloch). Bull. Environ. Contam. Toxicol. 49: 91-97.
- El-Alfy, S. and Abdel-Rassoul, A.A. (1994):** Trace metal pollutants in El-Manzalah lake by inductively coupled plasma spectroscopy. German. Egyptian seminar on Environ Research. Cairo March. 21-23.
- El-Bermawy, S.M. (2000):** Changes in total protein in larvae of *Corcyra cephalonica* due to irradiation and heat stress. Arab. J. of Nuclear Sciences and Applications.
- Elinder C.G. and Kajellstorm, T. (1977):** Cadmium concentration in samples of human kidney cortex from the 19th century, Ambio 6, 270-272.
- El-Motassem, M. (1987):** High Aswan Dam: Benefits and side effects. Report No. (97) High Aswan Dam Research Institute, Water Research Center Qanater Cairo, Egypt.
- El-Nabow; A., Heinzow, B. and Kruse, H. (1987):** As, Ad, Cu, Pb, Hg and Zn in fish from Alexandria region, Egypt. Bull. Environ. Contam. Toxicol., 29: 889.
- El-Rafaie, H. (1991):** Water pollution due to industrial heavy metal disposal to the River Nile M.Sc. Thesis institute of Environmental and Research Ain Shams, Univ. Cairo Egypt.
- El-Sadek, L.M. (1972):** Mitotic inhibition and chromosomal aberrations induced by some arylarsonic acids and its components in root tips of maize. Egypt. J. of Genet. And Cytol., (1): 210-224.
- El-Saied, H.E. (1993):** Genetical studies on family Mugilidae in two different habitats of Egypton waters. M.Sc. Thesis, Fac. Sci., Zagazig Univ. 157pp.
- El-Serafy, S.S. and Badaway, E.A. (1998):** The effect of pollution on the muscle proteinograms of *Claris lazera* from different area. Menofia J. Agric. Res. 23(6): 1717-1727.

- Evans, H.J. (1977):** Molecular mechanisms in the induction of chromosome aberration. Scott, D. Bridges, B.A. and Sobiery North Holland, Amsterdam, 57-74.
- Evans, H.J. (1983):** Effects on chromosomes of carcinogenic rays and chemicals. In Chromosome mutation and neoplasia, PP. 253-279 Liss, New York.
- Evans, H.J. and Scott, D. (1964):** Influence of DNA synthesis on the production of chromatid aberrations by X-rays and maleic hydrazide in *Vicia faba*. Genetics, 49: 17-38.
- Fedral water Quality Administration (1970):** Investigation of mercury in the St. Clair River, Lake Eric Systems. Washington, BC. Us Dept. of the interior, p. 108.
- Ferguson, A. (1974):** The genetic relationships of the coregonid fishes of Britain and Ireland indicated by electrophoretic analysis of tissue proteins. J. Fish Biol., 6: 311-315.
- Ferguson, A. (1980):** Biochemical systematics and Evolution, Glasgow: Blackic.
- Ferraro, M.V.M.; Fenocchio, A.S.; Mantovani, M.S.; Ribeiro, C. de O.; Cestari, M.M. (2004):** Mutagenic effects of Tributyltin and inorganic lead (PbII) on the fish *H. Malabaricus* as evaluated using the coment assay and the piscine micronucleus and chromosome aberration tests. Genetics and Molecular Biology, 27(1): 103-107.
- Fleischer, M., Sarof, A.F., Fasssett, D.W., Hammond, P., Shacklette, H., Nisbet, I.C.T. and Epstein, S. (1974):** Cited by Abo-Salem, E.M. (1991): "Some toxicological Studies on Some Environmental Pollutants" Ph.D. Thesis, Dept. Anin. Med., Fac. Vet. Med. Zagazig University Benha Branch.
- Flick, D.F., Kraybill, H.F. and Dimitroff, J.M. (1971):** Cited by Abo-Salem E.M. (1991).
- Ford, C.E. (1974):** General mammalian cytogenetics. In: The cell in medical science, Vol.2, Edited by Beck, F. and Loyed, J.B.L., pp. 53-117. Academic Press, London, New York, San Francisco.

- Forstner, N. and Wittmann, G.T.W. (1979):** Metal pollution in aquatic environment. Springer verlog, Berlin, Heidelberg, pp. 486.
- Friberg, L.T., Piscator, M., Norberg, G., Kjellstorm, T. (1986):** Handbook on the toxicology of metal., Vol. II. Amsterdam.
- Futon, M.H. and Chambers, J.E. (1985):** Inhibition of neurotoxic esterase and acetylcholine esterase by organophosphorus compounds ectothemeric vertebrates. *Biochem. Physiol.*, 23: 153-159.
- Gautam, D.C. and Kapoor L.C. (1991):** Genotoxic effects of diithane M-45 on the bone marrow cells of mice in vivo. *Experientia* 47: 280-282.
- Gelfant, S. (1963):** Induction of cell division, a critical and experimental analysis *Int. Rev. Cytol.*, 14: 1-39.
- Gey, K. F. (1993):** Prospects for the prevention of free radical disease, regarding cancer and cardiovascular disease. *British medical bulletin*, 49(3): 679-699.
- Ghaffar, A.E.; Abou-Salem, M.E. and Ashoub, M.M. (1994):** Relationship between environmental pollution and incidence of repeat breeder in buffalo cows. *Annals Agric. Moshtoher* 32 (3): 1715-1728.
- Grant, B.F. and Mehrle, P.M. (1973):** Endrin Toxicosis in rainbow trout *Salmo gairdneri*. *J. Fish. Res. Bd. Canada*, 30: 31-40.
- Guha, B.; Khuda-Bukhsh, A.R. (2002):** Assessment of EMS-induced genotoxicity in the Indian climbing perch, *Anabas testudineus*: Cytogenetical Vis-a-Visprotein endpoints. *Indian-Journal of Experimental Biology* Vol. 40, no. (11), pp. 1285-1294.
- Haggag A.M., Marie, M.A.S. and Zaghloul, K.H. (1999):** Seasonal effects of the industrial effluents on the Nile catfish, *Clarias gariepinus*. *J. Egypt Ger. Soc. Zool.*, 28(A): 365-391.
- Haines, T.A. (1980):** Seasonal patterns of muscle RNA-DNA ratio and growth in black crappie, *pomoxis migromaculatus* *Environ. Biol. Fishes*, 5, 67-70.

- Hamdoon and Seddky (1995):** Chromosomal aberrations induced by a weedkiller "Reglon" In *Oreochromis niloticus* Assiut Vet. Med. J. 32(64): 80-87.
- Hamdy M.A. Hassanein (2004):** Gene expression of heat shock protein (HsP70) in some body organs of the fish *Tilapia zilli* after exposure to the Neem Biopesticide; Triology. J. Egypt. Ger. Soc. Zool. Vol. (44 C): Histology and Histochemistry, 1-15.
- Hames, B.D. and Rickwood, D. (1986):** Gel electrophoresis of proteins. practical approach. Oxford Univ. Press, New York.
- Hamilton, W.D. (1982):** Fish species identification by thin layer agarose isoelectric focusing and densitometric scanning J. Ass. Off. Anal. Chem., 65: 199-220.
- Harrison, R.M., and Laxen, P.P.H. (1978):** Natural source of tetra-alkyl lead in air nature, 275: 738.
- Heines, R.; Yashouv, A. and Wilamowski, A. (1971):** Differences in the electrophoretic mobility of the hemoglobins of *Tilapia aurea*, *T. Vulcani* and Their hybrid cross. Bamidgah, 23: 53-55.
- Herschberger, W.K. (1970):** Some physicochemical properties of transferrins in brook trout. Trans. Am. Fish. Soc. 99(1): 207-218.
- Heth, D.A. (1966):** Effect of calcium phosphorus and zinc on zinc 65 absorption and turn over in rats fed semipurified diets, J. of nutrition, 88 : 331.
- Hewitt, G.M. (1988):** Hybrid zones, natural laboratories for evolutionary studies Trends in Ecology and evolution 3: 158-167.
- Hodson, P.V.; Whittle, D.M.; Wong, P.T.S.; Borgmann, U.; Thomas, R.H.; Chan, T.K.; Nriagu, J.D. and Bullett. D.J. (1984):** Toxic contaminants in the great lakes. Niragh J.O. and Simmone M.S. (eds). John Wiley and Sons, New York, pp. 335-340.

- Hondt, H.A.; El-Laithy, A.F. and Ali, S.M. (1981):** Biochemical and chromosomal studies on rats injected with captan. Egypt J. Genet. Cytol., 11: 245-253.
- Hoofman, R.N. and Raat, W.K. (1982):** Induction of nuclear anomalies (micronuclei) in the peripheral blood erythrocytes of the eastern mudminnow *Umbra pigma* by ethyl methane.
- Hoofman, R.N. and Vink, G.J. (1981):** Cytogenetic effects on the Eastern Mudminnow, *Umbra pigma*, exposed to ethyl methanesulfonate, benzo(a) pyrene, and river water. Ecotoxicol. Environ Safety, 5, 261-269.
- Hose, J.E.; Cross, J.N.; Smith, S.G. and Diehl, D. (1987):** Elevated circulating erythrocyte micronuclei in fishes from contaminated pits of southern California. Marine Environ. Res. 22: 167-176.
- Huang-Fuyong; LiMing yun; Zhu-Junquan; Qian-Lijun; Zhang Chundan; Lu-snjie (2004):** Influence of cadmium on the expression of isozymes in blood cells of *Boleophthalmus pectinirostris* during acute toxicosis. Journal of Shanghai Fisheries University, 13(4): 289-292.
- Hubby, J.L. and Lewontin, R.C. (1966):** A molecular approach to the study of genetic heterozygosity in natural populations. The number of alleles at different loci in *Drosophila pseudoobscura*. Genetics, 54(2): 577-594.
- Hubby, J.L. and Lewontin, R.C. (1966):** A molecular approach to the study of genetic heterozygosity in natural populations. The number of alleles at different loci in *Drosophila pseudoobscura*. Genetics, 54 (2): 577-594.
- Hunter, R.L. and Markert, G. L. (1957):** Histochemical demonstration of enzymes separated by zone electrophoresis in starch gels. Science, 125 (3261): 1294-1295.
- Hussein, Y.S.; El-Nasser, A.M. and Ahmed, M.S. (1996):** Comparative studies on the effect of Herbicide Atrazine on Fresh water fish *Oreochromis niloticus* and *Chrysichthys auratus* at Assiut, Egypt Bull. Environ Contam Toxicol. 57: 503-510.

- Hwang, U.; Kagawa, N.; Mugixa, X. (2000):** Aluminum and cadmium inhibit vitellogenin and its mRNA induction by Estradiol-17 beta in the primary culture of Hepatocytes in the Rainbow Trout *Oncorhynchus mykiss*. *General and Comparative-Endocrinology*, Vol. 119, no.1, pp. 69-76.
- Ibrahim, H.T.M. (1996):** Detection and identification of some pesticide residues and heavy metals in Quaroun lake and River Nile fish. M.Sc. Thesis, Food Technology. Dept. Fac. Agriculture, Cairo University.
- Irisawa, H. and A.F. Irisawa (1954):** Blood serum proteins of the marine Elasmobranchii. *Science*, 120: 849-851.
- Kamshilin, I.N. (1983a):** On polymorphism of serum albumins and transferring of caspian sturgeons, *Aq Aquatic Sci and Fish*, 13(2): 20.
- Kamshilin, I.N. (1983b):** Investigation of the population structure of sturgeons based on albumin and transferring polymorpuism (In the example of the stellate sturgeon). *Aquatic Sci. and Fish.*, 13(3): 28.
- Karima, M. and Halima, A. (2002):** Cytogentical studies on some Nile Fish. *J. Egypt. Ger. Soc. Zool.*, Vol. 36 (c). Histology, Histochemistry and Genetics, 133-144.
- Karima, M. S. and Iman, D. (2002):** Chromosomal Damage in kidney cells of fresh water teleost catfish, *clarias Gariepinus* in response to heavy metal pollution. *J. Egypt, Ger. Soc., Zool.*, Vol. 39 C: Histology and Histochemistry, 203-221.
- Kazlovskaya, V.L.; Mayer, Y. and Jr, F.L. (1981):** Acetylchloin esterase and backbone collagen in fish intoxicated with organophosphorus pesticides *J. Great Lakes Res.* 10: 261.
- Khalaf-Allah, S.S. (1998):** Screening the effect of water pollution with some pesticides on the immune response in *Oreochromis niloticus* fish. *Med. J. Giza Vol.* 46, No. 4B: 883-893.
- Khuda-Bukhsh, A.R. and Barat A. (1987):** Chromosomes in Fifteen species of Indian Teleosts (pisces). *Caryologia*, 40: 131-144.

- Kihlman, B.A. (1966a):** Deoxyribonucleotide synthesis and chromosome breakage. *Chromosome today*, 1: 108-117.
- Kihlman, B.A. (1966b):** Action of chemicals on dividing cells (prentice Half, Englewood cliffs, N.Y., P.260.
- Kirpichnikov, R.S. (1973):** Biochemical polymorphism and microevolution processes in fish. In: J.H. Schroder (ed.), *Genetics and mutagenesis of fish* Springer-Verlag, Berlin, PP., 223-241.
- Kirpichnikov, R.S. (1981):** Genetic basis of fish selection 410P. Springer, Berling-Hedilberg, New York.
- Klasterska, L.; Natarjan, A.T. and Ronnel, C. (1976):** An interpretation of the origin of subchromatid aberrations and chromosome stickiness as a category of chromatid aberration. *Hereditas*, 83: 153.
- Klekowski, E.J. and Berger, B.B. (1976):** Chromosome mutations in a fern population growing in a polluted environment: a bioassay for mutagen in aquatic environments, *Amer J. Bot.*, 63: 239-246.
- Klekowski, E.J. J.R. (1978):** Detection of mutation damage in fern population: an in situ bioassay for mutagens in aquatic ecosystems, pp. 79-100 In: A. Hollandarq F.J. Serres (ed). *Chemical Mutagens, Principles and methods for their detection*, Vol.5, Plenum. Press, New York.
- Kligerman, A.D. (1979):** Induction of sister-chromatid exchanges in the central mudminnow following in vivo exposure to mutagenic agents-*Mutat. Res.*, 64, 205-217.
- Kligerman, A.D. (1982):** Fishes as biological detectors of the effects of genotoxic agents. In *New Horizons in Genetic Toxicology*. Chapter 16, 435-456.
- Kligerman, A.D.; Bloom, S.E. and Howell, W.M. (1975):** Umbra limit: A model for the study of chromosome aberrations in fishes. *Mutat. Res.*, 31: 225-233.
- Kohn, H.W. (1983):** The significance of DNA damage assays in toxicity and carcinogenicity assessment. *Ann. N.X. Acad. Sci.* 407, 106-118.

- Konig, D. (1964):** Gewasserkundlich biologische Bemerkung zur Grabenentkrautung mit chemischen Mitteln. Wass. Boden, 10, 345-349.
- Krenkel, P.A. (1974):** Industrial pollution (N.I. Saxed) led. New York, Van Nostrand Reinhold Campany.
- Krieg, F. and Guyomard, R. (1985):** Population genetics of French brown trout *Salmo trutta*: large geographical differentiation of populations and high similarity of domesticated stocks. Genetique selective et Evolutive 17(2): 225-242.
- Krishna, G.; Gupta, N. (2001):** Effect of Aflatoxin B1 on the chromosomal morphology of Labeo Rohita and Catla Catla. Appl. Fish. Auqac. 2001 Vol. 1, no.1, pp.53-55.
- Krishna, G.; Gupta, N. (2002);** Effect of heavy metals and fungal toxins on the chromosomal structure of carp. Journal of Ecophysiology and occupational (J. Ecophysiology occup Health) 2002, vol.2, no.1-2, pp. 65-72.
- Kumari, S.A. (2003):** Effect of water pollution on esterases in *Channa Punctatus* (Bloch) from Hussainsagar lake, Hyderabad. Indian, Journal of Fisheries Vol. 50, NO.1, PP.135-138.
- Kurbanova, L.K.; Isuev, A.R.; Gabibov, M.M. (2004):** The effect of oil pollution of water on some parameters of protein metabolism in black sea Roach Juveniles Rutilus Frisii Kutum (Cyprinidae). Journal-of-Ichthyology; Voprosy-Lkhtiologii (J. Ichthyol; Vopr-Lkhtioli) Vol. 44, no.8, pp. 655-663.
- Kuriant, L.R. Faro, S.N. and Seidler (1960):** (C.F. Jerry et al., 1972). Bulletin of Environmental contamination and toxicology 8 (5).
- Laas, T. (1998):** Electrophoresis of gels. In "Proteins Purification, Principles, High Resolution, Methods and Application" Janson, J.C. 2nd ed. John Wiley and Sons Inc. New York and London, pp.: 450-463.
- La-Cour, L.E. and Rutishauser, A. (1954):** X-rays breakage experiments with endosperm I-Subchromatid breakage. Chromosoma, 6(8): 696-709.

- Laemmli, U.K. (1970):** Cleavage of structural proteins during the assembly off the head of bacteriophage T4. *Nature*, 227: 680-685.
- Lai, H. and Singh, N.P. (1995):** Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells. *Bioelectr.*, 16: 207-210.
- Lai, H. and Singh, N.P. (1996):** Single and double-strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation *Int. J. Radiat. Biol.*, 69: 513-521.
- Lai, H. and Singh, N.P. (1997a):** Acute exposure to a 60-Hz magnetic field increases DNA strand breaks in rate brain cells. *Bioelectr.*, 18: 156-165.
- Lai, H. and Singh, N.P. (1997b):** Melatonin and N-tert-butyl- α -phenylnitron blocked 60-Hz magnetic field induced DNA single and double strand breaks in rat brain cells. *J. Pineal Res.*, 2: 152-162.
- Lam. H., Conner, M., Rogers, A., Fitzgerald, S. and Amdur, M. (1985):** Functional and morphological changes in the lunges of Guinaepigs Exposed to freshly generated ultra-fine zinc oxide, *toxicol Appl. Pharmacol.*, 78, 29.
- Landolt, M.L. and Kocan, R.M. (1983):** Fish cell cytogenetics: A measure of the genotoxic effects of environmental pollutants. In *Aquatic Toxicology* (J.O. Nriagu, ed.), 335-352. John. Wiley and Sons Ins.
- LeBlanc, G.A., Bain, L.J. (1997):** Chronic Toxicity of environmental contaminants: sentinels and biomarkers, *Environ. Health Perspect.* 105, 65-80.
- Lietz, W. and Gallig, G. (1989):** Metals from sediment, *Water Research* 23(2): 247-252.
- Livingstone, D.R. (1993):** Biotechnology and pollution monitoring use of molecular biomarkers in the aquatic environment, *J. Chem. Tech. Biotechnol.*, 57, 195-11.
- Lokshina, A. B. (1980):** Comparative electrophoretical analysis of some proteins in white fishes, *J. Ich.*, 20(1): 19-25.

- Longwell, A.C., Chang, S., Hebert, A., Hughes, B.J. and Perry, D. (1992):** Pollution and developmental abnormalities of Atlantic Fishes. *Environmental Biology of Fishes*, 35: 1-21.
- López-Barea, J. (1994):** Biomarkers in ecotoxicology: an overview, in: Degen, G.H, Seliler, J.P., Bentley, P (Eds.) *Toxicology in Transition*, Springer, Berlin, pp. 57-79.
- Lowley, P.D. and Brooks, P. (1963):** Further studies on the alkylation of nucleic acids and their constituent nucleotides *Biochem. J.*, 89: 137-138.
- Lukyanenko, V. I.; Popov, A.V.; Mishin, E.A. and Surial, A.I. (1975):** Intraspecific variability of serum protein fractions in the stellate sturgeon, *Acipenser stellatus*. *Zhurn Evolyuts. Biokimii, Fiziologii*, 11(2): 191-192.
- Mace K.K. and McAllister, W.A. (1970):** Insecticide susceptibility of some common fish, *Trans. Am. Fish Soc.* 99: 20-27.
- Macek, K.J. (1980):** Aquatic toxicology: Fact or fiction? *Environ. Health Perspect.*, 34: 159-163.
- Mackie, I.M. (1980):** A review of some recent applications of electrophoresis and iso-electric focusing in the identification of species of fish in fish products. In *Advances fish science and Technology* (Edited by Connell J.J). pp. 444-450 Fishing news books, Surrey, U.K.
- Malone, G.K. (1969):** *Amer. Mid. Nat.* 82: 1-27.
- Manna, G.K. and Mukherjee, P.K. (1986):** Effect of an organophosphate insecticide, malation on chromosome, cell division and total muscle protein of the cichlid fish, *Tilapia*, *Cytology and Genetics* 5: 225-236.
- Manna, G.K. and Mukherjee, P.K. (1989):** A study of the Genotoxic potentiality of the inorganic weedicide, sodium arsenite in the experimentally treated *Tilapia*. *Fish Fresh Water Biol.*, 1(2): 147-159.
- Manna, G.K. and Sadhukhan, A. (1992):** Cytogenetical assays of fish, *Oreochromis mossambicus* treated with organochlorine insecticide. *Aldrex* 30, L. a kromosoma, 11 (65): 2173-2182.

- Mannna, G.K. (1984):** On the possible involvement of genes in the induction of chromosome aberrations. In: perspectives in cytology and genetics. 4: 25-32. Eds. G.K., Manna and U. Sinha.
- Masseyeff, R.; Godet, R. and Gombert, J. (1963):** Les proteines serique de protopterus annectens. Etude electrophoretique. C.R. Sèance. Soc. Biol., 157(1): 167-173.
- Mathew, N.P.A.; Jahageerdar, S. (2003):** Effect of mercuric nitrate on the chromosomes of *Channa punctatus*. Fishery-technology-society of fisheries-Technologists-India (Fish-Technol. Soc. Fish. Technol. India) 2003, Vol. 40, no.2, pp. 77-82.
- Matter, F.E.; El-Serafy, S.S.; Zawail, M.E.M. and Awwad, M.H. (1992):** Genotoxic effect of the carbaryl insecticide (Sevin) on the Grass carp *Ctenopharyngodon idella* (VAL). Egypt J. Histol., 15(1): 9-17.
- Mathew, J. W.; Ruth, A.H.; Edwin, W. T. and Chipman, J.K. (2004):** DNA strand breaks and adults determined in feral and caged chub (*Leuciscus cephalus*) exposed to rivers exhibiting variable water quality around Birmingham, UK. Mutation Research.
- Mehrle, P.M.; Stalling, D.L. and Bloomfield, R.A. (1971):** Serum amino acid in rainbow trout *salmo gairdneri* as effected by DDT and dieldrin. Comp. Biochem. Physiol., 38B: 373-377.
- Meltz, M.L. (1995):** Biological effects versus health effects: an investigation of the genotoxicity of microwave radiation. In: Radiofrequency Radiation standards, NATO ASI Series (B.J. Klauebberg Ed). New York, Plenum Press, 235-241.
- Menzel, B.W. (1970):** An electrophoretic analysis of the blood proteins of the subgenus luxilus (*Notropis cyprinidar*). Ph.D. Thesis, Cornell University, Itheca, New York.
- Metcalf, C.D. (1988):** Induction of micronuclei and nuclear abnormalities in the erythrocytes of mud minnows (*umbro limi*) and brown bullheads (*Lctalurus nebulosus*). Bull. Environ. Contam. Toxicol. 40: 489-495.

- Miller, E.C. and Miller, J.A. (1971):** The mutagenicity of chemical carcinogens, Correlation problems and interpretations, In: A. Hollaender (Ed), Chemical mutagens: Principles and Methods for their Detection, Vol. (1), Plenum New York, pp. 83-119.
- Mitchel C.L., and Chipman J. H. (1998):** DNA strand breakage in aquatic organisms and the potential value of the comet assay in environmental monitoring. *Mutat Res.* 1998, 399(2): 135-147.
- Mitchison, J.M. (1977):** The timing of cell cycles events "Mitosis facts and questions". Edt. Little, M., Poweltz, N., Petzett, C., Postingle, M., Schroeder, D., Zimmermann, H.P., Springer-Verlag, Berlin, Heidelberg, New York, 14-19.
- Mitus, W.J. and Coleman W. (1970):** In vitro effect of chloramphenicol on chromosomes. *Blood* 35: 689-694.
- Moav, R.; Brady, T.; Wohl Farth, G. and Hulata, G. (1976):** Applications of electrophoretic genetic markers to fish breeding I. Advantages and method *Aquaculture*, 9: 217-228.
- Moore, J.W. and Ramamoorthy, S. (1984):** Heavy metals in natural waters, Applied Monitoring and Impact Assessment. Text Book Alberta Environmental Center Vegreville, Alberta, TOB. 41-0 Canada.
- Morimoto, R.T.; Tissieres, A. and Georgopoulos, C. (1994):** The biology of heat-shock proteins and molecular chaperones-cold spring harbor laboratory press, New York.
- Munshi, J.D.; Dutta, H.M. Singh N.K.; Roy P.K.; Adhikari. S.; Dogra, J.V. and Ali M.M. (1999):** Effect of malathion, an organophosphorus pesticide, on serum proteins of heteropneustes fossilis (Bloch) *J. Environ Pathol. Toxicol Oncol* 18(1): 79-83.
- Natarajan, A.T. and Obe, G. (1978):** Molecular mechanisms involved in the production of chromosomal aberrations. *Mutat. Res.*, 52, 137-149.
- Nather-Khan, I.S.A. and Limb. R.P. (1991):** Distribution of metals in the Linggi River Basin, Malaysia with Reference to pollution. *Aust. J. Mar. Freshwater Res.*, 42: 435-449.

- Nefedove, G.N. (1969):** Adraft synopsis of the order, families and genera of recent fishes and fish like vertebrates. London, Brit. Mus.
- Ney, J.J. and Smith Jr. L.L. (1976):** Serum protein variability in geographically defined blue gill *Lepomis macrochirus* populations. Trans. Am. Fish. Soc. 2: 281-289.
- Nordberg, G.F. (1976):** Effects and dose response relationships of toxic metals. Elsevier, Amsterdam, pp. 64-72.
- Nriagu, J.O., (1989):** Aglobal assessment of natural sources of atmospheric trace metal-Nature, London, 338: 47-49.
- Nurberg, H.W. (1984):** Voltametric approach in trace metal chemistry of natural waters and atmospheric precipitations, Analyt. Chem. Acta. 164: 1-21.
- Nyman, L. (1967):** Protein variations in salmonidae. Rep. Inst. Fresh water Res., 47-5-58.
- Obe, G.; Natarajan, A.T. and Palitti, F. (1982):** Role of DNA double-strand breaks in the formation of radiation induced chromosomal aberrations. Prog. Mutat. Res. 4, 1-9.
- Olivera, C.; Almeida-Toledo, L.F.; Foresti, F.; Bristski, H.A. and Toledo-Filho, S.A. (1988):** Chromosomes formulae of neotropical fresh water fishes. Rev. Brasil. Genet. 11: 577-624.
- Paaver, T.K. (1979):** On the polymorphism of some myogens and enzymes in carp. J. Ich., 19(3): 301-309.
- Pai, A.C. (1985):** Foundations of genetics. A science for society 2nd edition. Chapter 6. McGraw, Hill Book Company, New York, Hamburg, New Delhi.
- Panda, B.B. and Sharma, C.B. (1980):** Cytogenetic hazards from agricultural chemicals. 3: Monitoring the cytogenetic activity of the trichlorfon and dichlorvos in *Hordeum vulgare*. Mutat. Res., 78: 341-455.
- Pandya, C.B.; Parikh, D.J.; and Chatterjee, B.B. (1985):** Accumulation and Inter-relationship of calcium and zinc in human kidney cortex., Environ. Res., 36: 81-88.

- Pardo, R.; Barrado, E.; Perez, L. and Vega, M. (1990):** Determination and speciation of heavy metals in sediments of the pisuerga. *River Wat. Res.*, 24: 373-379.
- Patterson, D.S.P. (1976):** Structure, metabolism and toxicity of Aflatoxin. *Cab. Nutr. Diet*, (Supple.2): 71-78.
- Perandonnes, C.E., Illera, V.A. and Robert F. Ashman (1993):** Regulation of apoptosis in vitro in mature murine spleen T-cells *J. of Immunology*, 151 (7): 3521.
- Polyakovsky, V.I.; Papakovskaya, A.A. and Bogdanov, L.V. (1973):** Biochemical polymorphism in crucian carp, *Carrassius auratus* from the sudoble lake. *J. Ich.*, 13(5): 412-420.
- Post, G. (1966):** Serum protein fractions and antibody production in rainbow trout (*Salmogardneric*). *J. Fish Res. Bd. Can* 23 (12) 1957-1963.
- Post, G. (1983):** Text book of fish health., T.F.H. Publication, Inc., 211 West Sylvania Avenu, Neptune City, New Jersey, 07753, USA.
- Prein, A.E.; Thie, G.M.; Alink, G.M. and Koeman, J.H. (1978):** Cytogenetic changes in fish exposed to water of the river Rhine Sic. *Total Environ.* 9: 287-291.
- Pullin, P.S.U. and Meconnell, R.H. (1982):** The biology and culture of Tilapias. *Iclorm, Mcc. Makati, Metro. Mannila, Philippines*, 389.
- Purves, D. (1985):** Trace element evaluation of the environment, Elsevier, Amsterdam.
- Radwan, A.H.(1996):** Physiological and genetical changes in some fresh water fishes due to pollution M.Sc. Thesis faculty of Veterinary Medicine (Moshtohor) Zagazig University (Benha).
- Rai, R. (1987):** Responses of serum protein in a freshwater fish to experimental mercury poisoning. *J. Environ. Biol.* 8(2): 225-228.
- Rashid, M.A.; Ibrahim, S.A.; Ali A.B.; El-Seoudy, A.A.; Abdel-Tawab, F.M. and Gehan, E.A. (1992):** Effect of pollutant

- with organophosphorus insecticide tamer on muscle protein electrophoresis to some *Tilapia* species. Egypt J. Appl. Sci. 7(11): 488-510.
- Ravinder, V.; Suryanarayana, N. and Narayana, G. (1988):** Decisinduced biochemical alterations in a fresh catfish, *clarias batrachus* (linn). Indian J. Comp. Anim. Physiol., Vol. 6, No. (1), pp. 5-12.
- Richmonds, C. (1989):** Effects of malathion on some physiological, histological and behavioural aspects of blue gill sunfish *lepomis macrochirus*. Ph.D. Dissertation, Kent State University, Kent, Ohio, PP. 156.
- Richmonds, C. and Dutta, H.M. (1989):** Histopathological changes induced by malathion in the gills of blue gill *Lepomis macrochirus*. Bull. Environ. Contam- Toxicol. 43: 123-130.
- Rishi, K.K. and Grewal, S. (1995):** Chromosome aberration test for the insecticide, dichlorvos, on fish chromosomes. Mut., Res., 344: 1-4.
- Rodri`guez, A., Arize, J.; Alhama, F.M.; Diaz-Mendez, J. Lopez-Barea (1999):** Content of 8-oxodG in chromosomal DNA of *sparus aurata* fish as biomarker of oxidative stress and environmental pollution-Mutation Research, 438, 97-107.
- Rubbes, J.; Borkovec, L.; Horinova, Z.; Urbanova, J.; Prorokva, I. and Kulikova, L. (1992):** Cytogenetic monitoring of farm animals under conditions of environmental pollution. Mutat. Research. 283: 199-210.
- Ryman, N. (1983):** Patterns of distribution of biochemical genetic variation in salmonids: difference between species. In Genetics in aquaculture (N.P. Wilkins and E.M. Gosling, eds), PP. 1-22 Oxford: Elsevier Science Publishers B.V.
- Ryman, N. and Stahl, G. (1981):** Genetics perspective of the identification and conservation of Scandinavian stocks of fish Can. J. Aquat. Sci., 38: 1562-1575.
- Saad, M.A.H.; Ezzat, A.A.; El-Rayis, O.A. and Hafez, H. (1981):** Occurrence and distribution of chemical pollutions in lake Mariut, Egypt II. Heavy metals, Water, Air and Soil pollution, 16: 401-407.

- Salama, M.A.M. (2001):** Experimental studies on the cytogenetic of a certain fresh water fish, Ph.D. Thesis, Zagazig Univ., Sci., 162pp.
- Salem, M.S. (1997):** Determination of some heavy metals in Nile water catfish serum *Clarias lazera* at Damietta City, By atomic absorption spectrometry. J. Egypt Ger. Soc. Zool., Comp. Physiol. 22 (A): 101-120.
- Salmenkova, E.A. and Volokhonskaya, L.C. (1973):** Biochemical polymorphism in populatrions of diploid and tetraploid fish species J. Ich., 13(3): 216-211.
- Samma M.B. (2001):** Cytogenetic studies on the effect of carbomate Herbicide "Saturn" on Chrysichthy Auratus and Labes Hori fish. J. Egypt Ger. Soc. Zool., Vol. 34(c) Histology, Histochemistry and Genetics, 125-139.
- Saunders, B.G. (1964):** Electrophoretic studies of serum proteins of three trout species and the resulting hybrids within family, salmonidae. Chapter 46 In: Taxonomic biochemistry and Serology. By Leone, C.A. Ronald Press Company, New York.
- Schintu, M.; Kudo, A.; Sarritzu, G. and Cntu, A. (1991):** Heavy metal distribution and mobilization in sediments from a drinking water reservoirs near a mining area. Water, Air and Soil pollution, 57, 58: 329-338.
- Schroeder, H.A. and Balassa, J.J. (1961):** Abnormal trace metals in man cadmium., J. Chronic Dis., 4: 236-258.
- Sharaf-Eldeen, K., Abdel-Hamid, N.H., (2002):** Sublethal effects of copper sulfate, malathion and paraquat on protein pattern of *Oreochromis niloticus*. Egypt of Auqat. Biol. And Fish., Vol. 6, No.2: 167-182.
- Shugart, L.R. (1988):** Quantitation of chemically induced damage to DNA of aquatic organisms by alkaline unwinding assay. Aquatic Toxicology, 13, 43-52.
- Siciliano, M.J.; Wright, D.A.; George, S.L. and Shaw, C.R. (1973):** Inter and Interspecific genetics distances among teleosts. Aquatic Sci. and Fisheries, 3(2): 50.

- Siliem, T.A. (1993):** Some impacts of chemical changes of the water of Ratama fish ponds. Menofiya, J. Agric. Res., 18(2): 1837-1862.
- Siliem, T.A. (1994):** Seasonal and diurnal variations of the physico-chemical conditions of water at bifurcation of the river Nile. Menofiya, J. Agric. Res., 19(2): 3345-3358.
- Smithies, O. (1955):** Zone electrophoresis in starch gel. Group variation in the serum proteins of normal human adults. Biochem. J. 67: 629-647.
- Snedecor, G.W. (1971):** Statistical methods, 14th Ed. The Iowa state collage press Amer., Iowa.
- Snodgrass, W.J. (1980):** Distribution and behaviour of nickel in the aquatic environment. In: J.O. Nriagu (Ed.), Nickel in the environment, Wiley, New York, pp.203-274.
- Sofradzija, A., Vukovic, T. and Hadziselimovic, R. (1980):** Effect of some pesticides and detergents on the fish chromosomes sets-results of the preliminary investigations-Ichthyologia, 12, 71: 76.
- Soldatovic, B.; Vucinic, M.; Stanimirovic, Z.; Jokic D.D. and Vucicevic, M. (1993):** A mosaicism with Karyotype designation of 59 x 0/60, XX/61, XXX in red pied heifer (Part 111). Acta. Veterinaria Belgrade 43: 5-6.
- Stevenson, A.C.; Bedford, J.; Hill, A.G.S. and Hill, B.F.A. (1971):** Chromosomal studies in patients taking phenylbutazone, Ann. Rheum Dis. 30: 487-500.
- Stoian, V. and Paicu, P. (1975):** "Morphological characteristics and the nature of gaps (achromatic lesions) induced by 4-Aminouracil in chromosomes of *Vicia faba*. Mut., Res., 217-200. Sevier Scientific publishing Company, Amsterdam, Printed in the Netherlands.
- Summer Felt, R.C. (1964):** Blood proteins, their pattern, Variations, and functions in the golden shiner, *Notemignonus crysoleucas*, eryprinides. Ph.D. Thesis. Univ of Southern Illinois, Carbondale, Illinois.
- Svetlana fister, Maja Markovic and B. Soldatovic (1994):** Frequency of gap and break type changes on the chromosomes of the fish *Perca fluviatilis* caught at some localities on the Danube. Acta Veterinaria (Beograd), Vol. 44, no.(1), 37-44.

- Tait, R.U. (1972):** Elements of marine ecology 2nd ed. London, Butter Worths.
- Takai, A. and Ojima, Y. (1990):** Characteristics of chromosomes and electrophoretic patterns of muscle protein and lactate dehydrogenase in fish of genus carassius (*Cyprini formes*) Cytologia 55: 255-263.
- Thilager, A.K. and Kumargo, U. (1983):** Induction of chromosomal damage by mechloride in CHO cells, Mut. Res., 116: 361-367.
- Timbrell, C. (1982):** Principles of Biochemical toxicology Taylor and Francis, Ltd. London.
- Trewavas, E. and Teugels, G.G. (1991):** Oreochromis and sarotherodon. In Check-List of the freshwater fishes of Africa (Vol.4) (Daget J. Gosse, J.P., Teugels, G.G. and Thys van den Audenaerde, D.F.E., eds), Brussels: ISNB, Tervuren, MRAC; Paris: ORSTOM.
- Trewavas, E. (1982):** Generic grouping of Tilapiini: used in aquaculture. Aquaculture, 27: 79-81.
- Tsuyuki, H. and Roberts, E. (1969):** Muscle protein polymorphism of sablefish from Eastern pacific Ocean. J. Fish Res. Bd. Can., 26: 2633-2641.
- Tsuyuki, H.; Roberts, E.; Lowe, R.H.; Hadaway, W. and Westrheim, J. (1968):** Contribution of protein electrophoresis to rockfish *Scorpaenidae* systematics. J. Fish Res. Bd. Canada, 25: 2477-2501.
- Tsvetnenko, J.B. (1980):** Characteristic of blood protein in sea of Azovsturgeons. Aquatic Sci. and Fisheries Abestracts, 10(2): 311.
- Vandegrift, A.E., Shannon, L.J.; Sallee, E.E.; Gorman, P.G.; and Pork, W.R. (1971):** Particulate air pollution in the united states, J. Air Poll. Cont. Assoc. 21: 231-328.
- Vander Bank, F.H.; Grant, W.S. and Ferreira, J.T. (1989):** Electrophoretically detectable genetic data for fifteen southern African Cichlids. J. Fish Biol., 34: 465-483.
- Veldre, L.A. and Veldre, I.R. (1979):** On some biochemical indicates of blood in the Baltic sprat *Sprattus sprattus*, J. Ich., 19(2): 250-255.
- Vittoria, S.; Ilaria, D. B. and Joachim, S. (2004):** DNA damage in eelpout (*Zoarces viviparous*) from Goteborg harbour. Mutation Research Volume 552 Pages 187-195.

- Waechter, D.E. and Baserga, R. (1982):** Genes and regulation of the cell cycle. In "Genetic expression in the cell cycle" Academic Press Inc., 23: 244.
- Wagner, R.P.; Judd, B.H.; Sanders, B.G. and Richardson, R.H. (1980):** "Introduction to modern genetics" (Chapter, 10), p.279-280, John Willy and Sons New York, Cichester, Brisbane Toronto. Wiley, Internal Edition.
- WHO (1973):** Regional office for Europe. The hazard to health and ecological effects of persistant substances in the environment., Report of a working group, Copenhagen.
- WHO (1984):** Guide lines values, WHO Bulletni, guide lines for water quality Geneva Vol.1.
- Wieme, R.J. (1965):** Agar gel electrophoresis. Amsterdam: Elsevier Press.
- Wilder, J.D. and Stanley, J.G. (1982):** DNA-RNA ratio as an index to growth in salmonid fishes in the laboratory and in streams contaminated by carbaryl. J. Fish Biol. 22: 165-172.
- Wilkins, N.P. (1971):** Biochemical and serological studies on the atlantic salmon (*Salmo salar*) Rapp. Reum, 161: 91-95.
- Wiss, J. and Weiss, P. (1977):** Effect of heavy metals on development of the killifish, *Fudulus heteroclitus*, J. Fish. Biol. 11, 49-54.
- Wolfe, D.A. and Rice, T.R. (1972):** Cycling of elements in estuaries. Fish. Bull. 70: 929.
- Yu, R.L.; Aronson, M.M. and Nichols, W.W. (1981):** High-resolution bands in human fibrobast chromosomes induced by Ictinomycin, D. cytogenet. Cell Gent, (31): 111-114.
- Yunis, J.J. (1983):** The chromosomal basis of human neoplasia. Science, 221: 227-236.
- Zaghloul, K.H. (2001):** Usage of zinc and calcium in inhibiting the tozic effect of copper on the African catfish, *Clarias gariepinus*. J. Egypt Ger. Soc. Zool., 33(c): 99-120.