

REFERENCES

- Abbou CC, Hoznek A, Salomon L, Slama MR, Chopin D 1999:* Is open surgery for partial nephrectomy an obsolete surgical procedure: *Curr Op Urol*, 9: 383.
- Ambos, Es, Cronan, J.J. and Pfister. R.C. (1978):* Differential diagnosis of cystic renal masses; A survey of the Society of Uroradiology. *AJR* 148: 297.
- Anderson CF, Velosa JA, Frohnert PP, et al., (1985):* The risks of unilateral nephrectomy: status of kidney donors 10 to 20 years postoperatively *Mayo Clin. Proc*; 60: 367.
- Angermeir, K.W., Novick, A.C., Stroom, S.B. (1990):* Nephron sparing surgery for RCC with venous involvement. *J. Urol.*, 144: 1352.
- Arie Belldgren, Ke-Hung Tsui, Jean B, et al., (1999):* Department of urology california, comparison Between RN&N.S.S journal of clinical oncology. Vol. 17, Issue (9) Sept.
- Assimos, D.G.; Boyce, W.H. Woodruff, R.D. et al., (1991):* Intraoperative renal ultrasonography. *J. Urol.* 146: 1218.
- Bander, N.H. (1984):* Comparison of antigen expression of human renal cancers in vivo and in vitro cancer; 53: 1235.
- Bazeed, M.A. (1986):* Conservative surgery of renal cell carcinoma *Eur. Urol.* 12: 243.
- Beahis OH, henson De, Hutter RV, et al., (1987):* Manual for staging of Cancer: Philadel. ~~Phai~~, JB Lippincott Company.
- Bennington JL, (1987):* Renal and metastatic renal tumours adenoma. *World, Urol*, 5: 66.
- Bennington JL, Beckwith JB (1987):* Tumors of the kidney, Renal pelvis, and Ureter. Washington, D.C.; Armed Forces institute of pathology.

- Aokie, DG., Skinner CD and Colvin RB (1983):* Diagnosis and management of renal carcinoma: a clinical and pathologic study. *Cancer*, 28: 1165.
- Badlani E, Lerner SE and Hawkins GS (1981):* Morbidity of patients with low stage renal cell carcinoma. *J. Urol*; 155: 1868.
- Beck with JE (1986):* Management of renal adenoma *N England J. Med.* 325: 1085.
- Barbanti G, and Selli C, (1996):* Conservative surgical treatment of renal cell carcinoma and reappraisal of indications. *J. Uro*; 140: 725.
- Black, P., Filipas, D., Fichtner, J., et al., (2000):* Nephron sparing surgery for central renal tumors: experience with 33 cases. *J. urol.*, 163: 737.
- Blackly, S.F. Ladaga, I. and Woolfit R.A. (1988):* Ex sita study of the effectiveness of enucleation in patients with renal cell carcinoma. *J. Urol.* 140: 6.
- Bonsib, S.M. Fischer, J. Plattner, S. et al., (1987):* Sarcomatoid renal tumors: Clinicopathologic correlation of three cases. *Cancer*; 59: 532.
- Bonsik MA, (1991):* Difficulties in classifying cystic lesions of the kidney. *Urol Radiol* 13: 92.
- Bonsik MA, (1993):* Problems in the radiologic diagnosis of renal parenchymal tumors. *Urol. Clin. North Am.* 20: 217,
- Bosniak MA, Bimbaum BA, Krin Sky GA, et al., (1993):* Further observations on the growth of renal parenchymal neoplasms. Presented at the 79th Scientific Assembly and Annual Meeting of the Radiological Society of North America, Chaicago, November 28-December 3.
- Brenner, B.M. (1985):* Nephron adaptation to renal injury or ablation *Am. J. Phsiol.* 249: F337.
- Brink J.A., Vannier, M.W. Heiken JP, et al., (1992):* Abdominal spiral CT; effect of interpolation algorithm, collimation, and zoom

on effective section thickness and noise. Radiology 185 (P): 126.

Brooks AP: (1994): intra-venous urography local recurrence following radical nephrectomy or partial nephrectomy. Urol. Clin. N Am. 21: 593.

Burt, ME. And Brennan M.F. (1985): Incidence of hypercalcaemia and malignant neoplasm. Arch. Surg; 115: 704.

Butler BP, Novick AC, Miller DP, Campbell SA, et al., (1995): Management of small unilateral renal cell carcinomas: radical versus nephron-sparing surgery. Urology, 45: 34.

Campbell SC, Fichtner J, Novick AC, et al., (1995): Intraoperative evaluation of renal cell carcinoma: a prospective study of the role of ultrasonography and histological frozen sections. J Urol, 155: 1191.

Campbell SC, Novick AC (1995): Surgical technique and morbidity of elective partial nephrectomy. Sem Urol Oncol, 13: 281-287.

Campel SC, Kirshnamurthi V and Chom G, (1998): Renal cryo surgery (expremental evaluation of treatment parameters urology. 28-35.

Campell, S.C. Chow, G. and Kubenz A, (1995): Partial Nephral: experimental evaluation of treatment parameters urology. 52: 29.

Carini M, Selli C, Muraro GB, et al., (1981): Conservative surgery for renal cell carcinoma Eur Urol 7: 19.

Cheng WS, Farrow GM, and Zincke H (1991): The incidence of multicentricity in renal cell carcinoma. J. Urol 146: 1221.

Chernoff, D. M. Silverman, S.G.; Kilkinis, R. et al., (1994): Three dimensional imaging and display of renal Tumours using spiral CT: a potential aid to partial nephrectomy. Urology, 43: 125.

- Chiou RK, Vessela RL, Lims C (1988):* Monoclonal antibody targeted radiotherapy of renal cell carcinoma using a nude mouse model. *Cancer*; 6: 1766.
- Chopp, R.T., Shah, B.B. and Addosizio, J.C. (1986):* Use of ultrasonic surgical aspirator in renal surgery. *Urology*, 22: 157.
- Choyke, P.R.; Mutty, V.S. and Reuter, V. (1987):* Abnormalities at chromosome region 3 P. 12-14 characterize clear cell renal carcinoma. *Cancer cytogenet*, 26: 253.
- Clayman, R.V., Kavoussi, L.R. Soper, N.J. et al., (1984):* Laparoscopic nephrectomy: initial cases report. *J. Urol.* 146: 278.
- Conack, J.W. and Grossman, H.B. (1985):* Renal cell carcinoma as an incidental finding. *J. Urol.* 134: 1094.
- Dalton, D. Neiman, H. and Grayhack, (1986):* The natural history of simple renal cyst. *J. Urol*; 135: 905.
- Daniel WW Hartman GW, Wittern DM, et al., (1972):* Calcified renal masses *Radiology*; 103: 503.
- Daniel, B. Rukstalis, and Moez, K. (2000):* Clinical experience with open renal cryoablation; *Urolo*; 57: 34.
- DaSilva, J.L., Lacombe, C., Bruneval, P., et al., (1990):* Tumor cells are the sites of erythropoietin synthesis in human renal cancers associated with polycythemia. *Blood*, 75: 577.
- Davidson AJ, and Hartman DS (1987):* Imaging strategies for tumors of the kidney, adrenal gland, and retroperitoneum. *CA*; 37: 151-164.
- Dayal, H.H. and Wilkinson, G.S. (1989):* Epidemiology of renal cell cancer. *Semin Urol.* 7: 137.
- Delvecchio, F.C. and Preminger, G.M. (2002):* Renal surgery in the new millennium. *Urol. Clin. Nor. Amer.* Vol. 27, (4): 801-12.

- Desai MM and Gill IS. (2002):* Current status of cry ablation and radio frequency in the manegment of Renal tumor. Curr. Opinion urology Sept. 2002; 12 (5): 387.
- DiDio LJA, (1985):* Segment of the kidney: the anatomical basis for nephrosegmentectomy. In: Basic, Clinical, and Surgical nephrology. Publsiher, Chapt. 1, pp. 1-12.
- Dieritk, A.M. Praet M, Roels, H. et al., (1991):* Vimetin expression of renal cell carcinoma in relation to DNA content and histological grading: Histopathology, 18: 315.
- Droller MJ, (1994):* Renal Cancer-Future prospectives. In: Clinical Urology, edited by Krane RJ, Philadelphia, 500-*506.
- Dunnick J, Stanley, R.E. and Blath A (1983):* Papillary renal cell carcinoma: A clinical, pathological and Radiological study. Cancer. 38: 2469.
- Elkins IB and Resnick MI: (1982):* Internal anatomy, in Resnick MI, Parker MD (eds): Surgical Anatomy of the kidney. Mt. Kisco, NY, Futura Publishing Co, Pp. 17-34.
- Ellis WJ, Bauer KD, Oyasu R and Mcvry KT (1996):* Flow cytometric analysis of small renal tumors.) Urol 148: 1774.
- Engelmann U, Schaub,T., Schweden, F. et al., (1984):* Digital subtraction angiography in staging renal cell carcinoma: Comparison with computerized tomography and histopathology. J. Urol; 132: 1093.
- Farrel, M.A. Charboneau, W.J. DiMarco, D.S. et al., (2003):* Imaging – gudied radiofrequency ablationof solid renal tumors. AJR. AM. J. Roentgenol. Jun; 180 (6): 1509-13.
- Feldman AE, Pollack HM, Perri AJ, et al., (1978):* Renal pseudoturmos: an Anatomic- radiologic classification. J. Urol; 120: 133.
- Ficarrav, Novella G. and Sarr A. (2003):* Psycho-social well-being and general health status after surgical treatment of R.C.C. int. Urol. Nephrol. 34 (3): 441.

- Fishman E.K. Magid, D. Ney D.R. et al., (1988):* Three dimensional imaging and display of Musculoskeletal Anatomy. Comp. Assist. Tomogr. 12: 465.
- Fletcher MS, Packham DA, Pryor JP, et al., (1981):* Hepatic dysfunction in renal carcinoma. Br. J. Urol; 53: 533.
- Friedland G.W. Filly, R. and Goris, M.L. (1998):* Uroradiology: An integrated approach for renal cancers New York, Churchill. Livingstone, Inc.
- Frohmuller, H.G.W., Grups J.W. and Heller V. (1987):* Comparative value of ultraosnography, computerized tomography, angiography and excretory urography in the staging of renal cell carcinoma. J. Urol; 138: 482.
- Fromowitz F.B. and Bard, R.H. (1990):* Clinical implication of pathologic subtypes in renal cell carcinoma in humans. Semin Urol; 8:31.
- Furham, S.A. Lasky, L.C. and Limas, C. (1982):* Prognostic significance of morphologic parameters of renal cell carcinoma Amr. J. Surg. Path. 6: 655.
- Gage, A.A., Soble J.J. and Baust, J. (1998):* Mechanisms of tissue injury in cryosurgery. Cryobiology. 37: 171.
- Gay PC, Litchy WJ, and Cascino TL (1987):* Brain metastasis in hypernephroma. J. Neurooncol 5: 51.
- Ghavamian R, and Zincke H. (2001):* Open surgical partial nephrectomy. Semin Urol. Oncol. May; 19 (2): 103-13.
- Gibons R.P., Montie JE, Correa, R. et al., (1976):* Manifestations of renal cell carcinoma. Urology; 8: 201.
- Gilbert BR, Russo P, Zirinsky K, et al., (1988):* Intraoperative sonsography: application in renal cell carcinoma. J. urol., 137: 582.
- Gill I.S. Novick, A.C. Meroney, A.M. et al., (1998):* Open renal cryoablation in 32 patients. Urology. Nov. 1 : 56 (5): 748-53.

- Gill I.S.; SF, Desai, M.M. Kaouk, J.H., et al., (2003): Comparative analysis of laparoscopic versus open partial nephrectomy for renal tumors in 200 patients. J. urol. Jul. 170 (1): 64-8.
- Gill, I.S. Desai, M.M., Kaouk, J.H. et al., (2002): Laparoscopic partial nephrectomy for renal tumor duplicating open surgical techniques. J. urol. Feb: 167 (2 Pt1): 469-7.
- Gill, I.S., Novick, A.C. and Soble, J.J. (1998): Laparoscopic renal cryoablation: Initial clinical series. Urology; 52: 543.
- Gillian, L et al., (1987): The role of C.T. and U.S. in preoperative diagnosis of renal cell carcinoma Eur. Urol., 13: 26.
- Gillian, L. Gilbertic and Matorana, G. (1992): Conservative surgery. In: Atlas of renal cancer, 2nd ed. Mrlan: Grafiche Mazzucchelli, pp. 105.
- Goldwasser, B.Z., Carson, C.C., Shalaby, N.F. et al., (1987): Kidney tourniquet: a new instrument for regional blood control in partial nephrectomy. Urology, 30: 162.
- Goodman MD, Goodman BK, Lubin MB et al., (1990): Cytogenetic characterization of renal cell carcinoma in von Hippel-Lindau syndrome. Cancer 65: 1150.
- Goth, A., Kitazawa, S., Mizuno, Y. et al., (1993): Common expression of parathyroid hormone related protein and no correlation of calcium level in RCCs. Cancer, 71: 2803.
- Graves, F.T. (1988): The Anatomy of operative technique. In : Anatomical studies for renal and intrarenal surgery. Bristol: Wright, Chapt. 15, pp. 148.
- Grays, (1992): Grays Anatomy (text book), Anatomy of the urinary system. Vol. (9): 611. eight edition. Publisher chirchul Livin. Inc. 1992. New York.
- Grays, S.F. (2003): Laparscopic Approaches to urologic malignancies. J. Urol. Sep.; 170 (3): 760.
- Grignon D.J., Ayala A.G., El-Naggar A, et al., (1989): Renal cell carcinoma: A clinicopathologic and DNA cytometric analysis. Cancer 64: 2133.

References

- Grvais, D.A. McGovern, F.J. Arellano, R.S. et al., (2003):* Renal cell carcinoma: clinical experience and technical success with radio-frequency ablation of 42 tumors. *Radiology*. 266 (2): 417-24.
- Gschwend JE, Vogel U, Bader C, et al., (1996):* Predictive value of M.R.I. and computerized tomography for conservative renal surgery in an ex vivo tumor enucleation study followed by step-sectioning. *J Urol*, 155: 451.
- Guan HW, Zhang QP, Zhang Z, et al., (2003):* Optimal margin in nephron sparing surgery for RCC. Department 06 crology Dalian medical university china, Hinyokia Kiyo Jul.
- Hafez KS, Novick AC and Campbell SC (1997):* Pattern of tumor recurrence and guidelines for follow-up after nephron sparing surgery for sporadic renal cell carcinoma. *J Urol*, 157: 2067.
- Harris SC, Hird PM, and Shortland JR, (1989):* Immuno Histochemistry and lectain histochemistary in sarcomatoid renal cell ercinoma: a comparison with classical renal cell ercinoma *Histopathology*; 15: 607.
- Hein V.P., Hermanek P, and Schrott KM (1990):* Evaluation of the new tumor nodes and metastasis classification of renal cell carcinoma. *J. urol*; 144: 238.
- Hein Van, Poppel: (1994):* Elective conservative surgery for RCC. A.U.A. Updata series. Lesson, 31, vol. X111, 246.
- Hernandez, A.D. Smith, J.A. and Terreros, D.A. (1990):* A controlled study of the argon, beam coagulator for partial nephrectomy. *J. Urol*. 143: 1962.
- Herr, H.W. (1999):* Partial nephrectomy for unilateral renal carcinoma and normal contralateral kidney: 10 years follow up *J. Urol.*, 161: 33.
- Herrlinger A, Schrott KM, Zege A, et al., (1999):* Results of 381 transabdominal radical nephrectomies for renal cell carcinoma with partial and complete en-bloc lymphnode dissection. *World J. Urol.*; 2: 114.
-

Hein Van Popple, (2002): Nephron sparing surgery in renal cell carcinoma. Braz. J. Urol. 26: 342.

Holthofer, H. (1990): Immunohistology of renal cell carcinoma I. Ur. Urol. 18 (suppl): 15.

Hostetter, T.H. Olson, J.L. Rennke, H.G. et al., (1981): Hyperfiltration in remnant nephrons: A potentially adverse response to renal ablation Am. J. Physiol. 241: 85.

Hoznek, A., Salomon, L., Antiophon, P. et al., (1999): Partial nephrectomy with retroperitoneal laparoscopy. J. Urol; 162: 26.

Jacobs SC, Berg SI, and Lawson RK, (1980): Synchronous bilateral renal cell carcinoma: total surgical excision cancer 46: 2341.

Jacqmin D. (1992): Multiple tumour in the same kidney: incidence and therapeutic implications. Eur., Urol. 21: 32.

Janzen, N. Zisman, A. Pantuck, A.J. et al., (2002): Minimally invasive ablative approaches in the treatment of renal cell carcinoma. Curr. Urol. Rep. 3 (1): 387.

Jocham D and Richer A, (2004): Lancet, adjuvant therapy for RCC. American cancer society. Lancet 2004 Feb. 21; 363 (940): 494.

Johnson CD, Dunnick NR, Cohn RH, et al., (1987): Renal adenocarcinoma: CT staging of 100 tumors. JR; 148: 59.

Kalender, W.A. Seissler, W. Klotz, E and Vockp. (1990): Spiral volumetric CT. Radiology. 176: 181.

Kaplan EL, and Meier, P, (1958): Nonparametric estimation from sncomplete observation. J. Anier, Stat. Ass, 53: 457.

Kay E, (1982): Anatomical study for renal and intra renal surgery. Bristol: Wright, Comp. 15 PP. 148.

- Kendall A.R. and Ziocke, H. (1993):* Bilateral renal cell cancer subcapsular renal hematoma Diagnosis and management. *J. Urol*; 139: 246-250.
- Kennedy, S.M. Merino, M.L. Lmehan, M. et al., (1990):* Collecting duct carcinoma of the kidney. *Hum. Path.* 21: 449.
- Kletscher, B.A., Lauvetz, R.W. and Segura, J.W. (1995):* Nephron-sparing laparoscopic surgery: Techniques to control the renal pedicle and manage parenchymal bleeding. *J. Endourol* 9: 23.
- Klein, E.A. and Novick, A.C. (1994):* Urologic manifestation of V.H.L. disease. *AUA. Update series*, 9: 258.
- Kurozumi T, Yagi H, Omoto T and Iwata Y (1993):* Extracapsular tumor invasion in renal cell carcinoma: with special reference to limitation of surgical enucleation. *Nippon Hinyokika Gakkai Zasshi*, 84: 1943.
- Kutty K and Varkey B. (1984):* Roentgenographic assessment of asymptomatic renal lesions. *Radiology*; 109: 257-269.
- Kutty, K and Varkey B. (1984):* Incidence and distribution of intrathoracic metastases from renal cell carcinoma. *Arch. Intern Med*; 144: 273.
- Lamb GW, Baxter G.M and Rogers RS (2003):* Department of urology, Gartnavel General hospi Glas go .UK URO. Resrch Oct.
- Lang M.A. (1973):* Diagnostic significance of I.V.P for renal cancers; *J. Urol*. 135: 241.
- Levinson, A.K. Swanson, D.A. Johnson, D.E. et al., (1991):* Fibrin glue for partial nephrectomy. *Urology*, 38: 314.
- Licht MR, and Novick AC (1993):* Nephron sparing surgery for renal cell carcinoma. *J. Urol* 149: 1.
- Licht MR, Novick C and Gonnastic M (1994):* Nephron sparing surgery in incidental versus suspected renal cell carcinoma *J. Urol*; 152: 39.

- Licht, M.R. Novick, A.C. Tubbs, R.R. et al., (1993):* Renal oncocytoma: clinical and biology correlate J. Urol; 150: 1380.
- Linehan, W.M., Sheply, W. and Parkinson, D. (1993):* Cancer of the kidney and urteter. In : Cancer: Principles and practice of onocology. Edited by V.T. De vita, Jr., S. Hellman and S.A. Rosenberg. Philadelphia: J.B. Lippincott, pp. 1023.
- Ljungberg B. Roos G (1990):* Value of DNA analysis for treatment of renal cell carcinoma. Eur. Urol; 18 (Supp): 31.
- Loughlin, KR., Gittes R.F., Partridge D. et al., (1987):* The relation ship of lactoferrin to the anemia of renal cell carcinoma. Cancer; 59: 566.
- Loughlin, R.R. and Gittes, R.F. (1986):* Urologic management of patients with von Hippel- Lindau diseases. J. Urol. 136: 789.
- Lubodlt, H. Kubens A and Grosse (1996):* Selective losses of human leukoycte antigen in advanced R.C.C. and Cancer Res.; 65: 826.
- Makay, B. Orolonez, and Khourshand, (1987):* The ultrastrucure and immunocytochemistry of R.C.C. ultrastruct. Path. 11: 483.
- Mallory, T.R. Schultz, R.E. and Carpineiello, V. L. (1986):* Renal preservation utilizing neodymium: YAG laser. Urology., 27: 99.
- Marshal FF, Holdford SS and Hamper UM (1992):* Intraoperative sonography of renal tumors. Accompanying clinically overt renal cell carcinoma. J Urol, 140: 22.
- Marshall FF and Power KC (1982):* Lymphadenectomy for renal cell carcinoma: Anatomical and therapeutic considerations. J. Urol; 128: 677.
- Marshall, F.F. Taxy, J.B., and Chang, R. (1986):* The feasibility of surgical enucleation for renal cell carcinoma. J. Urol., 135: 231.
- Matin S.F. Clymaan R.V. and MC Dougall (1998):* Laparoscopic cryoablation for renal cancers. J. Laparoendoscopic surgery. Vol. (3): 577.

- Matin, S.F. (2003):* Laparoscopic approaches to urologic malignancies. J. Uro. Supl. 2003; 170 (3): 760.
- Matlaga, B.R. Zagoria R.J. Woodruff R.D. et al., (2002):* phase II trial of radio frequency ablation of renal cancer: evaluation of the kill zone J. Urol. Dec. 68 (6): 2410-5.
- McLennan, B.L. (1985):* Computed tomography in the diagnosis and staging of renal cell carcinoma. Semin. Urol; 3: 111-131.
- McDonald JR and Priestley JT (1993):* Malignant tumors of the kidney. Surg Gynecol Obstet; 77: 295.
- Melman, A., Grim. C.E. and Weinberger, M.H. (1977):* Increased incidence of renal cell carcinoma with hypertension. J. Urol; 118: 531.
- Merklin, R.J. and Michels, N.K. (1985):* The variants renal and suprarenal blood supply with data on the inferior phrenic, ureteral and gonadal arteries, J. Intl. Col. Surg., 29: 41.
- Meyer, T.W. Andreson, H.G. and Brenner, B. M. (1985):* Converting enzyme inhibitor therapy limits progressive glomerular injury in rats with renal insufficiency. Amer. J. Med. Suppl. 3C, 79: 31.
- Michaels, M.J. Rhee H.K. Mourtzinos A.P. et al., (2002):* Incomplete renal tumor destruction using radio frequency interstitial ablation J. Urol; Dec; 168 (6): 2406-9.
- Mohler (1987):* Angiography in diagnosis of renal carcinoma urol; 18: 100.
- Mohler, G. Wand Lasale H.E. (1987):* Histopathological and cytogenic characterization of renal cortical tumours. Cancer Res. 51: 1544.
- Monite and Levin, (1993):* The natural history for renal carcinoma. Semin Oncol., 10: 390.
- Montie J.E. and Ponts (1999):* Renal cell carcinoma in the solitary kidney; in Resnick M, Kursh E (eds): current therapy in Genitourinary Surgery. Philadelphia, PA, Decker, p. 26.

References

- Montle JE (1989):* Lymphadenectomy for renal cell carcinoma: Semin Urol VII: 181.
- Montle, J.E. (1994):* Follow-up after partial or total nephrectomy for R.C.C. Urol. Clin. North, Amer. 21 (4): 585.
- Morgan, W.R., and Zincke, H. (1990):* Progression and survival after renal conservative surgery for RCC: experience in 104 patients and extended follow up. J. Urol., 144: 852.
- Mukamel E, Konichezky M, Engelstein D, et al., (1988):* Incidental small renal tumors accompanying clinically overt renal cell carcinoma. J Urol, 140: 22.
- Muraki, J., Cord, J., Addonizio, J. C., et al., (1991):* Application of microwave tissue coagulation in partial nephrectomy. Urology, 37: 282.
- Mydlo, J.H. and Bard, R.H. (1987):* Analysis of papillary. Renal adenocarcinoma. Urology. 30: 529.
- Nowhouse, J.H. Hutter RV, and Jean B, (1993):* The radiologic evaluation of the patients with renal cancer, urol. Clin. North. Am. 20: 231.
- Nissenkorn, I. and Bernheim. J. (1995):* Multicentricity in renal cell carcinoma J. Urol. 153: 620.
- Novick AC, Chopin D, and Streem SB, (1989):* Partial nephrectomy for renal cell carcinoma, in Novick AC (ed): 5-rt's operative Urology. Baltimore, MD, Williams & Wilkins, p 115.
- Novick AC, (1995):* Partial nephrectomy for renal cell carcinoma. Urology 46: 149.
- Novick AC, and Hafez KS, (1996):* Patterns of tumor recurrence and guidelines for follow up schadual after nephron sparing surgery for spordic RCC, J. Urol. June, 1996.
- Novick AC, (1992):* Surgery of the kidney, in Campbell's Urology, 6th ed. Walsh PC, Petik AB, Stmey TA, and Vaughn ED (Eds): Philadelphia, WB Saunders.

- Novick AC, Gephardt G, Guz B, et al., (1993):* Long-term follow up after partial removal of a solitary kidney. N Eng. J. Med. 325: 1058.
- Novick AC, Zincke H, Neves RJ et al., (1986):* Surgical enucleation for renal cell carcinoma. J. Urol. 135: 235.
- Novick AC, (1992):* The role of renal -sparing surgery for renal cell carcinoma L Semin Urol X: 12.
- Novick AC and Strffon RA (1987):* Management of locally recurrent J. Urol; 138: 607.
- Novick, A.C. (2002):* Nephron -sparing surgery for renal cell carcinoma. Annu. Rev. Med. 53: 393-407.
- Novick, A.C. Grphardt, G., Guz, B., et al., (1991):* Long-term follow up after partial removal of a solitary kidney. N. Eng. J. Med. 325: 1058.
- Novick AC, (1983):* Renal sparing surgery for renal cell carcinom. Urol. Clin. North Am. 20: 277.
- Patterson J, Lohr D, Briscoe C, et al., (1987):* Calcified renal masses. Urology; 29: 353.
- Pavelic K, and Popovici M. (1981):* Insulin and glucagon secretion by renal adenocarcinoma. Cancer. 48: 98.
- Pearson, J.Z. Weiss, I. and Tanagho, E.A. (1980):* A plea for conservation of kidney in renal adenocarcinoma associated with von Hippel- Lindau disease. J. Urol. 124: 91.
- Petersen RO (1986):* Neoplastic disorders of the kidney. In Urologic Pathology. Philadelphia, JB Lippincott, p 91; 1986.
- Pizzocaro, G. Piva L. and Salvioni, R. (1983):* Lymph node dissection in radical nephrectomy for renal cell carcinoma Eur. Urol. 9: 10.
- Polascik, T.J. Patind C.R. and Partin, A.W. (1995):* Partial nephrectomy technique, complications and pathological findings. J. Urol. 154: 1312.

- Press, G.A. Mc. Clennan, B.L. Melson, G.L. et al., (1984):* Papillary renal cell carcinoma: C.T. and sonographic evaluation *Ame. Res.* 143: 1005.
- Pritchett, TR, Ravol JK, Benson RC, et al., (1987):* Preoperative magnetic resonance imaging of vena caval thrombi: Experiences with 5 cases. *J. Urol.* 138; 138: 1220.
- Quinlan D.M. Naslund, M.J. and Brendler CB. (1992):* Application of argon beam coagulation in urologic surgery. *J. Urol.* 147: 410.
- Quinn E, Streem S and Guz B. (1984):* Classification of malignant tumours, 5th edition by LH sobin and Ch. Witterkind. New York on Wiley and Sons, Inc., pp. 180.
- Rassweiler, J. J., Abbou, C., Janetschek, G., et al., (2000):* Laparoscopic partial nephrectomy: The European Experience. *Urol. Clin. Nor. Amer.*, 27 (4): 721.
- Rassweilor, Henkel F.O. Stoke, et al., (1994):* Retro pertoneal laparoscope nephrectomy. Association of. Eur. Urology. Guidelines on laparoscopy: 1.
- Reis R.E. and Faria V, (1988):* Renal carcinoma: Reevaluation of pathology of renal cell carcinoma: *Cancer*; 61: 1192.
- Rendon RA., Kachura, J.R. Sweet, JM, et al., (2002):* The uncertainty of radio frequency treatment of renal cell carcinoma: findings at immediate and delayed nephrectomy. *J. Urol. Apr*; 167 (4): 1587-92.
- Resnick MI, Elkins IB and Brandor A. (1982):* Application of renal anatomy to intrarenal surgery; in Resnick MI Parker MD (eds): *Surgical anatomy of the Kidney*. Mt. Kisco, NY, Futura Publishing Co, pp 167.
- Resnik, MI. (1997):* renal anatomy in Gray's anatomy (Text book eight edition publishers. Churchill livin Volm. 9: 650.
- Reuter, R.E., Anglard, P., Liu, S., et al (1993):* Chromosome 17p deletions and p53 mutations in RCC. *Cancer Res.*, 53: 3092.

- Reuter, V.E. (1990):* Antigen expression in renal cell carcinoma. Eur. Urol. 18 (suppl); 4.
- Rich, P.S. Hansen, R.M., and Collier, B.D. (1983):* Metastatic renal cell carcinoma presenting as shoulder arthritis. Cancer, 51: 968.
- Richie, AWS, and DeKernion, J.B. (1988):* Incidence renal neoplasms: incidence in Los Angeles county, treatment and prognosis. Prog. Clin. Biol. Res. 269: 348.
- Riedasch G, Brkovic D, and Staehler G (1996):* Conservative surgery for renal cell carcinoma: a 20 yeears single center experience. J. Urol (Suppl.), 155: 389A.
- Ries, L. A.A., Eisner, M. P., Kosary, C. L. et al (2000):* SEER Cancer Statistics review, 1973-1997. Bethesda, Maryland: National Cancer Institute.
- Robey El- and Schellhammer PF (1986):* The adrenal gland and renal cell carcinoma: is ipsilateral adrenalectomy a necessary component of radial nephrectomy? J. Urol; 135: 453.
- Robson C.J. (1962):* Staging of renal cell carcinoma. Porg. Clin. Biol. Res.; 100: 439.
- Robson CJ, (1983):* Radical nephrectomy for renal cell carcinoma. J. Urol.; 89: 37.
- Robson CJ, Churchillill BM and Anderson W (1969):* The results of radical nephrectomy for renal cell carcinoma. J. Urol; 101: 297.
- Robson. G.J. (1962):* Staging of renal cell carniona prog. Clini Biol RES 100,439.
- Rubin, G. D.; Dake M.D. Napel, S.A. et al., (1993):* Three dimensional spiral CT angiography of the Abdomen. Radiology, 186: 147.
- Rumplet, H. Stroke, S. Moll, R. et al., (1991):* Bellini duct carcinoma. Histopathology, 18: 115.

- Sampaio FJ (1992):* Anatomical background for nephron-sparing surgery in renal cell carcinoma. *J Urol*, 147: 999.
- Sampaio FJ and Aragao AHM, (1990):* Anatomical relationship between the intrarenal arteries and the kidney collecting system.; *J. Urol*.; 143: 679.
- Sampaio FJ and Passos MA, (1991):* Renal arterial pedicle: anatomic study applied to urology and radiology. *J. Bras. Urol*.; 17: 95.
- Sampaio, F. J. and Aragao, A.H. (1990):* Renal venous arrangement and the kidney collecting system. *J. Urol.*, 144 (5): 1089.
- Sankdock DS, Seftel AD and Resnick MI (1995):* A new Protocol for the follow-up of renal cell carcinoma based on pathological stage. *J Urol*, 154: 28.
- Selli C, Lupini A and Carini M (1991):* Conservative surgery for kidney tumors. *Prog Clin Biol Res*, 370: 9.
- Sene, A. P. Hunt, L. McMahon, RFT. et al., (1992):* Renal carcinoma in patients undergoing nephrectomy: Analysis of survival and prognostic factors. *Brit. I. Urol*. 70: 125-134.
- Shirkhoda A and Lewis E (1987):* Renal sarcoma and sarcomatoid renal cell carcinoma: CT and angiographic features. *Radiology*; 162: 353.
- Shirkhoda, A. and Lewis, E. (1987):* Renal sarcoma and Sarcomatoid RCC. CT and angiographic features. *Radiology*, 182: 353.
- Silverberg E, and Luhera JA (1989):* Cancer statistics *CA Cancer Clin*. 39: 3.
- Siminovitch, J.M.P. Montie, J.E. Straffon, R.A. et al., (1983):* Prognostic Mediators in renal adenocarcinoma. *J. Urol*; 130: 23.
- Smith, Dekernion, J.B. and Ehrlich, (1984):* Bilateral R.C.C. and R.C.C. and solitary kidney. *J. Urol*. 132: 450.

- Smith, S.J., Bosniak, M. A., Megibow, A. J., et al (1989):* Earlier discovery and increased detection. *Radiology*, 170: 699, 1989.
- Sogani, PC, and Whitemor W.F. (1979):* Solitary vaginal metastasis from unsuspected renal cell carcinoma. *J. Urol.* 12: 95.
- Solomon, L.R., Mallick, N.P., and Lawler, W. (1985):* Progressive renal failure in a remnant kidney. *Brit. Med. J.* 291.
- Spencer, W.F. Novick, A.C. Monte, J.E. et al., (1988):* Surgical treatment of localized renal cell carcinoma in von Hippel-Lindau disease. *J. Urol.* 139: 507.
- Steinbach F, Novick AC, and Zincke H (1995):* Treatment of renal cell carcinoma in von Hippel Lindau disease: a multicenter study. *J Urol*, 153: 1812.
- Steinbach F, Stockie M, Griesinger A et al., (1994):* Multifocal renal cell tumors: retrospective analysis of 56 patients treated with minimally invasive surgery. *J. Urol.*, 152: 1393.
- Steinbach F, Stockle M, Kiewell R, et al., (1993):* Prognostic parameters of renal cell carcinoma. Clinicopathologic and DNA imaging cytometric analysis in 133 pT3 Cses. *Eur. Urol*; 24: 279.
- Steinberg F, Stockle M, Muller SC, et al., (2002):* Conservative surgery of renal tumors in 140 patients; 21 years of experience. *J. Urol*; 148: 24.
- Steve Dunn (2004):* Cancer Guide June 2004. Special kidney cancer section. Vol. 2, p. 19.
- Stevens R, and Graham SD, Jr. (1990):* Enucleation of tumor versus partial nephrectomy as conservative treatment of renal cell carcinoma. *Cancer* 65: 2663.
- Storke S, Tert PV, Drenckhnn D, et al., (1989):* The human chromophobe cell renal carcinoma: its probable relation to intercalated cells of the collecting duct. *Virchow's arch B (cell Pathol)* 56: 237.

- Storkel S, Thoenes U, Jacobi G et al., (1990):* Prognostic parameters of renal cell carcinoma. Eur. Urol 18 (suppl) : 36.
- Stormont, T.J.; Bihlartz, D.L. and Zincke, H. (1992):* Pitfalls of 'bench surgery' and autotransplantation for renal carcinoma. Mayo, Clin. Pro. 67: 621.
- Swanson, D.A. and Borges, P.M. (1993):* Complications of transabdominal radical nephrectomy for renal cell carcinoma. J. Urol. 129: 704.
- Syrjanen, K. H. and Hjelt A, (1987):* Ultrastructural characteristic of human renal cell carcinoma scand. J. Urology Nephro. 12: 57.
- Sythokowski, A.J. Bicknell, K.A. and Smith G.M. (1984):* Secretion of erythropoietin-like activity by clones of human renal carcinoma of cell line GKA. Cancer Res; 44: 51.
- Tarri K, Salo, J. and Karremo, K. (1993):* Renal functions after partial nephrectomy with YAG laser Brit. J. urol. 68: 459.
- Taylor RA, (1993):* Current controversies in the management of RCC, Semi. In Urol. Oncology.
- Thoenes, W.; Storkel ST, and Rumpelt H.J. (1986):* Histopathology and classification of renal cell tumors (adenomas, oncocytomas and carcinomas): The basic cytological and histopathological elements and their use as diagnostic and prognostic parameters Pathol. Resp Pract. 181: 125.
- Thompson IM and Peak M (1988):* Improvement in survival of patients with renal cell carcinoma: The role of the serendipitously detected tumor. J. Urol. 140: 487.
- Thrasher, J.B., Robertson, J.E. and Paulson, D.F., (1994):* Expanding indications for conservative renal surgery in RCC. Urology, 43 (2): 160.
- Tobias and Arnold (1963):* Pathologic finding at the time of nephrectomy for renal masses. Ann. Surg. Oncol. 4: 570.
- Tomera, KM. Farrow GM. And Liber, MM. (1987):* Well differentiated (grade- I) clear cell renal carcinoma. J. Urol. 129: 933.

- Topley M, Novick AC and Montie JE (1984):* Long-term results following partial nephrectomy for localized renal adenocarcinoma. *J. Urol.* 131: 450.
- Tosi P, Luzi P, Baak JPA, et al., (1986):* Nuclear morphometry as an important prognostic factor in stage I renal cell carcinoma. *Cancer* 58: 2512.
- Van Poppel H, Claes H, Willemsen P, et al., (1991):* Is there a place for conservative surgery in the treatment of renal carcinoma? *Brit. J. Urol.*, 67: 129.
- Velagapudi, Ruckle H.C. and Zincke, H. (1993):* Conservative surgery in patients with unilateral renal cell cancer experience with 60 patients. *J. Urol.* 149: 446.
- Wolf J, Grapthdt G and Tanagho EA, (1992):* Partial nephrectomy for localized renal cell carcinoma. *J. urol.*; 58: 120.
- Vermillion CD, Skinner DG, and Pfister RC, (1979):* Bilateral RCC. *J. Urol.*; 108: 219.
- Vermooten V. (1990):* Indication for conservative surgery. In certain renal tumour. A study based on growth pattern of clear cell carcinoma. *J. Urol.*
- Von Knorring, J. Selroos, O. and Schenin, T.M. (1981):* Haematologic finding in patients with renal carcinoma. *Scand. J. Urol. Nephrol.* 15 : 279.
- Vondermark, J.S. (1981):* Segmental anatomy of the kidney. *Urology* 17: 521.
- Walther MM, Choyke. PL, Hayes W, et al., (1994):* Evaluation of color doppler intraoperative ultrasound in parenchymal sparing renal surgery. *J. Urol.* 152: 1984-4987.
- Weber, K.O., Micheal, L. Amy. L. et al., (2000):* Matched Comparisons of Radical Nephrectomy Vs Nephron Sparing surgery. *Mayo Clinic proc.* 75: 1236.

References

- Weiland, D. Sutherland, DER, Chaver, SB, et al., (1984): Information on 625 living related kidney donors at a single institution, with long-term follow-up in 472 cases. *Transplant Proc*; 16:5.
- Wells S (1884): Successful removal of two solid circum-renal tumors *Br. Med.* 1: 758.
- Williams, RD (1991): Renal, perirenal and ureteral neoplasms, in Gillenwater Y, Grayhack), T, Howards SS and Duckett W (Eds): *Adult Pediatric Urology*. St. Louis, Mosby Yearbook, pp. 557.
- Winfield, H.N., Donovan, J.F., and Clayman, R.V. (1993): Laparoscopic partial nephrectomy: Initial case report of benign disease. *J. Endourol.* 7: 521-526.
- Yoshiko Hirō, Masahito Yoshi and Hitoshi Momosii, (2002): Department of urology. Nara medical university. Japan. *Japanese J. of clinical oncology.* 32: 95.
- Zabbo, A. Novick, A.C. Risius, B. et al., (1985): Digital subtraction angiography for evaluating patients with renal carcinoma. *J. Urol.* 134: 252.
- Zbar, B, Brouch H. and Talmadgec. (1987): Loss of loci on the short arm of chromosome 3 in renal cell carcinoma. *Nature.* 327: 721.
- Zincke H, and Sen SE (1988): Experiences with extrcorporel surgery and autotransplantation for renal cell and transitional cell cancer of the kidney. *J. Urol.*; 140: 25.
- Zincke H, and Swanson SK, (1982): Bilateral renal cell carcinom: influence of synchronous and synchronous occurrence on patient survival. *J. Urol.*; 128: 913.
- Zincke H, Engen DE, and McDonald M.W. (1985): Treatment of renal cell carcinoma by in situ partial nephrectomy and extrcorporel operation with utotransplantation. *Myo Clin. Proc.*, 60: 651.