

References

Abdel-latif, M. (1986):

Gallbladder and bile ducts. In: essentials of surgery. Edited by M. Abdel-latif P. 297 - 306

Abrendt SA and Pitt HA (1997):

Sclerosing cholangitis. In : Zinner MJ, Schwartz SI, Ellis H et al. (eds); Appleton and Lange. Maingot's Abdominal Operations, tenth edition, vol IV, chapter 64, p. 1794.

Aksenova EM., Vakhrushev IaM.,(1999):

Hepatic functions disorders after cholecystectomy .Ter Arkh.; 71(2):48-52.

Allen M., Gu J ., Adrian TE ., et al (1984):

Neuropeptide Y in

Almquist H.J.(1999):

Hemorrhagic chick disease of dietary origin n. J. Biol. Chem.111-105. Am J Gastroenterol. Oct ; 95 (10) : 2746-50.

Amdorfer RC ., Stef JJ., Dodds WJ ., Linehan JH ., Hogan WJ .,(1974):

Improved infusion system for intraluminal esophageal manometry . Gastroenterology ; 73 :23-27.

Amer Ms(1972) :

Studies with cholecystokinin in vitro III : Mechanism of the effect on the isolated rabbit gallbladder strips.J Pharmacol Exp Ther; 183:527.

Anand AC, Sharma R, Kapur BM (1995):

Analysis of symptomatic patients after cholecystectomy, Trop. Gastroentrol. 1995 Apr.- Jun;16(2-126-31).

Anastasi A ., Erspamer V ., Endean R.,(1968):

Isolation and amino acid sequence of cerulein, the active decapeptide of the skin of *Hyla caerulea* . Arch Biochem Biophys ; 125:57 .

Andersson KE ., Andersson R ., Hedneer P., Persson CGA .,(1973):

Analogous effects of cholecystokinin and prostaglandin E2 on mechanical activity and tissue levels of cAMP in biliary smooth muscle. Acta Physiol Scand; 89 : 71-579

Andrei VE., Schein M., Wise L., (1999):

Small bowel ischemia following laparoscopic cholecystectomy.Dig. Surg. ;16(6):522-4.

Ashkin JR ., Lyon DT., Shull SD ., Wagner CI., Soloway RD .,(1968):

Factors affecting delivery of bile to the duodenum in man . Gastroenterology ; 74 : 560-565 .

Bauer AI, Hanani M ., Muir TC et al (1991) :

Intracellular recordings from gallbladder ganglia of opossums . Am J Physiol ; 260 : G299.

Beargie, J.R.; Hodgson, J. and Huizeng, K.A. (1962) :

Cystic duct stump as a cause of post-cholecystectomy syndrome. Surg. Gyn. Obst., 115 : 143.

Becker JM ., Moody FG ., Zinsmeister AR .,(1982) :

Effect of gastrointestinal hormones on the biliary sphincter of the opossum . Gastroenterology ; 82:1300 -1307 .

Becker V, Stolte M .,(1972):

Funktionelle morphologie . In Ottenjann R & Classen M (eds) Gastroenterologische Endoskopie, Enke -Verlag Stuttgart. ;pp.142-149,

Behar J ., Biancani P .(1987):

Pharmacologic characterization of excitatory and inhibitory cholecystokinin receptors of the cat gallbladder and sphincter of Oddi. Gastroenterology; 92: 764-770.

Behar J ., Biancani P .,(1983) :

Neural control of the sphincter of Oddi. A physiologic role of 5-hydroxytryptamine in the cat. J Clin Invest; 72: 551-559 .

Behar J ., Biancani P.(1980):

Effect of cholecystokinin and the octapeptide of cholecystokinin on the feline sphincter of Oddi and gallbladder .Mechanisms of action .J Clin Invest; 66 :1231 1239.

Benson , EA ,Anderson A. and Page, R.E. (1995):

Br. J. Surg.63, 853.

Bergdahl, L. and Holmund, D.E.W. (1976) :

Retained bile duct stones. Acta. Ghir. Scand., 142 : 145.

Berr F (1994):

Pathogenic factors in early recurrence of cholesterol gallstones. Gastroentrol. 106:215-244

Bismuth H (1982):

Postoperative strictures of the bile duct. In Blumgart LH (ed). The biliary tract. Edinb: Churchil Livingstone. Pp. 209-218.

Bismuth, H. (1982) :

Post-operative Stricture of the bile duct. In: Blumgart, L.H. (ed) "The biliary tract" Churchill, Livingstone : 209 - 218.

Bloom SR.,(1977):

Gastrointestinal Hormones. In Crane RK (ed) a Gastrointestinal Physiology II, vol 12. Baltimore, University Press, p. 71 .

Blumgart LH and Lygidalds NJ (1982):

The postcholecystectomy patient. In: Blumgart LH (ed). The biliary tract. Clinical surgery international; Edinburgh, Churchill Livingstone, chapter 9, p. 143.

Blumgart, L.H., Garachi, R. and Duncan, J.G. (1977):

Diagnosis and management of "P.C.S." the place of endoscopy and E.R.C.P. Br. J. Surg., 64 : 809 - 816.

Bodvall B (1983):

The postcholecystectomy syndrome. Clin Gastroenterol; 2: 103-126.

Bodvall, B. (1964) :

Late results following cholecystectomy in 1930 cases and special studies on the post-operative biliary distress. "Thesis" Acta. Ghir, Scand. (Suppl), 329 : 1.

Bodvall, B. and Overgaard, B. (1966) :

Cystic duct stump after cholecystectomy: Incidence study by cholangiography in 500 cases and significance in 103 reoperations. Ann. Surg., 163 : 382 .

Bolton JP, and Le Quesne LP (1981):

Choledocholithiasis. In Smith R and Sherlock S (eds). Surgery of the gallbladder and bile ducts (London : Butterwoths). 2nd edition, p. 257-312.

Bolton, J.P. and Le-Quesne, L.P. (1981) :

Post cholecystectomy syndrome. In : Surg. of gall-bladder and bile ducts. Edited by Smith, L. and Sherlock, 3. 2nd edition P. 337 - 359.

Boyden EA .(1937):

The sphincter of Oddi in man and certain representative mammals. Surgery 1937; 1:25-37 .

Bravermam DZ ., Johnson ML ., Kern F JR (1980):

Effects of pregnancy and contraceptive steroids on gallbladder function .N Engl J Med; 302:362.

Britton, B.C., Gill, B.S. and Taylor, R.M. (1975) :

Treatment of residual stone in common bile duct. Br. J. Surg., 62: 520.

Broasch , J. W. (1985):

Reconstruction of the biliary tract. Surg. Clin. North. Am., 65 : 273 - 283 .

Brooks S., Halliday J., Khangura H .(1977):

An in vitro investigation of physiological control mechanisms in the guinea pig sphincter of Oddi, J Physio; 266 : 25P-26P .

Burhenne, H.J. (1976) :

612 Case study of instrumental removal of residual stones in G.B.D. through T. tube tract. Am. J. Surg., 131 : 260 .

Burhenne, H.J., Richards, V. and Mathewson, G.(1974) :

Method of instrumental removal of residual stones in G.B.D. through T. tube tract. Am. J. Surg., 128 : 288 .

Cameron A J ., Phillips SF ., Summerskill WH(1968) :

Effect of cholecystokinin, gastrin, secretin, and glucagon on human gallbladder in vitro. Proc Soc Exp Biol Med; 131:149.

Cantor P ., Petrojijevic L ., Pedersen JF ., et al (1986):

Cholecystokinetic and pancreatic effect of O-sulfated gastrin compared with non-sulfated gastrin and cholecystokinin. Gastroenterology; 91:1154.

Caroli J ., Porcher P ., Pequignot G ., Delattre M .(1960):

Contribution of cine radiography to study the function of the human biliary tract . Am J Dig Dis; 5 : 677-696 .

Carr-Locke DL ., Bently S (1984) :

Endoscopic manometric evaluation of exogenous cholecystokinin octapeptide on the pancreatic and biliary sphincters in man . Gut; 25 : A558 .

Carr-Locke DL., Gregg JA .(1981) :

Endoscopic manometry of pancreatic and biliary sphincter zones in man : Basal results in healthy volunteers. Dig Dis Sci 26 : 7-45.

Castleden W.M.(1990):

Br.J.Surg. P.63,47

Catnach SM., Fairclough PD ., Trembath RC ., et al (1992):

Effect of oral erythromycin on gallbladder motility in normal subjects and subjects with gallstones. Gastroenterology; 102:2071.

Chernish SM ., Miller RE ., Rosenak BD .(1972):

Hypotonic duodenography with the use of glucagon . Gastroenterology; 63:329.

Cherubini M ., Baxa F ., Mattiussi A ., Dell'Antonio A ., Cataldo R., Ginanneschi U ., (1987):

Normal function and motor disorders of the sphincter of Oddi revealed by electronic flowgraphy. Surg Res Comm , : 1:215-226.

Code CF ., Schlegel JF .(1973) :

The gastrointestinal interdigestive housekeeper . Motor correlates of the interdigestive myoelectric complex of the dog . In : Proc 4th Int Sympos on GI motility, ed. by EE Daniel, pp 631-634, Mitchell Press, Vancouver.

Coelho JCU ., Gouma DJ ., Moody FG ., Schlegel JF.(1986):

Effect of feeding on myoelectric activity of the sphincter of Oddi and the gastrointestinal tract in the opossum . Dig Dis Sci. ; 31: 202-207.

Coelho JCU ., Moody FG ., Senninger N .,(1985) :

A new method for correlating pancreatic and biliary duct pressures and sphincter of Oddi electromyography. Surgery ; 97:342-349.

Conter RL ., Roslyn JJ ., Taylor IL(1987):

Effects of peptide YY on gallbladder motility . Am J Physiol ; 252:736.

Conter RL ., Roslyn JJ ., Muller EL, et al.(1985): Effect of pancreatic polypeptide on gallbladder filling. J Surg Res; 38:461.

Cooperman, A. and Zimmon,D.S. (1982) :

Choledochoscopy. Surg. Clin. North. Ana., 62 : 853 - 859 .

Corazziari E., De Masi E ., Gatti V ., Habib FI., De Simone A ., Primerano L ., Torsoli A., Fegiz G ., (1982):

Caerulein and Sphincter of Oddi pressure activity . Ital J Gastroenterol 1982; 14:239-341.

Corazziari E., Funch-Jensen P ., :

Influence of catheter movement on SO activity measured during endoscopy, (Unpublished) .

Costantini M, Sturniolo GC, Zaminotto G et al. (1993):

Altered esophageal pain threshold in irritable bowel syndrome. Dig Dis Sci; 38: 206-212.

Cotton, P.B. ; (1984) :

Endoscopic management of bile duct stones. Gut, 25 : 287.

Cowley, L.L. and Wood, V. (1964) :

Carcinoma developing in the remnant of the gall-bladder Ann. Surg., 159 : 465.

Crema A ., Berte F ., Benzi G ., Frigio GM .,(1964) :

The response of the sphincter areas of the extrahepatic biliary tract to stimulation of sympathetic and parasympathetic nerves. Acta Physiol Lat Am; 14:24-32,

Crispin JS ., Choi YM ., Wiseman DGH ., Gillespi DJ ., Lind JF .,(1970):

A direct manometric study of the canine choledochoduodenal junction . Arch Surg; 101 : 215-218 .

Crochelt RF, Peiken SR (1987) :

Effect of nifedipine and extracellular calcium on spontaneous and potassium-stimulated bovine gallbladder contraction (abstract).Gastroenterology; 92:1799,

Cronan, J.J., Muller, P.R. and Simeone, J.P. (1983):

Prospective diagnosis of choledocholithiasis. Radiology, 146 : 467 - 469.

Csendes A ., Kruse A ., Funch-Jensen P, Oster MJ ., Omsholt J., Daignault P ., Fazekas A ., Rosenthal I., et al (1988):

Relationship between gallbladder contraction and progesterone receptors in patients with gallstones. Am J Surg; 155:147.

Cuschieri A (1995):

The stomach and Duodenum. In : Cuschieri A, Giles G and Moossa AR (eds). Butterworth-Heinmann Ltd; Cuschieri essential surgical practice, third edition, vol II, chapter 71, p. Mil-1112.

Davis M ., Ryan J (1986) :

Influence of progesterone on guinea pig gallbladder motility in vitro. Dig Dis Sci. ; 31:513.

Dawson, J.L. (1981):

Particular complications and hazards of cholecystectomy In : Surg. of gallbladder and bile ducts .edited by Smith, L. and Sherlock, S. 2nd . Edition P. :325-326.

Debas HT ., Yamagishi T ., (1979):

Evidence for a pyloro cholecystic reflex for gallbladder contraction . Ann Surg; 190:170-175 .

Debas HT ., Yamagishi T .,(1978) :

Evidence for a pyloro-pancreatic reflex for pancreatic exocrine secretion . Am J Physiol 1978; 243: E468--E471 .

Dent J ., Dodds WJ., Schiguschi T ., Hogan WJ ., Amdorfer RC ., (1983):

Gastroenterology; 84 : 453-360 .

Dockray GI (1978) :

Molecular evolution of gut hormones : Application of comparative studies on the regulation of digestion Gastroenterology; 72:344.

Dorty JE ., Pitt HA ., Kuckenbecker SL ., DenBestn L ., (1981):

Effect of gallbladder filling and cholecystokinin on the prairie dog sphincter of Oddi.
Surg Forum; 32 :148 -150 .

Doty E (1981):

Pathogenesis of choledocholithiasis. Surg Clin N Am; 61: 899.

Dowidar N. Anwar M. Awad E. and Aburaya F.(2004):

A prospective study predictors and causes of postcholecystectomy pain. EJs,
Vol.(23), No (3), July, 2004.

Dowling RH, and Ruppin DC (1982):

Gall stone dissolution and recurrence are we being misled. Br Med J; 285: 132.

Doyle JS ., Farrar JT (1989) :

A sphincter mechanism in the cystic duct of dogs. Irish J Med Sci ; 2 : 109.

Dykes, E.H., Stewart , I.H. and McArdle, C., (1984):

Infusion cholangiography in the early diagnosis of acute gallbladder diseases. Br. J.
Surg., 71 : 854 - 855.

Edward A. and Berk J(1985):

Choledocholithiasis. Gastroentrol.; 193: 699-701.

Edwards A. and Hima HS (1992):

Bleeding gastric and duodenal ulcers. Can J Surg;35:177.

Eichorn EP ., Jr., Boyden EA .,(1955):

The choledochoduodenal junction in the dog - A restudy of Oddi's sphincter. Amer J
Anat ; 97:431-459.

El-awady,H. (1971):

Factors in the causation of postcholecystectomy syndrome , An analysis of 84 cases.
Kasr El-Ainin. J. Surg. Vol., 12: 381-390.

Ellis H (1985):

Choledocholithiasis. In: Schwartz SI and Ellis H (eds); Maingot's abdominal
operations; Appleton Century-Crofts, Norwalk; Eighth edition, vol. III, P. 1883.

Ensinck JW ., Vogel RE ., Laschansky EC ., et al (1990) :

Effect of ingested carbohydrate, fat, and protein on the release of somatostatin-28 in humans . Gastroenterology; 98 : 633 .

Escourrou, J., Cordova, J.A. and Lazorthes, (1984) :

Early and late complications after endoscopic sphincterotomy. Gut, 25 : 598.

Etran, A., Kandilci, U., Danisoglu, Y. et. al., (1981):

A comparison of P.T.C. and E.R.C.P. in postcholecystectomy jaundice. J. Clin. Gastro-enterology, 3 : 67 - 72.

Evans PR, Dowsett JF, Back YT et al. (1995):

Abnormal sphincter of Oddi response to cholecystokinin in postcholecystectomy syndrome patients with irritable bowel syndrome. Dig Dis Sci; 40: 1149-1156.

Everson GT ., Braverman DZ ., Johnson MI ., et al (1980):

A critical evaluation of real-time ultrasonography for the study of gallbladder volume and contraction . Gastroenterology ; 79:40.

Everson GT(1991) :

Gallbladder Junction in gallstone disease. Gastroenterol Clin North Am; 20 : 85.

Farquharson M. and Moran B. (2005):

cholecystectomy In: Farquharson's textbook of operative general surgery. 9th edition . chapter 18 P 322-334.

Fisher RS ., Rock E ., Levin G, et al(1987) :

Effects of somatostatin on gallbladder emptying . Gastroenterology; 92:885.

Fort JM., Azpiroz F., Casellas F., Andreu J., Malagelada JR., (1996) :

Bowel habit after cholecystectomy : physiological changes and clinical importance. Gastrointest Endosc. Jul ; 44 (1) : 86-90.

French FB and Robb WAT (1985):

Biliary and renal colic. Br Med J; 2: 135.

Funch-Jensen P ., Kruse A ., Molgaard-Nielsen A ., Thommesen P., (1987) :

A new nasobiliary catheter for continuous sphincter of Oddi manometry , Scand J Gastroenterol; 22, Suppl., 135:46 .

Funch-Jensen P ., Stodkilde-Jorgensen H ., Karglund K ., Lovgreen NA .,(1981) :

Biliary manometry in dogs : Influence of selective electrostimulation of the right and left vagus nerves. Digestion; 22:89-93.

Funch-Jensen P ., (1985):

Preoperative sphincter of Oddi manometry .Ital J Gastroenterol; 17:347-349

Funch-Jensen P ., (1987):

Biliary motility . Scand J Gastroenterol ; 22,Suppl. 128,70-77

Furness JB ., Costa M ., Emson PC ., et al (1983):

Distribution, pathways and reactions to drug treatment of nerves with neuropeptide Y and pancreatic polypeptide-like immunoreactivity in the guinea-pig digestive tract . Cell Tissue Res; 234:71.

Gage SH ., (1879):

The ampulla of Vater and the pancreatic ducts in the domestic cat. Am Quart Micr J; 1-20 .

Ganong WF (ed) (1993):

Gastrointestinal function. In : Review of medical physiology. 16th ed. Appelton and Lange, California. P:427-468.

Gardner, B., Dennis, C.R. and Patti, J. (1975):

Dissolution and fragmentation of common bile duct stones. Am. J. Surg., 130 : 293. Gastroenterol. 96:615-25.

Geenen JE ., Hogan WJ ., Dodds WJ ., et al (1989):

The efficacy of endoscopic sphincterotomy after cholecystectomy in patients with sphincter of Oddi dysfunction. N Eng J Med ;320:82.

Geenen JE ., Hogan WJ ., Dodds WJ ., Stewart ET ., Amdorfer RC.,(1980):

Intraluminal pressure recording from the human sphincter of Oddi. Gastroenterology; 78:317-324.

Gibbons, G.J. and Cormack, A. (1983) :

The role of P.T.C. and Ultrasound in investigation and treatment of bile duct obstruction. Br. J. Surg., 70 : 494 - 496.

Glenn, P. (1955) :

The importance of technique in cholecystectomy. Surg. Gyn. Obst., 101 : 201 - 207.

Glenn, P. and Mannix, H. (1957) :

Biliary enteric fistulae. Surg. Gyn. Obst., 105 : 693 - 705.

Glisson F .,(1681):

Anatomia Hepatis . London; 2nd ed. 175-176 .

Gomez G., Liuis F ., Guo Y-S, et al (1986) :

Bile inhibits release of cholecystokinin and neuortensin. Surgery; 100 : 363.

Goodman, M.W., Ansel, H.J., Vennes, J.A., et al., (1980):

Is intravenous cholangiography still useful ? Gastro-enterology., 79 : 642 - 645.

Grace PA ., Poston GL, Williamson RCN (1990) :

Biliary motility. Gut; 31 : 571 .

Graham DY., (1989) :

Campylobacter pylori and peptic ulcer disease .

Grant J.C.B., (1996):

Gallbladder , bile passages and related blood vessels. In : grants atlas of Anatomy. Tenth edition . S.Chand and Co. Ltd. Fig.145 P:125

Gredzhev AF, Khatsko VV, Pov NK.,(1990):

The postcholecystectomy syndrome in peptic ulcer. Vrach Delo. Feb. (10): 32-4.

Griffen WO, (1985):

Symptoms after cholecystectomy. In Maingot's abdominal operations. Appleton-Century-Crofts 8th edition. 77: 1871-1881.

Grill W., (1977) :

The Postcholecystectomy syndrome. Prophylaxis and therapy. Munch Med Wochenschr . Apr 29 ; 119 (17) : 569-72.

Gross, B.H., Harter, L.P. and Core, R.M. (1983):

Ultrasonic evaluation of common bile duct stones, Prospective comparison with E.R.C.P. Radiology, 149 : 471 - 474. guinea pig biliary tract. Experientia ; 40:765.

Hallenbeck GA(1968) :

Biliary and pancreatic pressures. In code CF (ed) : The handbook of physiology VI : The Alimentary Canal , Vol 2 (Secretion). Washington, DC, American Physiological Society,p 1007.

Hand BH .,(1963):

An anatomical study of the choledochoduodenal area. Brit J Surg I; 48-494,1963.

Hansen MP. (2003):

The enteric nervous system II gastrointestinal functions .Pharmacol Toxicol. Jun;92(6):249-57.

Hashimoto T., Poston GL., Gomez G., et al (1988):

the effect of pancreastatin on cholecystokinin stimulated gallbladder contraction in vivo and vitro (abstract).Gastroenterology ;94:A176.

Helm JF ., Dodds WJ ., Christensen J ., Sarna S .,(1985):

Control mechanism of spontaneous in vitro contractions of the opossum sphincter of Oddi. Am J Physiol ; 249 : G572-G79

Hender P.,(1970):

Effect of the C-terminal octapeptide of cholecystokinin on guinea pig ileum and gallbladder in vitro. Acta. Physiol scand. 78:232.

Hendrickson WF .,(1898) :

A study of the musculature of the entire extra-hepatic biliary system, including that of the duodenal portion of the common bile duct and of the sphincter . John Hopkins Hosp Bull; 9:221-232.

Henriksson P ., Einarsson K ., Eriksson A ., et al (1989):

Estrogen induced gallstone formation in males: Relation to changes in serum and biliary lipids during hormonal treatment of prostatic carcinoma. J Clin Invest; 84 : 811 .

Herring R ., Simpson S., (1907):

The pressure of bile secretion and the mechanism of bile absorption in obstruction of bile duct. Proc R Soc Lond (Biol); 79:517.

Hogan W ., Geene J ., Dodds W ., Toouli j ., Venu R ., Helm J ., (1982):

paradoxical motor response to cholecystokinin (CCK-OP) in patients with suspected sphincter of Oddi dysfunction. Gastroenterology; 82:1085.

Honda R ., Toouli J ., Dodds WJ ., Sama S ., Hogan WJ ., Itoh Z.,(1982) :

Relationship of sphincter of Oddi spike bursts to gastrointestinal myoelectric activity in conscious opossum . J Clin Invest; 69 : 770-778 .

Honda R ., Toouli J ., Dodds WJ ., Geenen JE ., Hogan WJ ., Itoh Z .,(1983):

Effect of enteric hormones on sphincter of Oddi and gastrointestinal myoelectric activity in fasted conscious opossum , Gastroenterology; 84 :1-9 .

Hopton D ., White TT .,(1972):

Effect of hepatic and celiac vagal stimulation on common bile duct pressure . Am J. Dig, Dis; 16 : 1095-1101 .

Hunt, D.R. and Blumgart, L.H. (1980) :

Iatrogenic choledochoduodenal fistula. An unsuspected cause of post cholecystectomy symptoms. Br. J. Surg., 67 : 10 - 13.

Ivy AC ., Oldberg E .,(1928):

A hormone mechanism for gallbladder contraction and evacuation . Am J Physiol ; 86 : 599. J Clin Path 40-1387.

Jansson R., Svanvik J.,(1977):

Effect of intravenous secretin and cholecystokinin on net water absorption and motility in the cat. Gastroenterology; 72:639.

Jebbink MC., Masclee AA., van der kleij FG ., et al (1922):

Effect of loxiglumide and atropine on erythromycin-induced reduction in gallbladder volume in human subjects. *Hepatolog* ; 16 :937

Jorpes JE ., Mutt V ., Toczko k., (1964):

Further purification of cholecystokinin and pancwozymin. *Acta Chem Scand* ; 18 : 2408 .

Junqueira LC, Carneiro J, Kelly RO (eds)(1992):

Digestive tract . In: *Basic Histology*. 7th Edition. Appelton and Lange, California. P: 81-331.

Kalfin k, Milenov K(1991) :

The effect of vasoactive intestinal polypeptide (VIP) on the canine gallbladder motility. *Comp Biochem Physiol*; 100 : 513.

Kanayama S ., Liddle RA .,(1990) :

Somatostatin regulates duodenal cholecystokinin and somatostatin messenger RNA. *Am J Physiol* ; 258 : G358 .

Kartashova Ola, Aseev VP., (1986) :

Morphologic characteristics of the liver in the postcholecystectomy syndrome. *Arkh Pathol* ; 48 (5) : 25-32.

Kawai, N.P., Nakajima, M. and Fukumoto, K. (1975) :

Treatment of retained stones in C.B.D. by use of endoacopic sphincterotomy. *Endoscopy*, 7 : 30.

Keane FB ., DiMagno EP ., Dozois RR ., Go VLW(1980):

Relationships among canine interdigestive exocrine pancreatic and biliary flow, duodenal motor activity, plasma pancreatic polypeptide and motilin. *Gastroenterology*; 78 : 310-316.

Kern FJr., Everson GT(1978):

Contraceptive steroids increase cholesterol in bile : Mechanisms of action . *J Lipid Res*; 28 : 828 .

Kjellgern K .,(1960):

Persistence of symptoms following biliary surgery . *Ann Surg*; 152:1026.

Koelz HR ., Brandli HH ., Blum HL ., (1975):

Lancet 2 :1075.

Kononomi K, Funakoshi A, Kimura T et al (1990):

Prognosis of pancreatic endocrine function in chronic pancreatitis. *Fukuoka Acta Med*; 81 (11): 348-345.

Kordzaia DD., Gvazava AV., (1990) :

Characteristics of the reconstruction of bile ducts after cholecystectomy and the postcholecystectomy syndrome. Vestn Khir Im II Grek .Oct ; 145 (10) : 25-9.

Kotwall CA., Clanachan AS ., Baie HP (1984):

Effect of prostaglandins on motility of gallbladders removed from patients with gallstones, Arch Surg; 119:709.

Kraglund K ., Hjerminde J ., Jensen FT ., Stodkilde Jorgensen H ., Qster-Jorgensen E., Pedersen SA ., (1984):

Gallbladder emptying and gastrointestinal cyclic motor activity in humans. Scand J Gastroenterol 1984; 19:990-994.

Kreel, L. (1981):

Radiology of the biliary system. In: Surg. of gall-bladder and bile ducts. Edited by Smith, L. and Sherlock, S. P. : 153 - 173.

Kreel, L. (1984) :

Computed tomography "C.T." in gastro-enterology. Clinical gastro-enterology, 13 : 235 - 264.

Kreel, L. and Dick, R. (1981):

Percutaneous transhepatic cholangiography. In Surg. of gall-bladder and bile ducts. Edited by Smith, L. and Sherlock, S. P. : 175 - 193

Kreilkamp BL ., Boyden EA ., (1940):

Variability in the composition of the sphincter of Oddi . A possible factor in the pathologic physiology of the biliary tract. Anat Rec; 76 : 485-497

Kunath U., Hommerding Hh (1981):

1st die papilla duodeni ein autonomer sphincter ? Ein Beitrag zur funktionellen morphologie. Res Exp Med; 178 :103-116 . I

Kune GA, and Sali (1982):

Gall stones. In: Kune GA, and Sali A (eds). The practice of biliary surgery. (London Blackwell Scientific Publications). P. 1-31, 1261-191, 288-343, 344-398.

Kyosola K .,(1976):

Structure and innervation of the choledochoduodenal junction . Ann Chir et Gynaecol; 65 : Suppl. 192, pp 1 -135

Kyosola K., (1979):

Sympatho-adrenergic neural control of the sphincter of Oddi of the cat and the dog. Tohoku J Exp Med; 127 :113-117.

La Morte WW ., Gaca JM ., Wise WE ., Birkett DH ., Williams LE, Jr., (1980):

Choledochal sphincter relaxation in response to histamine in the primate . J Surg Res; 28 : 373-378.

La Morte WW ., Schoeetz DJ Jr ., Birkett DH ., et al (1979):

The role of gallbladder in the pathogenesis of cholesterol gallstones. Gastroenterology; 77:580.

Laine L and Peterson WL (1994):

Bleeding peptic ulcer. N Engl J Med; 331 (11): 717-27.

Lansford, G., Menta, S. and Kern, F. (1974) :

Treatment of residual stones in the common bile duct. Gut, 15 : 48.

Larmi TK, Mokka R, Kempainen P, and Seppala A (1985):

Acritical analysis of the cystic duct remnant. Surg Gynecol Obstet, 141: 48.

Lasson A (1989):

The postcholecystectomy syndrome: diagnostic and therapeutic strategy. Scand J Gastroenterol; 22: 897-902.

Lawrence WW (1994):

Biliary tract. In: Lawrence ww. Current surgical diagnosis and treatment; tenth edition, chapter 26, p. 557-58.

Le Quesne LP and Bolton JP (1980):

Postcholecystectomy symptoms. In: Maingot R et al. (eds); Appleton and Lange. Maingot's Abdominal Operations, seventh edition, vol I, chapter 67, page 1104-1109.

Le-Quesne, L.P., and Bolton, J.P. (1980):

Post cholecystectomy syndrome. In: Maingot "Abdomen Operation", 6th. edition. Vol. 1, Chapter, 67, Pag. : 1103 - 1113.

Levitt, R.G., Sagel, S.S. and Stanely, R.J. (1977):

Accuracy of computed tomography of the liver and biliary tract. Radiology, 124 : 123 - 128.

Li Chen , Si-feng Tao,Yuan Xu , Fu Fang , Shu you Peng ,(2005) :

Patient quality of life after cholecystectomy. J Zhejiang Univ Sci B. July; 6 (7) : 678-681.

Lideberg G.,(1969):

The effect of vagotomy on gallbladder and pressures during rest and stimulation with cholecystokinin. Acta Chir Scand ; 135:695.

Liedberg G ., Halabi M ., (1970):

The effect of vagotomy on the flow resistance at the choledocho-duodenal junction. Acta Chir Scand; 136 : 208-212.

Liedberg G ., Persson CGA.,(1970):

Adrenoreceptors in the cat choledochoduodenal junction studied in situ .
Br J Pharmacol; 39 : 619-526.

Lillemoe KD ., Webb TH ., Pitt HA .,(1988):

Neuropeptide Y : A candidate neurotransmitter for biliary motility. J Surg Res; 45:254 .

Lin TM ., Spray GF .,(1969):

Effect of pentagastrin, cholecystokinin, caerulein and glucagon on the choledochal resistance and bile flow of dogs. Gastroenterology; 56 : 1178 .

Lloyd-Jones W and Giles GR (1995):

The colon, Rectum and Anal Canal. In : Cuschier A, Giles G and Moossa AR (eds). Butterworth-Heinemann Ltd; Cuschieri essential surgical practice, third edition, vol. II, chapter 78, p. 1369-71.

LoGiudice J.A ., Geene J.F ., Hogan W.J., (1979):

Efficacy of the morphine-prostigmin test for evaluating patients with suspected papillary stenosis . Dig Dis Sci ; 24 : 456-458.

Longo, M.F., Hodson, J.R. and Ferris, D.O. (1996):

Size of CBD following cholecystectomy. Ann. Surg., 165:250.

Lonovics J ., Guzman S ., Devitt P., et al., (1980):

Release of pancreatic polypeptide in humans by infusion of cholecystokinin. Gastroenterology; 79: 817.

Lonovics J ., Varro V ., Thompson JC.,(1985):

The effect of cholecystokinin and substance P antagonists on cholecystokinin -substance P-stimulated gallbladder contraction (abstract)
Gastroenterology; 88 : 1480.

Lygidakis, N.J. (1983) :

Operative risk factors of cholecystectomy and choledochotomy in elderly.
Surg. Gyn. Obst., 157 : 15.

Mack AF ., Todd JK.,(1960):

A study of human gallbladder muscle in vitro. Gut; 9: 546.

Magarey, G.J. (1971) :

Instrumental removal of residual stones in C.B.D. through T-tube tract.
Lancet, 1 : 1044.

Maingot, R. (1984) :

Post-operative stricture of the bile ducts. In : Maingot's Abdominal operation.
7 th. edition. Vol. 1, Chapter, 78 : 1209 - 1245.

Malagelada JK ., Go VLW ., Summerskill WHI (1973):

Different sensitivities of gallbladder and pancreas to cholecystokinin-
pancreozymin (CCK-PZ) in man. Gastroenterology ; 64 :950

Mallet - Guy P .,(1952):

Value of peroperative manometric and radiological examination in the
diagnosis of pathologic changes and functional disturbances of the biliary
tract. Surg Gynaecol and Obstet ; 94: 385-393.

Manifold DK., Anggiansah A., Owen WJ., (2000) :

Effect of cholecystectomy on gastroesophageal and duodenogastric reflux. Gut.
Sep ; 45 suppl 2 : 1148-54.

Mann FC ., Higgins CM.,(1927):

Effect of pregnancy on emptying of gallbladder. Arch Surg ; 15:522. ;

Mann FC ., Foster JP.,(1918):

The secretory pressure of the liver with reference to the presence or absence
of a gallbladder . Am J Physiol

Martinez E ., Sarles JC ., (1983):

Effect of prostaglandins E1, E2 and F2 α on electric activity of the sphincter
of Oddi in living rabbit. Eur Surg Res; 1 : 322-327

Matthews JB and Blumgart LH (1997):

Benign biliary strictures. In: Zinner MJ Schwartz SI, Ellis H etal.
(eds);Appleton and Lange. Maingot's Abdominal Operations, tenth edition,
vol. IV, chapter 65, p. 1811-1812.

Matzen, P., Malchow-Moller, A., Brun, B. et_al. , (1983):

U.S., C.T. and cholangiography in suspected obstructive Jaundice, a
prospective comparative study. Gastro-enterology, 84 : 1492 - 1497.

McFadden D and Reber HA (1994):

Chronic pancreatitis. In: Braasch JW, Tompkins RK (eds). Chicago, IL;
Mosby Year Book; Surgical diseases of the biliary tract and pancreas,
multidisciplinary Management.

McMinn, R.M.H. (1995):

Anatomy of the biliary apparatus. In : Surg. of gall bladder and bile ducts.
Edited by Smith, L. and Sherlock, S. 2nd . edition, P. 11-16.

McSherry, G.K. and Glenn, F. (1980) :

The incidence and causes of death following surgery for non-malignant
biliary tract diseases. Ann. Surg., 191 : 271.

Meckeler KH ., Borrow M ., (1975):

Duct manometric study of the sphincter of Oddi in man . Gastroenterology; 68
: 1038 .

Menguy RB., Hallenbeck GA., Bollman JL., et al., (1958) :

Intraductal pressures and sphincter resistance in canine pancreatic and
biliary ducts after various stimuli. Surg Gynecol Obstet ; 106:306.

Mertz HR and Mayer EA (1997):

Functional gastrointestinal syndromes. In: Zinner MJ, Schwartz SI, Ellis H
et al. (eds); Appleton and Lange Maingot's Abdominal Operations, tenth
edition, vol I, chapter 9, p. 373-375.

Miranda M ., Espinoza M ., Csendes A ., (1981):

Manometric characteristics of the extrahepatic biliary tract in dogs. Dig Dis
Sci; 26:417-422.

Mondet, A. (1962) :

Instrumental removal of residual stone in the common bile duct through, T.
tube tract. Bol. Sac. Gr, Buenos, Aires, 46 : 278 .

Moody FG(1989):

The effects of lithogenic bile on gallbladder epithelium . Am.J.Surg. 210:
406-416.

Moorehead RJ.(1987):

Relationship between duodenal bile acids and colorectal neoplasia. Gut
28:1454-1459.

Moossa AR and Stabile BE (1995):

The colon, rectum and anal canal. In: Cuschieri A, Giles G and Moossa AR
(eds). Butterworth-Heinmann Ltd; Cuschieri essential surgical practice, third
edition, vol. II, chapter 74, p. 1252.

Morris, A.I., Fawcett, R.A. and Wood, R. (1970):

Computed tomography, ultrasound and cholestatic jaundice. Gut, 19 : 685 -
688.

Motaz El-Sherbini, Iskander, F. and Mashhor, N. (1979):

Biliary bypass procedures. Med. J. Cairo U., 47 : 127-134.

Muller EL ., Lewinski MA ., Pitt HA ., (1984):

The cholecysto sphincter of Oddi reflex . J Surg Res; 36 : 377-383 .

Mutt V ., Jorpes JE., (1968) :

Chemistry and physiology of checystokinin-pancreaozymin. Proc Int Union
Physiol Sci ; 6:193.

Nahrwold DL (1986):

Benign stricture of the bile ducts. In: Moody FG et al. (eds). Surgical
treatment of digestive disease (Chicago: Year Book Medical Publishe Inc.) p.
323-333.

Nakano M ., McCloy RE ., Gin AC ., et al., (1975):

Effect of prostaglandins E1,E2,F2alpha, and pentagastrin on the gallbladder
pressure in dogs . Eur J Pharmacol ; 30 :107 .

Nebel OT .,(1975):

Manometric evaluation of the papilla of Vater. Gastrointest Endosc;
21:126-128 .

Nebel OT ., (1975):

Effect of enteric hormones on the human sphincter of Oddi.
Gastroenterology ; 68:962 .

NeoptolemoS, J.P. (1984) :

The management of C.B.D. calculi by endoscopic sphincterotomy in
patients with gall-bladder in situ. Br. J. Surg., 71 : 69.

Neri M., Cuccurullo F., Marzio L.,(1990):

Effect of somatostatin on gallbladder volume and small intestinal motor
activity in humans . Gastroenterology; 98 : 316 .

Nilsson S., Statin S.,(1967):

Gallbladder emptying the normal menstrual cycle. Acta Chir Scand 1967 ;
133 : 648 .

O'connor, K.W., Snodgrass, P.J. and Swonder, J. (1983):

A blinded prospective study comparing four current non invasive
approaches in differential diagnosis of medical versus surgical jaundice.
Gastro-enterology, 84 :1498 - 1504.

Oddi R ., (1887):

D'une disposition a sphincter speciale de l'ouverture du canal choledocque.
Arch Ital Biol; 8 : 317-322 .

O-Doherty, D.O. (1986) :

Endoscopic sphincterotomy for retained c.B.D. stones in patients with T-tube in situ in early post-operative period . Br. J. Surg., 73:454.

Okuda, K., Tanikawa, K. and Emura, T. (1974) :

Non-surgical percutaneous transhepatic cholangiography. Diagnostic significance in medical problems of the liver. Am. J. Dig. Dis., 19: 21 - 36.

Omarshah J.S., Manzoor A.D., Nazir A.W.,Irfan R.,Showkat A.Z., (2004) :

Biliary Ascariasis as a cause of Post-cholecystectomy syndrome in an endemic area. Dig Surg ; 21: 108-113.

Ono K ., Watanabe N ., Suzuki K ., Tsuchida H Sugiyama Y., Abo M.,(1968):

Bile flow mechanism in man . Arch Surg ; 96 :869-874.

Ormsbay AH., Bauer TW., Hall GS., (1998) :

Actinomycosis of the cholecystic duct. Pathol. Feb ; 30 (1) : 65-70.

Oster MJ ., Csendes A ., Funch-Jensen P., Skjoldborg H.,(1980):

Intra operative pressure measurements of the choledochoduodenal junction, common bile duct, cysticocholedochal junction and gallbladder in humans.
Surg Gynaccol & Obslet ; 150: 385-389.

Pallin B ., Skoglund S.,(1964) :

Neural and hormonal control of the gallbladder emptying mechanism in the cat . Acta Physiol Scand; 60:348.

Parks TG (1997):

Diverticular disease of the colon. In : Zinner MJ, Schwartz SI, Ellis H et al. (eds); Appleton and Lange. Maingot's Abdominal Operations, tenth edition, vol III, chapter 40, p. 1234.

Partington PF ., Sachs MD .,(1948):

Routine use of operative cholangiography . Surg Gynaecol Obstet ; 87 : 299.

Pedersen SA ., Oster-Jergensen E ., Christensen PB .,(1981):

Scand J Gastroenterol ; 8 : 1098 (abstract) .

Peeters TL ., Vantrappen G ., Janssens J .,(1980):

Bile acid output and the interdigestive migrating motor complex in normals and in cholecystectomy patients , Gastroenterology ; 79 : 678 -681 .

Peeters TL ., Vantrappen G ., Janssens J.,(1980) :

Fasting motilin levels are related to the interdigestive motility complex.

Gastroenterology ; 79:716.

Pellegrini C., Ryan T ., Borderick W., et al (1986):

Gallbladder filling and emptying during cholesterol gallstone formation in the prairie dog. Gastroenterology ; 90:143.

Persson CGA ., (1971):

Adrenoreceptor functions in the cat choledochoduodenal junction in vitro. Br J Pharmacol ; 42 : 447-461 .

Persson CGA ., (1973):

Dual effects on the sphincter of Oddi and gallbladder induced by stimulation of the right splanchnic nerve. Acta Physiol Scand ; 87 : 334-343 .

Persson CGA ., Ekman M .,(1972):

Effect of morphine, cholecystokinin and sympathomimetics on the sphincter of Oddi and intramural pressure in cat duodenum. Scand J Gastroenterol ; 7: 345-351.

Peters JH and DeMeester TR (1997):

Gastroesophageal reflux and Hiatal Hernia. In: Zinner MJ, Schwartz SI, Ellis H et al. (eds); Appleton and Lange. Maingot's Abdominal Operations, tenth edition, vol II, chapter 23, p. 833-835.

Pitt HA ., Doty JE ., DenBesten L ., Kuckenberger SL., (1982) :

Altered sphincter of Oddi phasic activity following trunkal vagotomy .J Surg Res ; 32:598-607.

Pitt HA, Myamoto T, Parapatis SK et al. (1982):

Factors influencing outcome in patients with postoperative biliary stricture. Am J Surg; 144: 14-20.

Potter JG & Mann FC.,(1926):

Pressure changes in the biliary tract. Amer J Med Sci ; 171: 202-217.

Rashad, H., Nasr, N., Ali, N. and Thakbeb, F. (1988) :

The problem of retained stones in C.B.D. with T-tube in situ. Zagazig U. M. J. vol. 11, No. 1 P. : 117 - 122.

Rattner DW. and Warshaw AL (1997):

Disorders of the duodenal ampullae. In: Zinner MJ, Schwartz SI, Ellis H et al. (eds); Appleton and Lange. Maingot's Abdominal Operations, tenth edition, vol IV, chapter 62, p. 1759.

Raymer, J.B., Tarpinian, D.A. and Meyers, S. (1960):

Symptoms following cholecystectomy. Am. J. Dig. Dis., 5 : 55.

Reber HA (1997):

Chronic pancreatitis. In: Zinner MJ, Schwartz SI, Ellis H et al. (eds);
Appleton and Lange. Maingot's Abdominal Operations, tenth edition, vol IV,
chapter 72, p. 1943-1948.

Ribeiro BF ., Cottin PB ., Dicanari JB ., Roberts M ., Laurence B ., (1977) :

Duodenoscopic manometry of the bile duct and sphincter of Oddi .Gut ; 18 :
407 .

**Rolny P ., Arleback A ., Funch-Jensen P., Kruse A ., Ravnsback J ., Jamerot G.,
(1986):**

Paradoxical response of sphincter of Oddi to IV injection of cholecystokinin
or ceruletide . Manometric finding and results of treatment in biliary
dyskinesia . Gut ; 27 : 1507-1511 .

Rosch W., Koch H., Demling L., (1976):

Manometric studies during ERCP and endoscopic papillotomy. Endoscopy ;
8 : 30-33 .

Roth, J.L.A. (1985) :

Post-cholecystectomy syndrome, classification, frequency and diagnostic
considerations. In : Bockus, Gastro-enterology, edited by Edward Berk 4th.
edition, Vol. 6, Chapter, 205, P. : 3815 - 3833.

Roweily E., Steitieh N., Butchonn R., et al (1995) :

Prevalence of Helicobacter pylori in patients with gallstones before and after
cholecystectomy : a longitudinal study. Gut 36.675-678.

Rubbin JR and Beal JM (1983):

Diagnosis of choledocholithiasis. Surg Gynecol Obstet; 156: 16.

Ryan J., Cohen S ., (1976) :

Pressure-volume response to gastrointestinal hormones. Am J Physiol ;
230:1461 .

Ryan J ., Ryave S., (1987):

Effect of vasoactive intestinal peptide on gallbladder smooth muscle in vitro.
Am J Physiol ; 234 : E44 .

Ryan JP., (1986):

Motility of the gallbladder and biliary tree. In: Jhonson LP, Christensen J,
Grossman MI, et al (eds): Physiology of the Gastrointestinal Tract. New
York, Raven Press , p 473.

Sabiston, D.C. (1985) :

Diagnosis of biliary diseases. In : Davis -Christopher Text book of surgery,
Edited by, David, C. Sabiston, Jr. M.D. P.: 1241 - 1248.

Sakamoto T ., Fujimara M ., Newman J., et al (1985) :

Comparison of hepatic elimination of different forms of cholecystokinin in
dogs :Bioassay and radioimmunoassay comparison of cholecystokinin-sulfate
and - 33-sulfate . J Clin Invest ; 75:280.

Sandblom P ., Voegtlin WL ., Ivy AC .,(1935):

The effect of cholecystokinin on the choledochoduodenal mechanism
(sphincter of Oddi) . Am J Physiol ; 93:175-180.

**Sarles JC ., Delecourt P ., Castello H ., Gaeta L ., Nacchiero M ., Amoros JP .,
Devaux MA ., Awad R ., (1981) :**

Action of gastrointestinal hormones on the myoelectric activity of the Oddi in
living rabbit. Regul Peptides ; 2 :114-124.

Sarles JC., Bidant JM ., Devaus MA., Echinard C ., Castagnini C., (1976) :

Actions of cholecystokinin and caerulein on the rabbit sphincter of Oddi.
Digestion ; 14 : 415-423 .

Satler JJ ., Sakikihara Y ., Nussbaum M ., Tumen HJ ., (1972):

The effect of electrical stimulation of the hepatic periarterial nerve on the
dynamics of the biliary tract of the dog. Acta hepatogastroenterol ; 19 : 234-
238 .

Schein CJ ., Tawil VE ., Dardick H ., Beneventano TC., (1970) :

Common duct dynamics in man . The influence of sympathetic block. Am J
Surg ; 119:261-263.

Schein, C.J. (1978) :

Post-cholecystectomy syndrome: A clinical approach. to etiology, diagnosis
and management. Harper and Row. Publishers. New York, Sanfrancisco,
London.

Schjoldager B ., Molero X ., Miller LJ., (1987) :

Functional and biochemical characterization of the human gallbladder
muscularis cholecystokinin receptor. Gastroenterology ; 92 : 175.

Schjoldager B ., Poulsen SS ., Schimdt P, et al (1991) :

Gastrin-releasing is a transmitter mediating porcine gallbladder contraction .
Am J Physiol ; 260 : G577 .

Schmidt WE., Creutzfeldt W., Schleser A., et al (1991) :

Role of CCK in regulation of pancreaticobiliary functions and GI motility in humans : Effects of loxiglumide .AM J Physiol ; 260 : G197.

Schoetz DJ ., LaMorte WW ., Birkett DH., (1987) :

Gallbladder tone in the primate : A dynamic description by a new method.
Gastroenterology ; 74:1090.

Scott RB ., Strasberg SM, El-Sharkawy TY ., Diamant NE., (1984) :

Fasting canine biliary secretion and the sphincter of Oddi. Gastroenterology ;
87 : 793-804.

Scott GW ., Otto WJ., (1979) :

Resistance and sphincter like properties of the cystic duct. Surg Gynecol
Obstet ; 149:177.

Scott RB ., Eidt PB ., Shaffer EA ., (1985):

Regulation of fasting canine duodenal bile acid delivery by sphincter of Oddi
and gallbladder .Am J Physiol ; 249 : G622-G633.

Shaffer EA ., McOrmond P ., Duggan H., (1980) :

Quantitative cholescintigraphy : Assessment of gallbladder filling and
emptying and duodenogastric reflux, Gastroenterology ; 79; 899.

Shaffer, E.A. and Small, D.M. (1977) :

Biliary Lipid Secretion in cholesteral gall stone disease, the effect of
cholecystectomy and obesity. J. Clin. Invest., 59 : 828 - 840.

Shapiro T., Rennie W., (1999) :

Duplicate gallbladder cholecystitis after open cholecystectomy. Ann Emerg Med.
May ; 33 (5) : 584-7.

Shaw BW ., Becker JM ., Moody FG ., (1979) :

Histaminergic responses of biliary sphincter in opossum . Surg Forum ; 30 :
400-402.

Shea, J.A. (1985) :

Pre-operative evaluation of the biliary tract. Surg. Clin. North. Amer., 65 : 47 -
58.

Shorter RG ., Bollman J ., Baggentoss H., (1959) :

Pressures in the common hepatic duct of the rat . Proc Soc Exp Biol Med ; 102
: 682.

Siffort P ., Silva G., (1949):

A simple method for computing the volume of the gallbladder. Radiology ; 52 : 94 .

Silvis SE ., Vennes JA ., Dreyer M ., (1983) :

Variations in the normal duodenal papilla . Gastroint Endoscopy ; 29 :132-133.

Smith, L. (1981) :

Injuries of the bile duct. In: Surg. of the gall bladder and bile ducts. Edited by Smith, L. and Sherlock, S. 2nd. edition , P. : 361 - 381.

Smith, L. (1985) :

Anatomy of the liver and biliary apparatus. In : Surg. of the gall-bladder and bile ducts. Edited by Smith, L. and Sherlock, S. 2nd . edition, P. : 12 - 13.

Smith, R.B.; Conklin, E.F. and Porter, M.R. (1963) :

Five years study of choledocholithiasis. Surg. Gyn. Obst., 116 : 731.

Sobala G.M., O'connor HG. , Dewa EP., et al , (1993) :

Bile reflux and intestinal metaplasia in gastric mucosa. J Clinic Path 46. 235-40.

Solcia E., Pearse AGE., Grube Q., et al (1973) :

Revised Weisbaden classification of gut cells. Rendic Gastroenterol ; 5 :13.

Sousa E.A., Rodriguez G.J., Sanchez I.J., Gayoso G.R., Ghanime S.G., Rodriguez P.H.,(1989):

Agnesis of the gallbladder. Rev Esp Enferm Aprer Dig.; Feb;75(2):135-42.

Stahlberg M, Jalovaara P, Laitinen S et al. (1987):

Duodenogastric reflux : a cause for postcholecystectomy complaints ? Surg Res Comm; 1:27-35.

Staritz M., Meyer zum Buschenfelde KH., (1986) :

Investigation of the effect of diazepam and other drugs on the sphincter of Oddi motility, Ital J Gastroenterol ; 18 : 41-43 .

Startiz M., Ewe K ., zum Buschenfelde K-HM., (1985) :

Effect of the artificially elevated common bile duct pressure on the motor activity and function of the papilla of Vater . Digestion ; 31 : 61-66 .

Stawowy M., Bluhme C., Arendt-Nielsen L., Drewes AM., Funch Jensen P., (2004) :

Somatosensory changes in the referred pain area in patients with acute cholecystitis before and after treatment with laparoscopic or open cholecystectomy. Eur J Pediatr Surg Aug ; 14 (4) : 221-5.

Steen W Jensen, Oskar J.H. and Amy L.F.(2005):

Postcholecystectomy syndrome, Article. emedic. J. topic No.2740

Stefaniak T., Babinska D., Trus M., Kaska L., (2004):

Psychological factors influencing results of cholecystectomy .Scand J.Gastroenterol. Feb; 39(2):127-32.

Steigerwalt RW ., Golodfine ID ., Williams JA., (1984) :

Characterization of cholecystokinin receptors on bovine gallbladder membranes . Am J Physiol ; 247:709.

Stephen LB, Dustil MC and Richard WS., (2004):

A brief review of Biliary Dyskinesia.Current surgery. Elsevier Inc. Vol.(61),No(5) Sep-Oct 2004

Stibenz J.,Kretzschmar U., Kunzel W., Dittrich H.,(1984):

Amputation neuroma as aear cause of Postcholecystectomy syndrome.Z Gesamte Inn Med. May 1; 39(9):206-8.

Strah KM ., Melendez RL., Papps TN., el al (1986) :

Interactions of vasoactive intestinal polypeptide and cholecystokinin octapeptide on the control of gallbladder contraction . Surgery ; 99:469.

Strakov IuG., Strekalovskii VP., Vishnevskii VA., Grigoa'ian RS., (2000) :

Diverticuli of duodenal papillar region and their role in development of choledocholithiasis. Khirurgiia (Mosk) ; (3) : 10-3.

Suarez CV., (1982):

Structure of the major duodenal papilla. Mount Sin J Med ; 49 : 31-37 .

Szantay J., Varga D., Porr P.J., (1992):

Postcholecystectomy syndrome and Magnesium deficiency . Acta Physiol Hung; 80(1-4):391-8.

Szurszewski JH ., (1969) :

A migrating electric complex of the canine small intestine. Am J Physiol ; 217:1757-1763.

Takahashi I ., Honda R ., Dodds WJ ., Sarna S ., Toouli J ., Itoh Z ., Chey WY ., Hogan WJ ., Greiff D ., Baker K ., (1983):

Effect of motilin on the opossum upper gastrointestinal tract and sphincter of Oddi. Am J Physiol ; 245 : G476-G481.

Takahashi I Suzuki T., Aizawa I, et al (1982) :

Comparison of gallbladder contraction induced by motilin and cholecystokinin in dogs. Gastroentrology ; 82 : 419 .

Tanaka M ., Ikeda S ., Nakayama F ., (1984) :

Change in bile duct pressure responses after cholecystectomy : Loss of gallbladder as a pressure reservoir , Gastroenterology ; 87 :1154-1159.

Tansy MF ., Innes DL ., Martin JS ., Kendail FM ., (1974) :

An evaluation of neural influences on the spincter of Oddi in the dog . Am J Dig Dis ; 19:423-437.

Tansy MF ., Innes DL ., Martin JS ., Kendail FM ., (1974) :

Vascular influences on the dynamic stability of the choledochoduodenal junction . Am J Dig Dis ; 19 :1124-1137.

Thompson JC ., Fender HR ., Ramus NI, et al (1975) :

Cholecystokinin metabolism in man and dogs. Ann Surg ; 182 : 496.

Thornell E ., Nilsson B ., Jansson R., et al (1991) :

Effect of short-term endomethacin treatment on the clinical course of acute obstructive cholecystitis. Eur J Surg ; 157 :127

Thornell E., Jansson R ., Svanvik J., (1981) :

Indomethacin intravenously : A new way for effective relief of biliay pain . Surgery ; 90 : 468

Thune A ., Thormell E ., Svanvik J ., (1986) :

Reflex regulation of flow resistance in the feline sphincter of Oddi by hydrostatic pressure in the biliary tract. Gastroenterology ; 91:1364-1369 .

Tompkins DS., West AP.,(1987) :

Campylobacter pylori, acid and bile .

Toouli J ., Dodds WJ ., Honda R ., Sarna S., Hogan WJ., Komaroski RA ., Linehan JH ., Amdorfer RC ., (1983):

Motor function of the opossum sphincter of Oddi . J Clin Invest ; 71 : 208-220 .

Toouli J ., Dodds WJ ., Honda R., Hogan WJ ., (1981) :

Effect of histamine on motor function of opossum of Oddi . Am J Physiol ; 241 : G122-G128 .

Toouli J ., Hogan WJ ., Geenen JE ., Dodds WJ ., Amdorfer RC ., (1982) :

Action of cholecystokinin-octapeptide on sphincter of Oddi basal pressure and phasic wave activity in humans. Surgery ; 92 : 497-503.

Toouli J ., Roberts-Thomson IC ., Lee J .,(1985) :

Manometric disorders in patients with suspected sphincter of Oddi dysfunction . Gastroenterology ; 88:1243-1250.

Toouli J.,Roberts-Thomson IC., Dent J., Lee J ., (1985):

Sphincter of Oddi motility in patients with idiopathic recurrent pancreatitis . BrJ Surg ; 72 : 859-863 .

**Torsoli A ., Corazziari E ., Habib FI., Primerano L., Giubilei D .,Mazzarella E .,
DeMasi E ., Fegiz G ., (1985):**

Prolonged transductal manometry of the sphincter of Oddi . Ital J
Gastroenterol ; 17:35-37.

**Torsoli A ., Corazziari E., Habib FI ., De Masi E., Biliotti D.,Mazzarella R ., Giubilei
D ., Fegiz G ., (1986):**

Frequencies and cyclical pattern of the human sphincter of Oddi phasic
activity. Gut ; 27:363-369.

Torsoli A ., Ramorino ML ., Alessandrini A .,(1970):

Motility of the biliary tract, Rendic R Gastroenterol; 2 : 67-80 .

Touli, J.; Jablonski, P. and Watts, J. (1974) :

Treatment of residual stone in common bile duct. Aust. N.Z.J.I. Surg., 44 :
336.

Tritapepe, R.; Padova, C. and Padova, F. (1988):

Non invasive treatment for retained common bile duct stones in patients with
T-tube in situ : Saline washout after intravenous ceruletide. Br. J. Surg., 75 :
144 - 146.

Tulassay Z., Papp J., Kollin E., Koller O., (1981):

Postcholecystectomy syndrome: endoscopic and radiological aspects .Wien
Klin Wochenschr ; Jan ; 23 ; 93 (2) : 55-60.

Urakami, Y. and Kishi, 3. (1978) :

Endoscopic fistulotomy for parapapillary choledocho-duodenal fistula.
Endoscopy, 10 : 289 - 294 .

Vantrappen G ., Janssens J., Hellemans J.,(1979) :

Motilin and the interdigestive migrating myoelectric complex in man . Dig
Dis Sci: 24:497.

Walker JP ., Khalil T ., Wiener J ., et al (1985):

The role of neuortensin in human gallbladder motility . Ann Surg; 201 : 678 .

Warren, K.W.; Mountain, J.C. and Midell, A. (1971):

Management of strictures of the biliary tract. Surg. Clin., North. Amer., 51 :
711 - 731.

Warshaw A . L ., Simeaone J ., Sphapiro R.H, et al (1985):

Objective evaluation of ampullary stenosis with ultrasonography and
pancreatic stimulation. Am J Surg; 149 :65-72.

Watanabe M., Sato S., Moritani M., Uchida Y., (2001) :

Partial obstruction of the colon caused by postoperative adhesions after
cholecystectomy as a rare form of postcholecystectomy syndrome.

Way L.W.; Admirand, W.H. and Dunphy, J.B. (1972):

Treatment of retained stone in common bile duct. *Ann. Surg.*, 176 : 347.

Williams RD ., Dyson U. and Huang TT .,(1982) :

The effect of vagotomy on biliary pressure. *Surgery*; 66 : 353-356 .

Wingate DL .,(1983):

Organization of electrical and mechanical activity of the canine and human small intestine. In *Functional disorders of the digestive tract*, ed. by WY Chey,; PP 195-204, Raven Press, New York .

Winkelstein A ., Achsner PW .,(1924) :

The pressure factors in the biliary duct system of the dog . *Am J Med Sci* ; 168 : 812.

Wise, R.E. (1962) :

Intravenous cholangiography .Springfield, III, Thomas.

Wood JR ., Saverymutt SH ., Ashbrooke AB ., et al (1980):

Effect of various prostanoids on gallbladder muscle. *Prostaglandin Thromboxane Leukotriene Res* ; 8:1569.

Worthley C.S., Baker R.A ., Saccone G.j.R., et al (1987):

Interdigestive and postprandial contractile activity of the human sphincter of Oddi. *Aust N.Z. J Med*; 17: 502.

Wyatt AP .,(1967):

The relationship of the sphincter of Oddi to the stomach, duodenum and gallbladder. *J Physiol* ; 193 : 225-243 .

Wyatt AP .,(1969):

Effect of gastrectomy on biliary dynamics . *Gut*; 10 : 91-93.

Yasui A ., Naruse S ., Yanihara C., et al (1987):

Corelease of VIP and PHI by vagal stimulation in the dog. *Am J Physiol*; 253 : G13.

Yau WM ., Maklouf GM ., Edwards LE ., et al (1973):

Mode of action of cholecystokinin and related peptides on gallbladder muscle. *Gastroenterology* ; 65 : 451 .

Zeman RK, Burrell MI, Dobbins J, et al (1995):

Postcholecystectomy syndrome: Evaluation using biliary scintigraphy and ERCP. *Radiology* 156:787.

Zemskov VS., Radzikhovskii AP., Bobrov OE., (1986) :

Causes, diagnosis and treatment of the postcholecystectomy syndrome. *Vestn Khir Im II Grek. Dec*; 137 (12) : 30-4.

