

References

- **Abrahamson J. (1998):**
Etiology and pathophysiology of primary and recurrent groin hernia formation. Surg. Clin. North. Am.: 78: 953-963.
- **Abrahamson J. (1997):**
Hernia. In Zinner M.J., Schwartz S.I. and Mc Faden D.W. (Eds.). Maingot's abdominal operations; 10th edition; Vol. 1. Stamford, Appelton and Lange: 479-580.
- **Abrahamson J. (1994):**
Factors and mechanism leading to recurrence. In: Bendavid R. (Eds.). Prosthesis and abdominal wall Hernias. Austen and Landes: 138-170.
- **Abrahamson J. (1990):**
Hernias. In: Maingot's abdominal operation; 9th edition; edited by Schwartz S.I., Ellis I.I. and Husser W.C. Prentice-Hall International Inc:150-153.
- **Adler R.H. (1957):**
An evaluation of surgical mesh in the repair of hernias and tissue defects. Arch. Surg.; 85: 156-160.
- **Alene J., Glenn C. and Fitzgibbons R.J. (2002):**
The Bassini repair and its variants. Nyhus and Condon's Hernia; 5th ed. Fitzgibbons R.J. and Greenburg A.G. (Eds.). Lippincott Williams, Philadelphia. Vol.1: 105- 128.
- **Amid PK (2005):**
Groin Hernia repair: open techniques. World J. Surg.; 29(8):1046-51.
- **Amid P.K. (2002):**
Lichtenstein tension free hernioplasty for repair of primary and recurrent inguinal hernias. In: Fitzgibbons R.J. and Greenburg A.G. (Eds.). Nyhus and Condon's hernia. 5th edition. Philadelphia, Lippincott Williams & Wilkins: 149-158.

- **Amid P.K. (1997):**
Routine mesh repair crucial controversies in surgery: 63. Quoted in Mohamed O.I. (2000): The open tension free inguinal hernioplasty versus conventional repair. Thesis in General Surgery Cairo University: 75-80.
- **Amid P.K., Shulman A.G., Lichtenstein I.L. and Hakakha M. (1995):**
The goals of modern hernia surgery. Probl. In Gen. Surg; 12: 165-172.
- **Amid P.K., Shulman A.G. and Lichtenstein I.L. (1994):**
Hernioplasty; Bendavid R (Eds.); prostheses and abdominal wall hernias. Austen & Landes: 389-394.
- **Anson and McVay (1984):**
Surgical anatomy; 6th edition. Abdominal wall: 517-569.
- **Anthony, Charles, Fitzgibbons and wantz (1997):**
Mechanisms of hernia recurrence after preperitoneal mesh repair. Annals of Surg. Vol. 225: 422- 431.
- **Askar, O.M., F.Kh. (1997):**
Experience in management of huge incisional hernias. 15th annual meeting of the Egyptian Society of Surgeons. Mars 5-7.
- **Askar, O.M. (1984):**
Surgical anatomy of aponeurotic expansions of the anterior abdominal wall. Annals R. Coll. Surg. Engl; 59: 313-321.
- **Awiss C, Jean-Francois Dalattre and Jean-Bernad Flament (2000):**
The inguinofemoral area from a laparoscopic standpoint. Surg. Clin. North Am; 80: 35-48.

-
- **Awad SS., Bruckner B. and Fagan SP. (2005):**
Transperitoneal view of the Prolene hernia system open mesh repair. *Int. Surg.*; 90(3): 63-66.
 - **Ball E.L., Sanjay P. and Woodward A. (2006):**
Comparison of buffered and unbuffered local anaesthesia for inguinal hernia repair: a prospective study. *Hernia*; 20: 1-4.
 - **Barbier J., Carretier M. and Richer J.P. (1989):**
Cooper ligament repair: An update. *World J. Surg.*; 13: 499-505.
 - **Barst H.H. (1999):**
pneumoperitoneum as an aid in surgical treatment of giant inguinal hernia. *Br. J. Surg*; 59: 360-364.
 - **Bay-Nielsen M., Nilsson E. and Kehlet H. (2004):**
Chronic pain after open mesh and sutured repair of indirect inguinal hernia in young males. *Br. J. of Surg.*; 91: 1372- 1376.
 - **Bay-Nielsen M., Perkins F.M. and Kehlet H. (2001):**
Pain and functional impairment 1 year after inguinal herniorrhaphy: a nationwide questionnaire study. *Ann. Surg.*; 233: 1-7.
 - **Beattie D.K., Foley R.J.E. and Callam M.J. (2000):**
Future of laparoscopic inguinal hernia surgery. *Br. J. of Surg.*; 87: 1727-1728.
 - **Bendavid R. (1998):**
Complications of groin hernia surgery. *Surgical Clinics of North America*; 78: 1089-1103.
 - **Bendavid R. (1997):**
Expectations of hernia surgery (inguinal and femoral). In: Paterson-Brown & S Garden (Eds.): *Principles and practice of surgical laparoscopy*. Philadelphia: 387- 414.
 - **Bendavid R., Andrews D.F. and Gilbert A.I. (1995):**
Testicular atrophy. Incidence and relationship to the type of hernia and to multiple recurrent hernias. *Prob. Gen. Surg.*; 12: 225- 227.

-
- **Bendavid R. (1994):**
Seromas and prostheses. In: prostheses and abdominal wall hernias. Austin T.X. & R.G. Landes Company: 367- 369.
 - **Bendavid (1992):**
The space of Bogros and the deep inguinal venous circulation. Surg. Gynecol. Obstet.; 174: 355-358.
 - **Berndsen F., Arvidsson D., Enander L.K. et al. (2002):**
Postoperative convalescence after inguinal hernia surgery: prospective randomized multicentre study of laparoscopic versus Shouldice inguinal hernia repair in 1042 patients. Hernia; 6: 56-61.
 - **Bielesky (2001):**
Is cigarette smoking a causative factor in the development of inguinal hernia? Pol. Tyg. Lek; 43: 974-976.
 - **Biswas S. (2005):**
Elective inguinal hernia repair with mesh: is there a need for antibiotic prophylaxis? A review. World J. Surg.; 29(7):830- 836.
 - **Bittner R., Schmedt C.-G., Schwarz J., Kraft K. and Leibl B.J. (2002):**
Laparoscopic transperitoneal procedure for routine repair of groin hernia. Br. J. of Surg.; 89: 1062- 1066.
 - **Bogojavlensky S. (1989):**
Laparoscopic treatment of inguinal and femoral hernias. Presented at the 18th Annual Meeting of the American Association of Gynecological Laparoscopists. Washington, DC.:115-117.
 - **Brooks D.J. (2002):**
Anatomy of the lower urinary tract and male genital system. In: Walsh P.C., Retik A.B., Vaughan E.D. and Wein A.J. (Eds.). Campbell's urology; 8th edition; vol. I. Philadelphia W.B. Saunders: 44-45.
 - **Brooks, D.C. (1994):**
A prospective comparison of laparoscopic and tension free open herniorrhaphy. Arch. Surg.; 129: 361-366.

-
- **Callesen T., Bech K. and Kehlet H. (1999):**
Prospective study of chronic pain after groin hernia repair. *Br. J. of Surg.*; 86: 1528-1531.
 - **Cannon DJ. (1999):**
Metastatic emphysema: a mechanism for acquiring inguinal herniation. *Ann. Surg.*; 194: 270-278.
 - **Carbonell A., Callesen T. and Kehlet H. (1993):**
Risk factors associated with inguinal hernias; a case control study. *Europ. J. Surg.*; 159: 481-486.
 - **Catena F., Ansaloni L., Leone A., De Cataldis A. and Gagliardi S. (2005):**
Lichtenstein repair of inguinal hernia with Surgisis inguinal hernia matrix soft-tissue graft in immunodepressed patients. *Hernia*; 9(1):29-31.
 - **Chastan P. (2005):**
Tension-free inguinal hernia repair: A retrospective study of 3000 cases in one center. *Int. Surg.*; 90(1):48-52.
 - **Chrysos E., Athanasakis E., Antonakakis S. and Xynos (2005):**
A prospective study comparing diathermy and scalpel incisions in tension-free inguinal hernioplasty. *Am. Surg.*; 71(4): 326-329.
 - **Claud J., Deleb H. and Jean B.I. (2000):**
The inguinofemoral area from a laparoscopic stand point. *Surg. Clin. North. Am.*; 80: 35-70.
 - **Colborn G.L. and Skandalakis J.E. (1995):**
Importance of iliopubic, Cooper's and Gimbernat's ligaments. *Prob. Gen. Surg.*; 12: 35.
 - **Colborn and Skandalakis (1998):**
Laparoscopic inguinal anatomy. *Hernia*; 2: 179- 191.
 - **Condon R.E. (1995):**
The anatomy of the inguinal region and its relation to groin hernia. In: Nyhus L.M., Condon R.E. (Eds.). *Hernia*, 4th ed. Philadelphia: JB Lippincott Co: 16- 72.
 - **Condon R.E. (1989):**
Prosthetic repair of abdominal hernia. In: Nyhus L.M. and Condon

-
- R.E. (Eds.). *Hernia*; 3rd edition. Philadelphia, JB Lippincott: 150-163.
- **Conner W.T. (1992):**
studies on the biology and treatment of recurrent inguinal hernia; morphological changes. *Ann. Surg*; 179: 567.
 - **Coskun F., Ozmen MM., Moran M. and Ozozan O. (2005):**
New technique for inguinal hernia repair. *Hernia*; 9(1): 32-36.
 - **Courtney C.A., Duffy K., Serpell M.G. and O'Dyer P.J. (2002):**
Outcome of patients with severe chronic pain following repair of groin hernia. *Br. J. of Surg.*; 89: 1310-1314.
 - **Crawford D.L., Hiatt J.R. and Phillips E.H. (1998):**
Laparoscopy identifies unexpected groin hernias. Presented at the Annual Scientific Session of Southern California Chapter. American College of Surgeons; Palm. Springs, CA:97-105.
 - **David, Crawford and Philips (1998):**
Laparoscopic repair and groin hernia surgery. *Surg. Clin. North. Am.* Vol. 78; 6: 1047- 1061.
 - **Davis C.J. and Arregul M.E. (2003):**
Laparoscopic repair for groin hernias. *Surg. Clin. North. Am.*; 83: 1141-1161.
 - **Debord J.R. (1998):**
The historical development of prosthetics in hernia surgery. *Surg. Clin. North Am*; 78: 973.
 - **Decker G.A. and du Plessis D.J. (1986):**
Le McGregor's Synopsis of Surgical Anatomy; 12th edition; Wright Bristol: 200-210.
 - **Delvin, H.B. and Kings North A. (1999):**
Essential Anatomy of the abdominal wall management of abdominal hernias; 2nd Ed. New York; Chapman and Hall Medical Press: 243-244.

-
- **Deveney K.E. (1990):**
Hernias. In: Current Surgical Diagnosis and Treatment; 9th edition. Way L.W. (Eds.). Appleton and Lange: 112-125.
 - **Douglas D. (1999):**
The healing of aponeurotic incisions. Br. J. Surg.; 115: 79-85.
 - **Ekberg O., Blomquist L. and Opsson S. (1981):**
Positive contrast herniography in adult patients with obscure groin pain. Surg., 89: 532.
 - **Eubanks W. Steve (2001):**
Hernias; anatomic considerations. Sabiston Textbook of Surgery; 16th edition. Courtney M. and Harris J.W. (Eds.). W.B. Saunders Co.; Philadelphia: 783-801.
 - **EU Hernia Trialists Collaboration (2002):**
Repair of groin hernia with synthetic mesh: meta-analysis of randomized controlled trials. Ann. Surg.; 235:322-332.
 - **EU Hernia Trialists Collaboration (2000):**
Mesh compared with non-mesh methods of open groin repair: systematic review of randomized controlled trials. Br. J. Surg.; 87: 854-859.
 - **Fagan Sh. P. and Awad S.S. (2004):**
Abdominal wall anatomy "The key to a successful inguinal hernia repair". American J. Surg.; 188: (Suppl.) 3-8.
 - **Fenoglio M.E., Bermas H.R., Haun W.E. and Moore J.T. (2005):**
Inguinal hernia repair: Results using an open preperitoneal approach. Hernia; 9(2):160-161.
 - **Fernandez-Lobato R., Tartas R.A., Jimenez F.J., Marin F.J. et al. (2006):**
Stoppa procedure in bilateral inguinal hernia. Hernia; 24: 1-5.
 - **Fernandez F.G. and Brunt L.M. (2005):**
Hernias. In: Doherty G.M., Lowny J.K., Mason J.E., Reznik S.L. and Smith M.A. The Washington Manual of Surgery; 4th edition. Philadelphia, Lippincott Williams & Wilkins: 510-521.

-
- **Fitzgibbons R.J., Giobbie-Hurder A., Gibbs JO., et al (2006):**
Watchful waiting vs. repair of inguinal hernia in minimally symptomatic men: a randomized clinical trial. JAMA; Jan.; 295(3): 328- 329.
 - **Fitzgibbons R.J., Olga J., James G., William H. et al. (2003):**
The development of a clinical trial to determine if watchful waiting is an acceptable alternative to routine herniorrhaphy for patients with minimal or no hernia symptoms. J. Am. Coll. Of Surgeons: 737-742.
 - **Fitzgibbons R.J., Camps J. and Cornt D.A. (1995):**
Laparoscopic inguinal herniorrhaphy result of a multicentre trials. Ann. Surg.; 221: 3-13.
 - **Flament, Avisse and Delattre (1997):**
Anatomie et mecanisme des hernies de Paine. Revue de praticien; 47: 252- 255.
 - **Fowler R. (2001):**
Special comment, preperitoneal fascia. In hernia; 2nd edition. Nyhus L.M. and Condon R.E. (Eds); Philadelphia; J.B. Lippincott Co.: 112-114.
 - **Fruchaud (1956):**
Anatomic Chirurgical des hernies de l'Aine Paris, G. Doin:63-70.
 - **Fugun, Kaymak and Astarcioglu (1991):**
Principle causes of mechanical bowel obstruction in surgically treated adults in Western Turkey. Br. J. Surg.; 78: 202- 203.
 - **Ger R., Monroe K., Duvivier R. and Mishriek A. (1990):**
Management of indirect inguinal hernias by laparoscopic closure of the neck of the sac. Am. J. Surg.; 159: 370- 373.
 - **Gilbert A.I. (1997):**
Symposium on the management of inguinal hernias. Sutureless technique; 2nd edition. Canadian J. Surg.; 40: 209.

-
- **Gilbert A.I. and Felton L.L. (1993):**
Infection on inguinal hernia repair considering biomaterials and antibiotics. *Surg. Gynec. Obstet.*; 177: 126.
 - **Gilbert (1992):**
Sutureless repair of inguinal hernia. *Am. J. Surg.*; 163: 331-335.
 - **Gilbert A.I. (1989):**
An anatomic and functional classification for the diagnosis and treatment of inguinal hernia. *Am. J. Surg.*; 157 (3): 331-333.
 - **Gilroy A.M., Marks S.C., Lei Q. et al. (1992):**
Anatomical characteristics of the iliopubic tract: implications for repair of inguinal hernias. *Clin. Anat.*; 5: 255- 263.
 - **Gray's (1980):**
In Williams, P.L. and Warwick R. (Eds); *Gray's Anatomy*; Churchill Livingstone; 36 Ed: 150-152.
 - **Griffith C.A. (1984):**
The marcy repair revisited. *Surg. Clin. North. Am.*; 64: 215.
 - **Gullmo A., Broome A. and Smedberg S. (1984):**
Herniography. *Surg. Clin. North. Am.*; 64: 229.
 - **Halpin V.J. and Brunt L.M. (2002):**
Hernias. In: Doherty G.M., Lowny J.K., Mason J.E., Reznik S.L. and Smith M.A. *The Washington Manual of Surgery*; 3rd edition. Philadelphia, Lippincott Williams & Wilkins: 523-532.
 - **Hamilton P., Murphy J. and Bendavid R. (1995):**
Color Doppler ultrasound in the assessment of ischaemic orchities after inguinal herniorrhaphy. *Probl. Clin. Surg.*; 12: 229-232.
 - **Heniford B.T. and Ramshaw B.J. (2000):**
Laparoscopic hernia repair: A report of 100 consecutive cases. *Surg. Endos. May*; 14 (5): 419- 423.
 - **Idem F. (1980):**
Ultrasonic diagnosis of surgical diseases of the anterior abdominal wall. *Surg. Gynecol. Obstet.*; 151: 484.

-
- **Jameson J.S. and Denison A.R. (1997):**
Complications of open repairs. In: *Hernia; repair- open vs laparoscopic approaches*, edited by Maddern G.J., Hiatt J.R. and Phillips E.H.; Churchill Livingstone: 145- 152.
 - **Jani K. (2005):**
Prospective randomized study of internal oblique aponeurotic flap repair for tension-free reinforcement of the posterior inguinal wall: A new technique. *Int. Surg.*; 90(3): 155-159.
 - **John R. (1997):**
McVay repair and Molony Darn. In: *Hernia repair*; Churchill: 95-102.
 - **Jorgensen L.N. (2000):**
Less collagen production in smokers. *Surgery*; 123: 450-689.
 - **Junge K., Kling U., Rosch R. and Schumpelick V. (2002):**
Functions and morphologic properties of a modified mesh for inguinal hernia repair. *World J. Surgery*; 26: 1472-1480.
 - **Kark A.E., Belsham PA and Kruzer MN. (2005):**
Simultaneous repair of bilateral groin hernias using local anaesthesia: a review of 199 cases with a five-year follow-up. *Hernia*; 9(2): 131-133.
 - **Kehlet H. and Asvang E. (2005):**
Groin hernia repair: anaesthesia. *World J. Surg.*; 29(8): 1058-1061.
 - **Kings North A., Skandalakis P.N., Gene L. and Colborn (2000):**
Embryology, anatomy and surgical application of the preperitoneal space. *Surg. Clin. North. Am.* Vol. 80: 1- 24.
 - **Kingsnorth A.N. (1995):**
Modern Hernia Management in recent advances in surgery (18); edited by Johnson C.D. and Taylor I.; Churchill Livingstone; chapter (10): 159- 178.

-
- **Klein S.R. (2000):**
Endoscopic Surgery 1st edition; Mosby Year Book Inc., St. Louis: 15-17.
 - **Koc M, Tez M, Yoldas O, Dizen H, Gocmen E.(2006):**
Cooling for the reduction of postoperative pain: Prospective randomized study. *Hernia*; 24: 1-3.
 - **Kruzer M., Belsham P.A. and Kark A.E. (2003):**
The Liechtenstein repair for groin hernias. *Surg. Clin. North. Am.*; 83: 1099-1117.
 - **Kruzer M., Belsham P.A. and Kark A.E. (1999):**
Recurrent inguinal hernia: anterior approach. In Kruzer M., Kark H.E. and Wantz G.E. *Surgical management of abdominal wall hernias*; 1st edition. London, Martin Dunitz Ltd: 187-202.
 - **Last R.J. (2000):**
Anatomy Regional and applied; 8th edition; Churchill Livingstone London: 105-107.
 - **Last R.J. (1994):**
Anatomy regional and applied; 9th edition. London, Churchill; Livingstone: 209-215.
 - **Lawereance, Kong and Hiatt (1997):**
Classification in hernia repair. Maddern and Hiatt Phillips (Eds.); 4: 51-57.
 - **Lerut J.P. and Lauder P.J. (1997):**
Giant prosthetic reinforcement of the visceral sac in inguinal hernia repair; the Stoppa operation. In: *Hernia repair- open Vs. Laparoscopic approaches*; edited by Maddern G.J., Hiatt J.R. and Phillips E.H.; Churchill Livingstone: 133-144.
 - **Lichtenstein I.L. (2001):**
Herniorrhaphy. *Am. J. Surg.*; 200: 553-559.
 - **Lichtenstein I., Shulman A. and Amid P. (1991):**
Twenty Questions about Hernioplasty; *Am. J. Surg.*; 57: 730.

-
- **Lichtenstein I. and Shore (1974):**
Simplified repair of femoral and recurrent inguinal hernias by a "plug" technique. Am. J. Surg.; 128: 439- 444.
 - **Liem and Vroonhoven (1996):**
Laparoscopic inguinal hernia repair. Br. J. Surg.; 83: 1197- 1204.
 - **M. Kruzer, P.A. Belsham and A.E. Kark (2002):**
Prospective study of open preperitoneal mesh repair for recurrent inguinal hernia. Br. J. of Surg.; 89: 90-93.
 - **Madden J.L. (1989):**
Abdominal wall hernias. Philadelphia, PA. W.B. Saunders: 222- 227.
 - **Maghsoudi H. and Pourzand A. (2005):**
Giant prosthetic reinforcement of the visceral sac: the Stoppa groin hernia repair in 234 patients. Ann. Saudi Med.; 25(3): 228- 232.
 - **Mann C.V. (2000):**
Hernias. Umbilicus. Abdominal wall. In: Baily & Love's short practice of surgery (23); edited by Mann C.V. And Russel R.C.G.; Chapman and Hall Medical; Chapter (62): 1145- 1162.
 - **Martin Kurzer and Allan E.Kark (2005):**
Inguinal hernia repair an update. In: I. Tailor and C.D.Johnson (Eds.). Recent Advances in Surgery; Royal Society of medicine press Ltd; 28: 75-86.
 - **McArdle G. (1997):**
Is inguinal hernia a defect in human evolution and would this insight improve concepts for methods of surgical repair? Clin. Anesth.; 10: 47-55.
 - **McClurken M.E., McHaney J.M. and Colone W.M. (1986):**
Physical properties and test methods for expanded polytetrafluoroethylene (PTFE) grafts. American Society for Testing and Material; 45: 22-25.
 - **McKernan and Laws (1993):**
Laparoscopic repair of inguinal hernias using a totally extraperitoneal prosthetic approach. Surg. Endosc.; 7: 26- 28.

-
- **McMinn R.M.H. (1994);**
Last anatomy: Regional and applied; 8th edition. ELBS: 150-157.
 - **McVay (1984):**
An anatomic & functional study for diagnosis and treatment of inguinal hernia. Am. J. Surg.; 157: 331.
 - **McVay C.B. (1974):**
The anatomic basis for inguinal and femoral hernioplasty. Surg. Gynecol. Obstet.; 139: 931.
 - **Memon M.A., Cooper N.J., Memon B. and Abrams K.R. (2003):**
Meta-analysis of randomized clinical trials comparing open and laparoscopic inguinal hernia repair. Br. J. of Surg.; 90: 1479-1492.
 - **Millikan K.W., Cummings B. and Doolas A.(2003):**
The Millikan modified mesh-plug hernioplasty. Arch. Surg.; May; 138: 525-530.
 - **Moloney Gili and Barclay (1948):**
Operations for hernia; technique of Nylon Darn. Lancet; 2: 45- 48.
 - **Morten Bay-Nielsen, Henrik Kehlet, Lasse Strand, Jorgen Malmstrom, Finn Heidemann and Pal Wara (2001):**
Quality assessment of 26 304 herniorrhaphies in Denmark: A prospective nationwide study. The Lancet; 358: 1124-1128.
 - **Nathan JD. And Pappas TN. (2004):**
Inguinal hernia: an old condition with new solutions. Ann. Surg.; 240(5): 922.
 - **Nielsen-Bay M., Thomsen H., Andersen F.H. and Kehlet H. (2004):**
Convalescence after inguinal herniorrhaphy. Br. J. of Surg.; 91: 362-367.
 - **Nienhuijs S.W., van Oort I., Keemers-Gels M.E. and Strobbe L.J. (2005):**
Randomized trial comparing the Prolene Hernia System, mesh plug repair and Lichtenstein method for open inguinal hernia repair. Br. J. Surg.; 92(1): 33-38.
 - **Nyhus L. and Bombeck C. (1993):**
Hernias. In: Text book of Surgery. The Biological basis of modern surgical practice; edited by Sabiston D.; Philadelphia; 28: 403.

-
- **Nyhus L.M. and Condon R.E. (Eds.) (1991):**
The anatomy of the inguinal region and its relation to groin hernia; Philadelphia; 18.
 - **Nyhus L.M., Pollak R., Bombeck C.T. and Donahue P.F. (1988):**
The preperitoneal approach and prosthetic buttress repair for recurrent hernia. *Ann. Surg.*; 208: 733.
 - **Nyhus L. (1978):**
The peritoneal approach and iliopubic tract repair of inguinal hernia. In: Nyhus and Condon (Eds.). *Hernia*; 2nd ed. Philadelphia, Lippincott: 212- 233.
 - **Nyhus L., Condon R. and Harkins (1960):**
Clinical experiences with preperitoneal hernia repair for all types of hernia of the groin. *Am. J. Surg.*; 100: 234- 244.
 - **O'Riordan D.C. and Kingsnorth A.N. (1998):**
Audit of patient outcomes after herniorrhaphy. *Surg. Clin. North. Am.*; 78: 1129-1139.
 - **Page B., Paterson C., Young D. and O'Dwyer P.J. (2002):**
Pain from primary inguinal hernia and the effect of repair on pain. *Br. J. of Surg.*; 89: 1315-1318.
 - **Palot and Avisse (1999):**
Hernias inguinale, crurale et complicate: Physiopathologie, diagnostic, complications, traitement. *Revue de praticien*, 49: 1242-1248.
 - **Pans A., Pierard G.E. and Albert A. (2000):**
Adult groin hernias: new approaching into their biochemical characteristics. *Eur. J. Clin. Invest.*; 27: 863-868.
 - **Pans A. and Pierard G.E. (1998):**
Immunohistochemical study of the rectus sheath and transversalis fascia in adult groin hernias. *Hernia*; 2 (Suppl. 1): 13.
 - **Paul A., Troidal H. and Williams J. (1994):**
Randomized trial of modified Bassini versus Shouldice inguinal hernia repair. *Br. J. Surg.*; 1531- 1534.

-
- **Phillips E.H., Carroll B.J. and Eallas M.J. (1993):**
Laparoscopic properitoneal inguinal hernia repair without peritoneal incision. Surg. Endosc.; 7: 159- 162.
 - **Pollak R. and Nyhus L.M. (1983):**
Complications of groin hernia repair. Surg. Clin. North. Am.; 63: 1365.
 - **Ponka J.L. (1980):**
Hernias of the abdominal wall; 1st edition. W.B. Saunders Co.; Philadelphia; London; Toronto: 186-190.
 - **Poobalan AS., Bruce J., King PM., Chambers WA. And Smith WCS. (2001):**
Chronic pain and quality of life following open inguinal hernia repair. Br. J. Surg.; 88: 1122-1126.
 - **Quinn T.H. (2002):**
Anatomy of the groin. In Fitzgibbons R.J. and Greenburg G.A. (Eds.). Nyhus and Condon hernia; 5th edition. Philadelphia, Lippincott Williams & Wilkins: 55-70.
 - **Raccuia J.S. and azoulay D. (1997):**
The "Bassini" of Endoardo Bassini. In: Hernia repair-open vs. laparoscopic approaches edited by Maddern G. J., Hiatt J.R. and Phillips E.H.; Churchill Livingstone: 83-94.
 - **Rains A.J.H. and Mann C.V. (Eds.) (1992):**
Bailey and Love's short practice of surgery; 21st edition, ELBS: 346-355.
 - **Rains A.J. and Mann C.V. (Eds.) (1988):**
Bailey and love's Short practice of surgery; 20th edition. Chapman and Hall;:150. Quoted in Mohamed O.I. (2000): The open tension free inguinal hernioplasty versus conventional repair. Thesis in General Surgery; Cairo University: 58.

-
- **Ramzy A. F. and El Kousy E. (1992):**
Hydroxy prolene content of the rectus sheath in relation to groin hernias Kasr El Eini Hospital: 65-67.
 - **Raymond C. Read (1997):**
Anatomy of abdominal herniation: The parietoperitoneal spaces. Mastery of Surgery; 3rd edition; Nyhus L.M., Robert J. Baker and Fischer J.E. (Eds.). Little, Brown and Company; New York; Vol. (2): 1795- 1806.
 - **Read R.C. (2002):**
Why do human beings develop groin hernia? In: Fitzgibbons R.J. and Greenburg G.A. (Eds.). Nyhus and Condon hernia; 5th edition. Philadelphia, Lippincott Williams & Wilkins: 3-7.
 - **Read R.C. (1997):**
Anatomy of abdominal herniation: The parietoperitoneal spaces. In: Nyhus M., Baer R.J. and Fisher J.E. (Eds.). Mastery of surgery; 3rd edition. Vol. II. Boston, Little and Brown company: 1795-1805.
 - **Read R.C. (1995):**
Blood protease/antiprotease imbalance in patients with acquired herniation. Prob. Gen. Surg.: 12-41.
 - **Read (1976):**
Preperitoneal prosthetic inguinal herniorrhaphy without a relaxing incision. Am. J. Surg.; 132: 749- 752.
 - **Richard, Friedman and Phillips (1997):**
Laparoscopically guided total extraperitoneal inguinal hernioplasty. In: Hernia repair; Maddern Hiatt and Phillips (Eds.); 15: 161- 174.
 - **Rodrigues A.J., De Tolosa E.M. and De Carualho C.A. (1990):**
Electron microscopic study on the elastic related fibres in the human fascia transversalis at different ages. Gegenbaurs Morphol. Jahrb.: 136-465.
 - **Rosen M.J., Novitsky Y.W., Cobb W.S., Kercher K.W. and Heniford B.T.(2006):**
Combined open and laparoscopic approach to chronic pain following open inguinal hernia repair. Hernia; 10(1): 20-24.

-
- **Rubio (1994):**
Laparoscopic intraperitoneal hernioplasty. *Int. Surg.*; 79: 293-295.
 - **Rutkow I.M. (2003):**
The prefix plug repair for groin hernia. *Surg. Clin. North. Am.*; 83: 1079-1098.
 - **Rutkow I.M. and Robbins A.W. (1998):**
The mesh plug technique for recurrent groin herniorrhaphy. *Surg.*; 124 (5): 844-847.
 - **Rutkow I.M. and Robbins A.W. (1995):**
Economic aspects of open mesh plug versus laparoscopic groin hernioplasty. *Prob. Gen. Surg.*; 12: 203-208.
 - **Rutkow (1993):**
A selective history of groin herniorrhaphy in the 20th century. *Surg. Clin. North. Am.*; 73: 395- 411.
 - **Rutledge R.H. (1993):**
The Cooper ligament repair. *Surg. Clin. North. Am.*; 73: 471.
 - **Sabiston D.C. (1991):**
Textbook of Surgery, the biological basis of modern surgical practice; 13th edition. Philadelphia, W.B. Saunders Co.: 366-379.
 - **Scandhu P.S. and Obsborn DE (1991):**
Surgical techniques for surgery and its effect on fertility in the Wistar rat mode. *Br. J. Urol.*; 68: 513- 517.
 - **Schultz L.S., Garber J.N. and Hickok D.F. (1994):**
Transabdominal preperitoneal laparoscopic inguinal herniorrhaphy. Lesson learned and modifications. In: Arregui M.E. and Nagan R.F. (Eds.); *inguinal hernia: Advances or controversies?* Oxford, Radcliffe Medical press: 301- 306.
 - **Shin D., Lipshultz L.I., Goldstein M., Brame G.A. and Fuchs E.F. (2005):**
Herniorrhaphy with polypropylene mesh causing inguinal vasal obstruction: A preventable cause of obstructive azoospermia. *Ann. Surg.*; 241(4): 553-558.

-
- **Shouldice E.B. (2003):**
The Shouldice repair for groin hernias. Surg. Clin. North. Am.; 83: 1163-1187.
 - **Skandalakis J.E. (2002):**
Abdominal wall and hernias. In surgical anatomy and technique; A Pocket manual; (2): 123-228.
 - **Skandalakis J.E. (2000):**
Abdominal wall and hernia. In: Surgical anatomy and technique. John E.S., Panajiotis N.S. and Lee John S. (Eds.). Published by Spring Verlag; 2nd edition chapter (4): 123- 229.
 - **Skandalakis J.E., Skandalakis P.N. and Skandalakis L.J. (2000):**
Surgical anatomy and technique; 2nd edition: 157-170.
 - **Skandalakis J.E., Colborn, G.L., Androulakis J.E. and Pemberton L.B. (1993):**
Embryologic and anatomic basis of inguinal herniorrhaphy. Surg. Clin. North. Am.; 73: 817-822.
 - **Skandalakis J.E., Gray S.W. and Pemberton L.B. (1989):**
Surgical anatomy of the inguinal area. World J. Surg.; 13: 490.
 - **Smith D. (2000):**
Laparoscopic inguinal hernia repair. In Skandalakis Jeed 2nd Ed. Surgical anatomy and technique: 215.
 - **Spaw A.T. (1992):**
Laparoscopic hernia repair techniques in surgery. Ethicon Endo. Surgery: 98-110.
 - **Stoppa R.E. (1998):**
Classification of hernias. In: Chevrel J.P. (Ed.). Hernias and surgery of the abdominal wall. Berlin; Springer-Verlag: 175.

-
- **Stoppa, Diarra and Mert (1997):**
The retroperitoneal spermatic sheath. An anatomic structure of surgical interest. *Hernia*; 1: 55.
 - **Stoppa R.E. and Wantzn G.E. (1995):**
Henrie Fruchaud (1894- 1960) and his contributions to hernias. *Surgery. Contemporary Surgery*; 46: 143- 147.
 - **Stoppa (1975):**
Petit and Henry; unsutured Dacron prosthesis in groin hernias. *Int. Surg.*; 60: 411-412.
 - **Surana R. and Puri P. (1993):**
Fate of patent processus vaginalis: A case against routine contralateral exploration for unilateral inguinal hernia in children. *Pediatric Surg. Int.*; 8: 412-414.
 - **Thomas H. Quinn (2002):**
Anatomy of the groin: A view from the anatomist. Nyhus and Condon's *Hernia*; 5th edition; Fitzgibbons J.R. and Greenburg A.G. (Eds.); Philadelphia, Lippincott Williams: 55-70.
 - **Topal and Hourlay (1997):**
Totally preperitoneal Endoscopic inguinal hernia repair. *Br. J. Surg.*; 84: 61-63.
 - **Touroff A.S.W. (2001):**
Repair of large abdominal hernias; *JAMA*; 154:330-332.
 - **Usher FC. (1963):**
Hernia repair with knitted polypropylene mesh. *Surg. Gynecol. Obstet.*; 117:239-263.
 - **Wagh P.V. and Kead R.C. (1998):**
Defective collagen synthesis in inguinal herniation. *Am. J. Surg.*, 124-819.
 - **Wantz (1998):**
Giant prosthetic reinforcement of the visceral Sac. The Stoppa groin hernia repair. *Surg. Clin. North. Am.*; Vol. (78); 6: 1075- 1086.

-
- **Wantz G.E. (1996):**
Experience with the tension-free hernioplasty for primary inguinal hernias in men. *J. Am. Coll. Surg.*; 183: 251-256.
 - **Wantz G.E. (1995):**
Abdominal hernia. In: *Schwartz principles of surgery*; 8th edition. New York: 345-360.
 - **Wantz G.E. (1991):**
Incisional hernioplasty with Dacron. *Surg. Gynecol. Obstet.*; 172: 129-133.
 - **Wantz (1989):**
Giant prosthetic reinforcement of the visceral sac. *Surg. Gynecol. Obstet.*; 169: 408- 417.
 - **White H.J. and Sun C.N. (1990):**
Inguinal hernia: a true collagen disease. *Lab Invest*: 336-359.
 - **William J. Amado (1993):**
Anaesthesia for hernia surgery. *Surg. Clin. North. Am.* 73 (3): 427.
 - **Wittmann D.H., Schein M. and Condon R.W. (1995):**
Antibiotic prophylaxis in abdominal wall hernia surgery: never, always or selectively? *Prob. Gen. Surg.*; 12: 47.
 - **Wright A.J., Gradener G.C. and Fitzgibbons R.J. (2002):**
The Bassini repair and its variants. In: *Fitzgibbons R.J. and Greenburg (Eds.). Nyhus and Condon hernia*; 5th edition. Philadelphia, Lippincott: 105-112.
 - **Zieren J., Menenakos C., Paul M. and Muller J.M. (2005):**
Sexual function before and after mesh repair of inguinal hernia. *Int. J. Urol.*; 12(1):35-38.
 - **Zimmerman L.M. (1968):**
The use of prosthetic materials in the repair of hernias. *Surg. Clin. North Am.*; 48:143.

- **Zollinger R.M. jr and Zollinger R.M. sr (2003):**
Zollinger's atlas of surgical operations; 8th edition. U.S.A. McGraw Hill Co.: 424-431.
- **Zollinger R.M. (2002):**
Classification of groin hernia. In: Fitzgibbons R.J. jr and Greenburg (Eds.).Nyhus and Condon hernia; 5th edition. Philadelphia, Lippincott: 71-81.
- **Zollinger R.M. and J.T. (1999):**
A unified classification for inguinal hernias. Hernia; 3: 195.